

Refereed papers

Submitted or in revision

- Heinrich SP, Bach M • Recognized or not? Modeling false responses in a forced-choice acuity task
- Heinrich SP, Bach M • Resolution Acuity versus Recognition Acuity with Landolt-style Optotypes
- Heinrich SP, Bach M • Underconfidence and temporal resource allocation in an optotype acuity task
- Stingl K, Bach M, Bartz-Schmidt KU, Braun A, Greppmaier U, Hörtdörfer G, Kusnyerik A, Peters T, Wilhelm B, Wilke R, Zrenner E • Testing Safety and Efficacy of Visual Implants in Humans: Methodological Aspects.

To be published

- Bubl E, Kern E, Ebert D, Tebartz van Elst L, Bach M • The impact of antidepressive therapy on retinal contrast processing in depressive disorder. *Brit J Psychiat*
- van Oterendorp C, Sgouris S, Bach M, Martin G, Biermann J, Jordan J, Lagrèze W • Quantification of retrograde axonal transport capacity in the rat optic nerve by Fluorogold spectrometry. *PLoS ONE*
- Voges N, Bach M, Kommerell G • Parallactic movement beats binocularity in the presence of external visual noise. *Ophthalmic Physiol Optics* 2012 [#]
- [Dannheim F, Schiefer U, Krastel H, Bach M \(2012\)](#)
Instruktion für Standardisierte Automatische Perimetrie. *Der Ophthalmologe* 109:411–413
- [Göbel K, Poloschek CM, Erb C, Bach M \(2012\)](#)
Bedeutung der Flimmer-Kontrasttests in der funktionellen Glaukom-Diagnostik. *Der Ophthalmologe* 109:319–324 [PDF]
- [Hood DC, Bach M, Brigell H, Keating D, Kondo M, Lyons JS, Marmor MF, McCulloch DL, Palmowski AM \(2012\)](#)
ISCEV standard for clinical multifocal electroretinography (mfERG) (2011 edition) *Doc Ophthalmol* 124:1–13
- [Kornmeier J, Bach M \(2012\)](#)
Ambiguous figures – What happens in the brain if perception changes but not the stimulus. *Frontiers Human Neurosci* 6:51
- [Poloschek CM, Bach M \(2012\)](#)
Elektrophysiologische Untersuchungsmethoden in der Glaukomdiagnostik. *Der Ophthalmologe* 109:358–363 [PDF]
- [Saevansson S, Kristjánsson Á, Bach M, Heinrich SP \(2012\)](#)
P300 in neglect. *Clinical Neurophysiology* 123:496–506
- [Stiebel-Kalish H, Reich E, Rainy N, Gothilf Y, Bach M \(2012\)](#)
Gucy2f zebrafish knockdown – a model for GUCY2D-related Leber congenital amaurosis. *Eur J Hum Genetics*:1–6 2011 [#]
- [Bach M, Schiefer U, Lachenmayr B \(2011\)](#)
Prüfung des Kontrast- oder Dämmerungssehens. *Der Ophthalmologe* 108:1195–1198
- [Bode SFN, Jehle T, Bach M \(2011\)](#)
Pattern electroretinogram (PERG) in glaucoma suspects – new findings from a longitudinal study. *Invest Ophthalmol Vis Sci* 52:4300–4306 [PDF]
- [Dehnert A, Bach M, Heinrich SP \(2011\)](#)
Subjective visual acuity with simulated defocus. *Ophthalmic Physiol Optics* 31:625–631
- [Ehm W, Bach M, Kornmeier J \(2011\)](#)
Ambiguous figures and binding: EEG frequency modulations during multistable perception. *Psychophysiol* 48:547–558
- [Göbel K, Poloschek CM, Erb C, Bach M \(2012\)](#)
Bedeutung der Flimmer-Kontrasttests in der funktionellen Glaukom-Diagnostik. *Der Ophthalmologe* 109:319–324
- [Heinrich SP, Krüger K, Bach M \(2011\)](#)
The dynamics of practice effects in an optotype acuity task. *Graefes Arch Clin Exp Ophthalmol* 249:1319–1326
- [Hoffmann MB, Wolynski B, Bach M, Meltendorf S, Behrens-Baumann W, Golla F \(2011\)](#)
Optic nerve projections in patients with primary ciliary dyskinesia. *Invest Ophthalmol Vis Sci* 52:4617–4625
- [Kornmeier J, Pfäffle M, Bach, M \(2011\)](#)
Necker cube: Stimulus-related (low-level) and percept-related (high-level) EEG signatures early in occipital cortex. *J Vision* 11(9):12, 1–11
- [Krastel H, Beutelspacher S, Golubkina L, Rensch F, Jonas JB, Kolling G, Bach M, Frish I \(2011\)](#) Charles Bonnet-Syndrom: Welche Defektmuster im Gesichtsfeld disponieren zu Einfüllphänomenen? *Z prakt Augenheilkd* 32:112–120
- [Marmor M, Brigell M, McCulloch DL, Westall C, Bach M \(2011\)](#)
ISCEV Standard for Clinical Electro-oculography (2010 update). *Doc Ophthalmol* 122:1–7
- [McCulloch DL, Loffler G, Bruce N, Dutton G, Bach M \(2011\)](#)
The effects of visual degradation on face discrimination. *Ophthalmic Physiol Opt* 31:240–248 [

PDF

]

- [Moret F, Poloschek C, Lagrèze W, Bach M \(2011\)](#)
Visualization of fundus vessel pulsation using Principal Component Analysis. Invest Ophthalmol Vis Sci 52:5457–5464 [[#on-line movie preview](#)] [[PDF](#)]
- [Tavassoli T, Latham K, Bach M, Dakin SC, Baron-Cohen S \(2011\)](#)
Psychophysical Measures of Visual Acuity in Autism Spectrum Conditions. Vision Res 51:1778–1780 2010 [#]
- [Bach M, Wilke M, Wilhelm B, Zrenner E, Wilke R \(2010\)](#)
Basic quantitative assessment of visual performance in patients with very low vision. Invest Ophthalmol Vis Sci 51:1255–1260 [[PDF](#)]
- [Bubl E, Kern E, Ebert D, Bach M, Tebartz van Elst L \(2010\)](#)
Seeing grey when feeling blue? Retinal contrast gain as a potential new biomarker for major depression. Biol Psychiat 68:205–208
- [Heinrich SP, Bach M \(2010\)](#)
Less is more: subjective detailedness depends on stimulus size. J Vision 10(10): 2,1–10 [[PDF](#)]
- [Heinrich SP, Krüger K, Bach M \(2010\)](#)
The effect of optotype presentation duration on acuity estimates revisited. Graefes Arch Clin Exp Ophthalmol 248:389–394
- [Heinrich SP, Marhöfer D, Bach M \(2010\)](#)
“Cognitive” visual acuity estimation based on the event-related potential P300 component. Clin Neurophysiol 121:1464–1472
- [Holopigian K, Bach M \(2010\)](#)
A Primer on Common Statistical Errors in Clinical Ophthalmology. Doc Ophthalmol 121:215–222
- [Jehle T, Meschede W, Dersch R, Feltgen N, Bach M, Lagrèze WA \(2010\)](#)
Ophthalmologie 107:347–353
- [Krastel H, Kolling G, Bach M \(2010\)](#) Durch Visus und Perimetrie nicht abschließend geklärt: Seh- und Wahrnehmungsstörungen der täglichen Praxis. Z prakt Augenheilk 31:285–292 [[PDF](#)]
- [Odom JV, Bach M, Brigell M, Holder GE, McCulloch DL, Tormene AP, Vaegan \(2010\)](#)
ISCEV standard for clinical visual evoked potentials (2009 update) Doc Ophthalmol 120:111–119 [[PDF](#)]
- [Otto JM, Bach M, Kommerell G \(2010\)](#)
Advantage of binocularity in the presence of external visual noise. Graefes Arch Clin Exp Ophthalmol 248:535–541
- [Poloschek CM, Bach M, Lagrèze WA, Glaus E, Lemke JR, Berger W, Neidhardt J \(2010\)](#)
ABCA4 and ROM1: Implications for modification of the PRPH2-associated macular dystrophy phenotype. Invest Ophthalmol Vis Sci 51:4253–4265 [[PDF](#)]
- [Roland J, Hirsch U, Heinrich SP, Bach M, Gräf M \(2010\)](#)
Ein stochastischer Test zur Validitätskontrolle von Visusangaben. Ophthalmologie 107:57–54
- [Wesemann W, Schiefer U, Bach M \(2010\)](#)
Neue DIN-Normen zur Sehschärfebestimmung. Der Ophthalmologe 107:821–826 [[PDF](#)] [[#Visustafeln zum Ausdrucken](#)] 2009 [#]
- [Bach M, Dakin SC \(2009\)](#)
Regarding “Eagle-Eyed Visual Acuity: An Experimental Investigation of Enhanced Perception in Autism” Biol Psychiat 66:e19–e20
- [Bach M \(2009\)](#)
Die Hermann-Gitter-Täuschung: Lehrbuchklärung widerlegt. 106:913–917
- [Heinrich SP, Mell D, Bach M \(2009\)](#)
Frequency-domain analysis of fast oddball responses to visual stimuli: a feasibility study. Int J Psychophysiol 73:287–293
- [Höffken O, Stude P, Lenz M, Bach M, Dinse H, Tegenthoff M \(2009\)](#)
Increased excitability at lowered preactivation in visual cortex of migraineurs. Eur J Neurosci 30:714–720
- [Jehle T, Ehlken D, Wingert K, Feuerstein TJ, Bach M, Lagrèze WA \(2009\)](#)
Influence of narcotics on luminance and frequency modulated visual evoked potentials (VEP) in rats. Doc Ophthalmol 108:217–224
- [Kornmeier J, Bach M \(2009\)](#)
Object perception: When our brain is impressed but we do not notice it. J Vision 9(1):7, 1–10 [[PDF](#)]
- [Kornmeier J, Hein CM, Bach M \(2009\)](#)
Multistable Perception: When bottom-up and top-down coincide. [Brain & Cognition](#)

69:138-147

- [Krastel H, Kolling G, Schiefer U, Bach M \(2009\)](#)
Qualitätsanforderungen an die Untersuchung des Farbsinns. *Der Ophthalmologe*. 106:1083–102.
- [Krastel H, Kolling G, Bach M \(2009\)](#) Sehstörungen jenseits der Erfassbarkeit durch Visus und Gesichtsfeld. *Z prakt Augenheilk* 30:69-75
- [Lagrèze WA, Feltgen N, Bach M, Jehle T \(2009\)](#)
Feasibility of intravitreal erythropoietin injections in humans. *Br J Ophthalmol* 93:1667–1671
- [Lagreze WA, Gaggi M, Weigel M, Schulte-Mönting J, Bühler A, Bach M \(2009\)](#)
Retrolubar optic nerve diameter measured by high speed magnetic resonance imaging as a biomarker for axonal loss in glaucomatous optic atrophy. *Invest Ophthalmol Vis Sci* 50:4223–4228 [[PDF](#)]
- [Lange C, Feltgen N, Junker B, Schulze-Bonsel K, Bach M \(2009\)](#)
Resolving the clinical acuity categories “hand motion” and “counting fingers” using the Freiburg Visual Acuity Test (FrACT). *Graefes Arch Clin Exp Ophthalmol* 247:137–142
- [Marmor MF, Fulton AB, Holder GE, Miyake Y, Brigell M, Bach M \(2009\)](#)
ISCEV Standard for full-field clinical electroretinography (2008 update) *Doc Ophthalmol* 118:69–77 [[PDF](#)]
- [Otto JM, Bach M, Kommerell G \(2009\)](#)
Vergence position of rest: spontaneous variability. *Strabismus* 17:143–147
- [Otto JMN, Kromeier M, Bach M, Kommerell G \(2009\)](#)
Microstrabismus: fixation point scotoma, a perimetric artefact. *Vision Res* 49:575–581
- [Pieh C, McCulloch DL, Shahani U, Mctier H, Bach M \(2009\)](#)
Maturation of the fundamental and harmonic temporal response frequencies in infant flash VEP. *Doc Ophthalmol* 118:109–119
- [Poloschek CM, Bach M \(2009\)](#)
Can we do without mydriasis in multifocal ERG recordings? *Doc Ophthalmol* 118:121–127
- [Poloschek CM, Bach M \(2009\)](#)
The mfERG response topography with scaled stimuli – effect of the stretch factor. *Doc Ophthalmol* 108:121–127
- [Stahl A, Feltgen N, Fuchs A, Bach M \(2009\)](#)
Electrophysiological evaluation of retinal photoreceptor function after repeated bevacizumab injections. *Doc Ophthalmol* 118:81–88 2008 [#]
- [Atmanspacher H, Bach M, Filk T, Kornmeier J, Römer H \(2008\)](#)
Cognitive Time Scales in a Necker-Zeno Model for Bistable Perception. *Open Cybernetics & Systemics Journal* 2:234–251 [[PDF](#)]
- [Bach M, Hoffmann MB \(2008\)](#)
Update on the Pattern Electroretinogram in Glaucoma. *Optom Vision Sci* 85(6):386–395 [[PDF preprint](#)] [[PDF-request#](#) @]
- [Bach M, Maurer JP, Wolf ME \(2008\)](#)
Visual evoked potential-based acuity assessment in normal vision, artificially degraded vision, and in patients. *Brit J Ophthalmol* 92:396–403 [[PDF-request#](#) @]
- [Bach M, Wesemann W, Kolling G, Bühren J, Krastel H, Schiefer U \(2008\)](#)
Photopisches Kontrastsehen – örtliche Kontrastempfindlichkeit. *Der Ophthalmologe* 105:46–59 [[PDF](#)]
- [Dimitriu C, Bach M, Lagrèze W, Jehle T \(2008\)](#)
Methylprednisolone (MP) fails to preserve retinal ganglion cells and visual function following ocular ischemia in rats. *Invest Ophthalmol Vis Sci* 49:5003–5007 [[PDF](#)]
- [Heinrich SP, Aertsen A, Bach M \(2008\)](#)
Oblique effects beyond low-level visual processing. *Vision Res* 48:809–818
- [Heinrich SP, Bach M \(2008\)](#)
Signal and noise in P300 recordings to visual stimuli. *Doc Ophthalmol*

- 117:73–83 [PDF-request#
@]
- [Höffken O, Grehl T, Dinse H, Tegenthoff M, Bach M \(2008\)](#)
Paired-pulse behavior of visually evoked potentials recorded in human visual cortex using patterned double-pulse stimulation.
[Exp Brain Res](#)
188:427–435 [PDF preprint]
 - [Hood DC, Bach M, Brigell M, Keating D, Kondo M, Lyons JS, Palmowski-Wolfe AJ \(2008\)](#)
ISCEV guidelines for clinical multifocal electroretinography (2007 edition).
[Doc Ophthalmol](#)
116:1–11 [PDF]
 - [Jehle T, Wingert K, Dimitriu C, Meschede W, Lasseck J, Bach M, Lagrèze WA \(2008\)](#)
Quantification of ischemic damage in the rat retina: a comparative study using evoked potentials, electroretinography and histology. *Invest Ophthalmol Vis Sci* 49:1056–1064 [PDF]
 - [Lachapelle J, McKerral M, Jauffrete C, Bach M \(2008\)](#)
Temporal resolution of orientation-defined texture segregation: a VEP study.
[Doc Ophthalmol](#)
117:155–162
 - [Mell D, Bach M, Heinrich SP \(2008\)](#)
Fast stimulus sequences improve the efficiency of event-related potential P300 recordings. *J Neurosci Meth* 174:259–264
 - [Metten M, Link H, Staubach F, Bach M, Lagrèze WA \(2008\)](#)
Dose-response relationship in inferior oblique muscle recession.
[Graefe's Arch Clin Exp Ophthalmol](#)
246:593–598
 - [Otto JMN, Bach M, Kommerell G \(2008\)](#)
The prism that aligns fixation disparity does not predict the self-selected prism. *Ophthalmic Physiol Opt* 28:550–557
 - [Otto MNJ, Kromeier M, Bach M, Kommerell G \(2008\)](#)
Do dissociated or associated phoria predict the comfortable prism?
[Graefe's Arch Clin Exp Ophthalmol](#)
246:631–639 [PDF]
 - [Poloschek CM, Bach M \(2008\)](#) Verbesserung der Glaukom-Frühdiaagnose mittels neuer elektrophysiologischer Ansätze.
Augenspiegel 11:24–27
 - [Poloschek CM, Hansen LL, Bach M \(2008\)](#)
Annular fundus autofluorescence abnormality in a case of macular dystrophy.
[Doc Ophthalmol](#)
116:91–95 [PDF-request#
@]
 - [Poloschek CM, Kloeckener-Gruissem B, Hansen LL, Bach M, Berger W \(2008\)](#)
Syndromic choroideremia – sublocalization of phenotypes associated with Martin-Probst deafness mental retardation syndrome (MPDMRS). *Invest Ophthalmol Vis Sci* 49:4096–4104 [PDF
] 2007 [#]
 - [Bach M \(2007\)](#)
The Freiburg Visual Acuity Test – Variability unchanged by post-hoc re-analysis.
[Graefe's Arch Clin Exp Ophthalmol](#)
245:965–971 [PDF-request#
@]
 - [Bach M, Schulze-Bonsel K, Feltgen N, Burau H, Hansen LL \(2007\)](#)
Author Response: Numerical Imputation for Low Vision States. *Invest Ophthalmol Vis Sci. eLetter*, Aug 2007 [on-line]
 - [Ben-Shlomo G, Bach M, Ofri R \(2007\)](#)
Temporal and spatial frequencies interact in the contrast transfer function of the pattern electroretinogram.
[Vision Res](#)
47:1992–1999 [PDF-request#
@]
 - [Heinrich SP, Andrés M, Bach M \(2007\)](#)
Attention and visual texture segregation. *JOV* 7:6,1–10 [PDF]
 - [Holder GE, Brigell MG, Hawlina M, Meigen T, Vaegan, Bach M \(2007\)](#)
ISCEV Standard for Clinical Pattern Electroretinography – 2007 update.
[Doc Ophthalmol](#)

114:111–116 [

[PDF](#)

]

- [Kornmeier J, Ehm W, Bigalke H, Bach M \(2007\)](#)
Discontinuous presentation of ambiguous figures: How inter-stimulus-interval durations affect reversal dynamics and ERPs.
[Psychophysiology](#)
44:552–560 [[PDF-request#](#)
[@](#)]
- [Normann C, Schmitz D, Fürmaier A, Döing C, Bach M \(2007\)](#)
Long-term plasticity of visually evoked potentials in humans is altered in major depression.
[Biol Psychiat](#)
62:373–380 2006 [#]
- [Bach M \(2006\)](#)
The effects of glaucoma on the latency of the multifocal visual evoked potential (editorial). *Brit J Ophthalmol* 90:1076–1077 [[PDF](#)]
- [Bach M, Poloschek CM \(2006\)](#) Optical Illusions.
[Adv Clin Neurosci Rehab \(ACNR\)](#)
6:20–21 [[PDF](#)]
- [Bach M, Unsoeld AS, Philippin H, Staubach F, Maier P, Walter HS, Bomer TG, Funk J \(2006\)](#)
Pattern ERG as early risk indicator in ocular hypertension – a long-term prospective study. *Invest Ophthalmol Vis Sci* 47:4888–4894 [[PDF](#)]
- [Brown M, Marmor M, Vaegan, Zrenner E, Brigell M, Bach M \(2006\)](#)
ISCEV Standard for Clinical Electro-oculography (EOG) 2006.
[Doc Ophthalmol](#)
113:205–212 [[PDF](#)]
- [Bühren J, Terzi E, Bach M, Wesemann W, Kohnen T \(2006\)](#)
Measuring contrast sensitivity under different lighting conditions: Comparison of three tests. *Optom Vision Sci* 83:290–298
- [Heinrich SP, Schilling AM, Bach M \(2006\)](#)
Motion adaptation: net duration matters, not continuousness.
[Exp Brain Res](#)
169:461–466 [[PDF preprint](#)]
- [Jagle H, de Luca E, Serey L, Bach M, Sharpe LT \(2006\)](#)
Visual acuity and X-linked color blindness. *Graefe's Arch Clin Exp Ophthalmol* 244:447–453
- [Kornmeier J, Bach M \(2006\)](#)
Bistable perception – along the processing chain from ambiguous visual input to a stable percept. *Int J Psychophysiol* 62:345–349 [[PDF-request#](#)
[@](#)]
- [Kromeier M, Heinrich SP, Bach M, Kommerell G \(2006\)](#)
Ocular prevalence and stereoacuity. *Ophthalmic Physiol Opt* 26:50–56 [[PDF](#)]
- [Philippin H, Unsoeld A, Maier P, Walter S, Bach M, Funk J \(2006\)](#)
Ten-year results: detection of long-term progressive optic disc changes with confocal laser tomography. *Graefe's Arch Clin Exp Ophthalmol* 25:1–5
- [Schimitzek T, Bach M \(2006\)](#)
The influence of luminance on the multifocal ERG.
[Doc Ophthalmol](#)
113:187–192
- [Schulze-Bonsel K, Feltgen N, Burau H, Hansen LL, Bach M \(2006\)](#)
Visual acuities “Hand Motion” and “Counting Fingers” can be quantified using the Freiburg Visual Acuity Test. *Invest Ophthalmol Vis Sci* 47:1236–1240 [[PDF](#)] 2005 [#]
- [Heinrich SP, Kromeier M, Bach M, Kommerell G \(2005\)](#)
Vernier acuity for stereodisparate objects and ocular prevalence.
[Vision Res](#)
45:1321–1328 [[PDF](#)]
- [Heinrich SP, Renkl AEH, Bach M \(2005\)](#)
Pattern specificity of human visual motion processing.
[Vision Res](#)
45:2137–2143 [[PDF](#)]
- [Kornmeier J, Bach M \(2005\)](#)
The Necker cube – an ambiguous figure disambiguated in early visual processing.
[Vision Res](#)
45:955–960 [[PDF](#)]

- [Pieh C, Bach M, Hoffmann MB \(2005\)](#)
The influence of defocus on the multifocal visual evoked potential (mfVEP). *Graefe's Arch Clin Exp Ophthalmol* 243:38–42 [PDF-request# @] 2004 [#]
- [Bach M, Mathieu M \(2004\)](#)
Different effect of dioptric defocus vs. light scatter on the pattern electroretinogram (PERG). *Doc Ophthalmol* 108:99–106 [PDF]
- [Heinrich SP, van der Smagt MJ, Bach M, Hoffmann MB \(2004\)](#)
Electrophysiological evidence for independent speed channels in human motion processing. *JOV* 4:469–475 [PDF]
- [Heinrich SP, Bach M \(2004\)](#)
High-frequency oscillations in human visual cortex do not mirror retinal frequencies. *Neuroscience Letters* 369:55–58 [PDF-request# @]
- [Hoffmann MB, Seufert P, Bach M \(2004\)](#)
Simulated nystagmus suppresses pattern-reversal but not pattern-onset visual evoked potentials. *Clin Neurophys* 115:2659–2665 [PDF-request# @]
- [Kornmeier J, Bach M \(2004\)](#)
Early neural activity in Necker-cube reversal – Evidence for low-level processing of a Gestalt phenomenon. *Psychophysiology* 41:1–8 [PDF]
- [Kornmeier J, Bach M, Atmanspacher H \(2004\)](#)
Correlates of perceptive instabilities in visually evoked potentials. *Int J Bifurcations & Chaos* 14:727–736 [PDF]
- [Lachapelle J, Bach M, Ptito A, McKerral M \(2004\)](#)
Texture Segregation in Traumatic Brain Injury – a VEP study. *Vision Res* 44:2835–2842 [PDF]
- [Maurer JP, Heinrich TS, Bach M \(2004\)](#)
Direction tuning of human motion detection determined from a population model. *Eur J Neurosci* 19:3359–3364 [PDF-request# @]
- [Odom JV, Bach M, Barber C, Brigell M, Marmor MF, Tormene AP, Holder GE, Vaegan \(2004\)](#)
Visual Evoked Potentials Standard (2004). *Doc Ophthalmol* 108:115–123 [PDF] 2003 [#]
- [Brigell M, Bach M, Barber C, Moskowitz A, Robson J \(2003\)](#)
Guidelines for calibration of stimulus and recording parameters used in clinical electrophysiology of vision. *Doc Ophthalmol* 107:185–193 [PDF]
- [Heinrich SP, Bach M \(2003\)](#)
Adaptation characteristics of steady-state motion visual evoked potentials. *Clin Neurophysiol* 114:1359–1366 [PDF-request# @]
- [Hoffmann MB, Straube S, Bach M \(2003\)](#)
Pattern-onset stimulation boosts central multifocal VEP responses. *JOV* 3:432–439 [HTML] [PDF]
- [Kommerell G, Schmitt C, Kromeier M, Bach M \(2003\)](#)
Ocular prevalence versus ocular dominance. *Vision Research* 43:1397–1403 [PDF]
- [Kromeier M, Schmitt C, Bach M, Kommerell G \(2003\)](#)
Stereoacuity versus fixation disparity as indicators for vergence accuracy under prismatic stress. *Ophthalmic Physiol Opt* 23:43–49 [PDF-request# @]
- [Maurer JP, Bach M \(2003\)](#)
Isolating motion responses in visual evoked potentials by pre-adapting flicker-sensitive mechanisms. *Exp Brain Res* 151:536–541 [PDF-request# @] 2002 [#]
- [Bach M, Schumacher M \(2002\)](#)
The influence of ambient room lighting on the Pattern Electroretinogram (PERG). *Doc Ophthalmol* 105:281–289 [PDF]
- [Heinrich TS, Bach M \(2002\)](#)
Contrast adaptation: Paradoxical effects when the temporal frequencies of adaptation and test differ. *Visual Neuroscience* 19:421–426 [PDF-request# @]

- [Heinrich TS, Bach M \(2002\)](#)
Contrast adaptation in retinal and cortical evoked potentials: No adaptation to low spatial frequencies. *Visual Neuroscience* 19:645–650 [[PDF-request#](#) @]
- [Hoffmann MB, Bach M \(2002\)](#)
The distinction of eye and object motion is reflected by the motion-onset VEP. *Exp Brain Res* 144:141–151 [[PDF-request#](#) @]
- [Kommerell G, Kromeier M \(2002\)](#)
Prismenkorrektur bei Heterophorie. *Der Ophthalmologe* 99:3–9
- [Kromeier M, Schmitt C, Bach M, Kommerell G \(2002\)](#)
Vergleich zwischen dissoziierter und assoziierter Heterophorie. *Der Ophthalmologe* 99:549–554 [[PDF-request#](#) @]
- [Kromeier M, Schmitt C, Bach M, Kommerell G \(2002\)](#)
Bessern Prismen nach Hans-Joachim Haase die Stereosehschärfe? *Klin Monatsbl Augenheilkd* 219:422–428 [[PDF-request#](#) @]
- [Kromeier M, Schmitt C, Bach M, Kommerell G \(2002\)](#)
Beeinflussen Prismen nach Hans-Joachim Haase die Augenprävalenz? *Klin Monatsbl Augenheilkd*; 219: 851–857 [[PDF-request#](#) @]
- [Schmitt C, Kromeier M, Bach M, Kommerell G \(2002\)](#)
Interindividual variability of learning in stereoacuity. *Graefe's Arch Clin Exp Ophthalmol* 240:704–709 [[PDF-request#](#) @] 2001 [#]
- [Bach M \(2001\)](#)
Electrophysiological approaches for early detection of glaucoma. *European J Ophthalmol* 11;Suppl. 2:S41–S49 (Review) [[PDF](#)]
- [Bach M, Schmitt C, Kromeier M, Kommerell G \(2001\)](#)
The Freiburg Stereoacuity Test: Automatic measurement of stereo threshold. *Graefe's Arch Clin Exp Ophthalmol* 239:562–566 [[PDF](#)]
- [Heinrich SP, Bach M \(2001\)](#)
Adaptation dynamics in pattern-reversal visual evoked potentials. *Doc Ophthalmol* 102:141–156 [[PDF](#)]
- [Heinrich SP, Bach M \(2001\)](#)
120 Hz oscillations in the flash visual evoked potential are strictly phaselocked and limited to the first 100 ms. *Vis Neurosci* 18:917–921 [[PDF](#)]
- [Heinrich TS, Bach M \(2001\)](#)
Contrast adaptation in human retina and cortex. *Invest Ophthalmol Vis Sci* 42:2721–2727 [[PDF](#)]
- [Hoffmann MB, Unsöld A, Bach M \(2001\)](#)
Directional tuning of motion adaptation in the motion-onset VEP. *Vision Res* 41:2187–2194 [[PDF](#)]
- [Janknecht P, Wesendahl Th, Feltgen N, Otto T, Bach M \(2001\)](#)
Electroretinogram and Pattern Electroretinogram in Pigs. *Graefe's Arch Clin Exp Ophthalmol* 239:133–137 [[PDF](#)]
- [Janz C, Heinrich SP, Kornmayer J, Bach M, Hennig J \(2001\)](#)
Coupling of neuronal activity and BOLD fMRI response: New insights by combination of fMRI and VEP experiments in transition from single events to continuous stimulation. *Magn Reson Med* 46:482–486 [[PDF](#)]
- [Kromeier M, Schmitt C, Bach M, Kommerell G \(2001\)](#)
Heterophoria measured with white, dark-grey and dark-red Maddox rods. *Graefe's Arch Clin Exp Ophthalmol* 239:937–940 [[PDF-request#](#) @]
- [Seeliger MW, Jurklics B, Kellner U, Palmowski A, Bach M, Kretschmann U \(2001\)](#)
Multifokale Elektroretinographie (mfERG). *Der Ophthalmologe* 98:1112–1127 [[PDF](#)] 2000 [#]
- [Bach M, Hawlina M, Holder GE, Marmor MF, Meigen T, Vaegan, Miyake Y \(2000\)](#)
Standard for pattern electroretinography. *Doc Ophthalmol* 101:11–18 [[HTML](#) | [PDF](#)]
- [Bach M, Hoffmann MB \(2000\)](#)
Visual motion detection in man is governed by non-retinal mechanisms. *Vision Res* 40:2379–2385 [[PDF](#)]
- [Bach M, Kellner U \(2000\)](#)
Elektrophysiologische Diagnostik in der Ophthalmologie. *Ophthalmologe* 12:898–920 [[PDF](#)]
- [Bach M, Schmitt C, Quenzer T, Meigen T & Fahle M \(2000\)](#)
Summation of texture segregation across orientation and spatial frequency: Electrophysiological and psychophysical findings. *Vision Res* 40:3559–3566 [[PDF](#)]
- [Gerling J, de Paz H, Schroth V, Bach M, Kommerell G \(2000\)](#)
Ist die Feststellung einer Fixationsdisparation mit der Mess- und Korrektionsmethodik nach H.-J. Haase (MKH) verlässlich? *Klin Monatsbl Augenheilkd* 216:401–411 [[PDF-request#](#) @]

- [Kommerell G, Gerling J, Ball M, de Paz H, Bach M \(2000\)](#)
Heterophoria and fixation disparity: A review. *Strabismus* 8:127–134 [PDF]
- [Langheinrich T, Tebartz Van Elst L, Lagrèze W, Bach M, Lücking CH, Greenlee MW \(2000\)](#)
Visual contrast response functions in Parkinson's disease: Evidence from ERG, VEP and psychophysics. *Clinical Neurophysiology* 111:66–74 [PDF]
- [Schmidt D, Fehr J, Bach M \(2000\)](#)
Lesen bei Bewegung in der Gesichtsfeldperipherie. *Ophthalmologe* 97:846–848 [PDF-request# @] 1999 [#]
- [Bach M, Meigen T](#)
(1999) Electrophysiological correlates of human texture segregation, an overview. *Doc Ophthalmol* 95:335–347 [PDF]
- [Bach M, Meigen T](#)
(1999) Do's and don'ts in Fourier analysis of steady-state potentials. *Doc Ophthalmol* 99:69–82 [#HTML | PDF]
- [Hoffmann M, Dorn T, Bach M \(1999\)](#)
Time course of motion adaptation: Motion onset visual evoked potentials and subjective estimates. *Vision Res* 39:437–444 [PDF]
- [Lieb K, Brucker S, Bach M, Els T, Lücking CH & Greenlee MW \(1999\)](#)
Impairment in preattentive visual processing in patients with Parkinson's disease. *Brain* 122:303–313 [PDF]
- [Meigen T & Bach M](#)
(1999) On the statistical significance of electrophysiological steady-state responses. *Doc Ophthalmol* 98:207–232 [PDF]
- [Zapf HR, Bach M \(1999\)](#)
The contrast characteristic of the pattern electroretinogram (PERG) depends on temporal frequency. *Graefes Arch Clin Exp Ophthalmol* 237:93–99 [PDF] 1998 [#]
- [Bach M, Kommerell G \(1998\)](#)
Sehschärfestimmung nach Europäischer Norm – wissenschaftliche Grundlagen und Möglichkeiten der automatischen Messung. *Klin Mbl Augenheilk* 212:190–195 [#HTML]
- [Bach M, Sulimma F & Gerling J \(1998\)](#)
Little correlation of the pattern-electroretinogram and visual field measures in early glaucoma. *Doc Ophthalmol* 94:253–263 [PDF]
- [Brigell M, Bach M, Barber C, Kawasaki K, Kooijman A \(1998\)](#)
Guidelines for calibration of stimulus and recording parameters used in clinical electrophysiology of vision. *Doc Ophthalmol* 95:1–14 [PDF]
- [Gerling J, Ball M, Bömer T, Bach M, Kommerell G \(1998\)](#)
Fixationsdisparation am Pola-Zeigertest: nicht repräsentativ für die Augenstellung unter natürlichen Sehbedingungen. *Klin Mbl Augenheilk* 212:226–233
- [Lagrèze WA, Knörle R, Bach M, Feuerstein TJ \(1998\)](#)
Memantine is neuroprotective in a rat model of pressure-induced retinal ischemia. *Invest Ophthalmol Vis Sci* 39:1063–1066 [PDF]
- [Markstahler U, Bach M, Spatz WB \(1998\)](#)
Transient molecular visualization of ocular dominance columns (ODCs) in normal adult marmosets despite the desegregated termination of the retino-geniculo-cortical pathways. *J Comp Neurol* 393:118–134 1997 [#]
- [Bach M \(1997\)](#)
A note on luminance calibration of raster-scan cathode ray tubes: Temporal resolution, ripple and accuracy. *Spatial Vision* 10:485–489
- [Bach M \(1997\)](#)
Anti-aliasing and dithering in the "Freiburg Visual Acuity Test". *Spatial Vision* 11:85–89 (PDF)
- [Bach M, Meigen T \(1997\)](#)
Similar electrophysiological correlates of texture segregation induced by luminance, orientation, motion and stereo. *Vision Res* 37:1409–1414 [PDF]
- [Bach M, Meigen T, Strasburger H \(1997\)](#)
Raster-scan cathode ray tubes for vision research – limits of resolution in space, time and intensity, and some solutions. *Spatial Vision* 10:403–414 [#HTML]
- [Bach M, Mittelviehhaus K & Kommerell G \(1997\)](#) Should vitamin A be recommended for patients with retinitis pigmentosa? *Z prakt Augenheilkd* 18:457–461 [#HTML]
- [Bach M, Ullrich D \(1997\)](#)
Contrast dependency of motion-onset and pattern-reversal VEPs: Interaction of stimulus type, recording site and response component. *Vision Res* 37:1845–1849
- [Gerling J, Meigen T, Bach M \(1997\)](#)
Shift of equiluminance in congenital color vision deficiencies: Pattern-ERG and VEP and psychophysical findings. *Vision Res* 37:821–826
- [Otto T, Bach M \(1997\)](#)
Retest variability and diurnal effects in the pattern electroretinogram. *Doc Ophthalmol* 92:311–323 [PDF]
- [Otto T, Bach M \(1997\)](#)
Zur Reproduzierbarkeit des Muster-Elektroretinogrammes. *Ophthalmologe* 94:217–221
- [Schmidt D, Bach M, Gerling J \(1997\)](#)
A case of localized retinal damage in thallium poisoning. *International Ophthalmology* 21:143–147

- Zrenner E, Bach M, Dannheim F, Foerster M, Kellner U, Kolling G, Krastel H, Rassow B, Schiefer U, Weber J (1997) Empfehlungen der Deutschen Ophthalmologischen Gesellschaft (Qualitätssicherungskommission). *Ophthalmologie* 94:836–862 1996 [#]
- [Bach M \(1996\)](#)
The “Freiburg Visual Acuity Test” – Automatic measurement of visual acuity. *Optometry and Vision Science* 73:49–53 [PDF]
- [Bach M \(1996\)](#) Elektrodiagnostik in der Ophthalmologie – Wann welche Untersuchung und warum? *Orthoptik Pleoptik* 20:5–22
- [Bach M, Holder GE \(1996\)](#)
Check size tuning of the pattern-ERG: a reappraisal. *Doc Ophthalmol* 92:193–202 [PDF]
- [Bömer ThG, Meyer JH, Bach M, Funk J \(1996\)](#)
Pattern electroretinogram and computerized optic nerve head analysis in ocular hypertension – interim results after 2 1/2 years. *German J Ophthal* 5:26–30
- [Röver J, Bornkessel HC, Nisius A und Bach M \(1996\)](#)
Der Freiburger Visustest vor und nach Kataractoperation. *Klin Mbl Augenheilk* 209:315–316
- [Soriano M, Spillmann L, Bach M \(1996\)](#)
The abutting grating illusion. *Vision Res* 36:109–116
- [Gellrich MM, Kade G, Gerling J, Bach M, Hansen LL \(1996\)](#)
Pattern-, flicker-, and flash-ERG in HIV-infection: a longitudinal study. *German J Ophthal* 5:16–22 1995 [#]
- [Bach M \(1995\)](#)
Der Freiburger Visustest – Automatisierte Sehschärfemessung. *Ophthalmologie* 92:174–178
- [Kommerell G, Ullrich D, Gilles U, Bach M \(1995\)](#)
Asymmetry of motion VEP in infantile strabismus and in central vestibular nystagmus. *Doc Ophthalmol* 89:373–381 [PDF]
- [Snowden RJ, Ullrich D, Bach M \(1995\)](#)
Isolation and characteristics of a steady-state visually evoked potential in humans related to the motion of a stimulus. *Vision Res* 35:1365–1373 1994 [#]
- [Bach M \(1994\)](#) Computergesteuerte Sehschärfemessung – der “Freiburger Visustest”. *Biomed J* 41:19–23
- [Bach M, Ullrich D \(1994\)](#)
Motion adaptation governs the shape of motion-evoked cortical potentials (motion VEP). *Vision Res* 34:1541–1547
- [Jedynak A, Bach M, Timmer J \(1994\)](#)
Failure of dimension analysis in a simple five-dimensional system. *Physical Rev Lett* E 50:1770–1780
- [Lagrèze W, Meigen T, Bach M \(1994\)](#)
Asymmetries in texture perception. *German J Ophthalmol* 3:220–223
- [Meigen T, Lagrèze W, Bach M \(1994\)](#)
Asymmetries in preattentive line detection. *Vision Res* 34:3103–3109 1993 [#]
- [Bach M & Funk J \(1993\)](#)
Pattern electroretinogram and computerized optic nerve head analysis in glaucoma suspects. *German J Ophthalmol* 2:178–181
- [Bach M, Birkner-Binder D, Pfeiffer N \(1993\)](#)
Bei beginnendem Glaukom zeigt das Muster-Elektroretinogramm einen diffusen retinalen Schaden an. *Ophthalmologie* 90:128–131
- [Hiss P, Bach M, Kommerell G \(1993\)](#) The Flicker Test in the diagnosis of optic neuritis. *Clin Vision Sci* 8:253–262 [PDF]
- [Meigen T, Bach M \(1993\)](#)
Perceptual ranking vs VEP for different local features in texture segregation. *Invest Ophthalmol Vis Sci* 34:3264–3270 [PDF]
- [Mittelviehhaus K, Bach M, Jedynak A, Kommerell G \(1993\)](#)
Der Freiburger Visustest. *Ophthalmologie* 90:132–135
- [Pfeiffer N, Bach M \(1993\)](#) Das Muster-Elektroretinogramm: Anwendung bei Glaukom und okulärer Hypertension. *Search on Glaucoma* 1:13–16
- [Pfeiffer N, Tillmon B, Bach M \(1993\)](#)
Predictive value of the Pattern-Electroretinogram in high-risk ocular hypertension. *Invest Ophthalmol Vis Sci* 34:1710–1715 [PDF] 1992 [#]
- [Bach M, Gerling J \(1992\)](#)
Retinal and cortical activity in human subjects during color flicker fusion. *Vision Res* 32:1219–1223
- [Bach M, Gerling J, Geiger K \(1992\)](#) Optic atrophy reduces the pattern-electroretinogram for both fine and coarse stimulus patterns. *Clin Vision Sci* 7:327–333
- [Bach M, Kommerell G \(1992\)](#)
Albino-type misrouting of the optic nerve fibres not found in dissociated vertical deviation. *Graefe's Arch Clin Exp Ophthalmol* 230:158–161
- [Bach M, Meigen T \(1992\)](#)
Electrophysiological correlates of texture segregation in the human visual evoked potential. *Vision Res* 32:417–424
- [Bach M, Pfeiffer N, Birkner-Binder D \(1992\)](#) Pattern-Electroretinogram reflects diffuse retinal damage in early glaucoma. *Clin Vision Sci* 7:335–340 [PDF]
- [Joost W, Bach M, Schulte-Mönting J \(1992\)](#)
Influence of mood on visually evoked potentials: a prospective longitudinal study. *Int J Psychophysiol* 12:147–153 [PDF]
- [Pfeiffer N, Bach M \(1992\)](#)
The pattern electroretinogram in glaucoma and ocular hypertension. A cross-sectional and longitudinal study. *German J Ophthalmol* 1:35–40 1991 [#]
- [Gerling J, Geiger K, Bach M \(1991\)](#)

Ganglienzellatrophie reduziert das Muster-ERG nicht nur bei feinen, sondern auch bei groben Reizmustern. Fortschr Ophthalmol 88:833–837

- [Pfeiffer N, Birkner-Binder D, Bach M \(1991\)](#)
Das Muster-Elektroretinogramm bei okulärer Hypertension und Glaukom: Einfluss von Karogröße, Kontrast und retinaler Exzentrizität. Fortschr Ophthalmol 88:815–818
- [Weber H, Fischer B, Bach M, Aiple F \(1991\)](#)
Occurrence of express saccades under isoluminance and low contrast luminance conditions. Visual Neurosci 7:505–510 1990 [#]
- [Bach M, Strahl P, Waltenspiel S, Kommerell G \(1990\)](#)
Amblyopie: Lesegeschwindigkeit im Vergleich zur Sehschärfe für Gitter, Einzel-Landolt-Cs und Reihen-Landolt-Cs. Fortschr Ophthalmol 87:500–503 [PDF]
- Bach M (1990) Die Sehbahnfehlprojektion bei Albinismus – eine neue Anwendung evozierter Potentiale in der Ophthalmologie. Orthoptik Pleoptik 15:7–14
- [Bach M, Birkner-Binder D, Pfeiffer N \(1990\)](#)
Das Muster-Elektroretinogramm bei frühem Glaukom und bei okulärer Hypertension. Fortschr Ophthalmol 87:591–593
- [Joost W, Bach M \(1990\)](#)
Variability of the steady-state visually evoked potential: Interindividual variance and intraindividual reproducibility of spatial frequency tuning. Doc Ophthalmol 75:59–66 [PDF] 1989 and earlier [#]
- [Bach M, Kommerell G \(1989\)](#)
Das Überwiegen kreuzender Sehnervenfasern ist ein Charakteristikum des Albinismus, aber nicht der dissoziierten Vertikaldeviation. Fortschr Ophthalmol 86:253–255
- [Bach M, Speidel-Fiaux A \(1989\)](#)
Pattern electroretinogram in glaucoma and ocular hypertension. Doc Ophthalmol 73:173–181 [PDF]
- [Bach M, Oswald M, Röver J \(1988\)](#)
On the movement of an iron particle in a magnetic field. Doc Ophthalmol 68:389–394 [PDF]
- [Bach M, Hiss P, Röver J \(1988\)](#)
Muster-ERG durch Helligkeits-Reize bei Normalpersonen und Patienten mit Optikusatrophie. Fortschr Ophthalmol 85:308–311
- [Bach M, Hiss P, Röver J \(1988\)](#)
Check-size specific changes of pattern electroretinogram in patients with early open-angle glaucoma. Doc Ophthalmol 69:315–322
- [Bach M, Greenlee MW, Bühler B \(1988\)](#) Contrast adaptation can increase visually evoked potential amplitude. Clin Vision Sci 3:185–194
- Hiss P, Bach M (1988) Spezifische Veränderungen im Muster-Elektroretinogramm bei frühen Glaukomstadien. Fortschr Ophthalmol 85:763–765
- [Kommerell G, Henn V, Bach M, Lücking CH \(1987\)](#) Unilateral lesion of the paramedian pontine reticular formation. Loss of rapid eye movements with preservation of vestibulo-ocular reflex and pursuit. Neuro-ophthalmology 7:93–98
- [Röver J, Bach M \(1987\)](#)
C-wave versus electrooculogram in diseases of the retinal pigment epithelium. Doc Ophthalmol 65:385–391
- [Röver J, Bach M \(1987\)](#)
Pattern electroretinogram plus visual evoked potential: A decisive test in patients suspected of malingering. Doc Ophthalmol 66:245–251 [PDF]
- [Bach M, Krüger J \(1986\)](#)
Correlated neuronal variability in monkey visual cortex revealed by a multi-microelectrode. Exp Brain Res 61:451–456 [PDF]
- [Bach M, Bühler B, Röver J \(1986\)](#)
Die Abhängigkeit der visuell evozierten Potentiale von der Leuchtdichte – Konsequenzen für die Elektrodiagnostik. Fortschr Ophthalmol 83:532–534
- Kommerell G, Bach M (1986) A new type of Duane's syndrome: Twitch abduction on attempted upgaze and V-incomitance due to misinnervation of the lateral rectus by superior rectus neurons. Neuro-ophthalmology 6:159–164
- [Bach M, Bühler B, Röver J \(1987\)](#)
Selektives Mitteln visuell evozierter Potentiale: Vergleich zweier Algorithmen und klinische Anwendung. Fortschr Ophthalmol 84:641–645
- [Röver J, Bach M \(1985\)](#)
Visual evoked potentials to various check patterns. Doc Ophthalmol 59:143–147
- [Röver J, Bach M \(1985\)](#)
The C-wave in hereditary degenerations of the ocular fundus. Doc Ophthalmol 60:127–132
- [Bach M, Stegmaier J, Röver J \(1984\)](#)
A versatile simulator of evoked potentials. Electroenceph Clin Neurophysiol 57:97–98
- Röver J, Bach M (1984) Slow retinal potentials in diseases of the retinal pigment epithelium. Dev Ophthalmol 9:195–203
- Röver J, Bach M (1984) Hat sich die Prognose perforierender Verletzungen durch die Vitrektomie gewandelt? Fortschr Ophthalmol 81:50–53
- Bach M, Waltenspiel S, Bühler B, Röver J (1985) Sehbahndiagnostik mit simultaner Registrierung der retinalen und kortikalen Musterpotentiale. Fortschr Ophthalmol 82:398–401
- Bach M, Röver J (1984) Der prognostische Wert von ERG, Ultraschall und VEP bei Glaskörperblutungen. Fortschr Ophthalmol 81:274–276
- [Bach M, Bouis D, Fischer B \(1983\)](#)
An accurate and linear infrared oculometer. J Neurosci Meth 9:9–14
- Röver J, Bach M, Mack M, Oswald M (1983) Die visuell evozierten Potentiale (VEP) bei Erkrankungen der Sehbahn. Fortschr Ophthalmol 79:506–508

- [Krüger J, Bach M \(1982\)](#)
Independent systems of orientation columns in upper and lower layers of monkey visual cortex. *Neurosci Lett* 31:225–230
- [Krüger J, Bach M \(1981\)](#)
Simultaneous recording with 30 microelectrodes in monkey visual cortex. *Exp Brain Res* 41:191–194 [PDF]
- [Fischer B, Boch R, Bach M \(1981\)](#)
Stimulus versus eye movements: Comparison of neural activity in the striate and prelunate visual cortex (A17 and A19) of trained rhesus monkey. *Exp Brain Res* 43:69–77 [PDF]

Book chapters etc. [#]

- [Bach M \(2011\)](#)
Comment for the Editor's Selection of [IGR 12-4](#)
- [Bach M \(2010\)](#) *Optische Täuschungen: Wie wir unsere innere Welt konstruieren.* [Psychologie Heute](#) 6:70–75
- [Bach M \(2010\)](#) *Wahrnehmung: Wie wir unsere innere Welt konstruieren selbst wenn wir auf Grenzen stoßen.* [Freiburger Universitätsblätter](#) 187:39–48
- [Bach M, C Poloschek \(2010\)](#) *Elektrophysiologische Befunde beim Glaukom.* In Erb C (ed) *Search on Glaucoma – Glaukom und Gehirn.* ISSN 0929-6387, pp 28–39
- [Ehm W, Bach M, Kornmeier J \(2010\)](#) *Variability in gamma activity during observation of ambiguous figures.* In: Bastianelli A, Vidotto G (eds) *Fechner Day 2010, International Society for Psychophysics, Padua*, 439–44
- [Bach M \(2009\)](#) *Lehrbuchklärung widerlegt. Aktuelles zum Hermann-Gitter-Phänomen.* In: Rosenzweig R (ed) *Nicht wahr?! Sinneskanäle, Hirnwindungen und Grenzen der Wahrnehmung.* Mentis · Paderborn; pp. 93–105
- [Kommerell G, Otto JM, Bach M \(2009\)](#) *Prisms for non-strabismics: Is the vergence position of rest stable?* In: Rosario Gomez de Liaño (Ed): *Trans 32nd European Strabismological Association*, 7-10, pp 23–26 [PDF]
- [O'Shea RP, Roeber U, Bach M \(2009\)](#) *Evoked Potential: Vision.* In: [Goldstein EB \(ed\) Encyclopedia of Perception.](#) Sage Publications, Inc; ISBN: 9781412940818; pp. 399-400, xli.
- [Wilke R, Bach M, Wilhelm B, Durst W, Trauzettel-Klosinski S & Zrenner E \(2007\)](#)
Testing visual functions in patients with visual prostheses, in Humayun MS, Weiland JD, Chader G & Greenbaum E. *Artificial Sight,* Springer, New York
- [Bach M, Hoffmann MB \(2006\)](#) *The Origin of the Pattern Electroretinogram (PERG).* In: [Heckenlively J, Arden G \(eds\) Principles and Practice of Clinical Electrophysiology of Vision](#) , 185–196. MIT Press · Cambridge, London
- [Fahle M, Bach M \(2006\)](#) *Basics of the VEP.* In: [Heckenlively J, Arden G \(eds\) Principles and Practice of Clinical Electrophysiology of Vision](#) , 207–234. MIT Press · Cambridge, London
- [Meigen Th, Bach M \(2006\)](#) *Electrophysiology in the Diagnosis of Glaucoma.* In: [Grehn F, Stamper E \(eds\) Essentials in Ophthalmology](#) , 73–90. Springer
- [Bach M, Haarmeier T, Dichgans J \(2005\)](#) *Visuell evozierte Potenziale (VEP) und Elektroretinogramm (ERG).* In: Stöhr M, Dichgans J, Buettner UW, Hess CW (eds) [Evozierte Potenziale](#) , 4. Aufl., Kapitel 3 • Springer Verlag
- [Bach M \(2004\)](#) *See how brightness differs from luminance: the Checker Shadow illusion.* In: Stafford T, Webb M (eds) [Mind Hacks](#) . O'Reilly (from [Amazon](#))
- [Bach M, Kellner U \(2003\)](#) *Apparative Diagnostik in der Augenheilkunde – Elektrophysiologie: ERG, EOG, mfERG, PERG & VEP.* In: Kampik & Grehn, *Augenärztliche Diagnostik* • Thieme-Verlag 20:168-173
- [Bach M \(1999\)](#) *Bildergeschichte. Apples DrawSprocket in eigenen Programmen verwenden.* [Computertechnik \(c't\)](#) 6:350-353
- [Bach M \(1999\)](#)
[Räumlich durchs Auge.](#)
Wie kommt die greifbare Welt in den Kopf? [Computertechnik \(c't\)](#) 7:158-162
- [Kommerell G, Gerling J, Bach M, Ball M \(1999\)](#) *Dissociated and associated phoria: do they indicate asthenopia?* In: Pritchard C, Kohler M, Verlohr D (eds): *Transactions IX International Orthoptic Congress, Stockholm.* 264-268
- [Bach M \(1998\)](#) *Electroencephalogram (EEG).* In: von Schulthess GK & Hennig J (eds) *Functional imaging: principles and methodology.* Lippincott-Raven · Philadelphia. Chapter 9, p391-408

- Bach M (1997) Visuelle Textursegmentierung – elektrophysiologische und psychophysische Untersuchungen. In: Experimentelle und theoretische Hirnforschung. II. Sinneswahrnehmung, sensomotorische Koordination, neuronale Informationsverarbeitung. Freiburger Universitätsblätter, Heft 135, März 1997 (#HTML)
- Bach M (1997) Am Abzug – Trigger-Ein/Ausgänge ohne Hardware-Erweiterung für den Mac. [Computertechnik \(c't\)](#) 5:378-380
- Bach M (1997) Klinische Sinnesphysiologie. In: Krieglstein GK (Hrsg) Glaukom: eine Standortbestimmung. Kaden-Verlag, p71-76
- Meigen T, Bach M, Gerling J, Schmid S (1997) Electrophysiological correlates of colour vision defects. In: Dickinson C, Murray I, Carden D (eds) John Dalton's colour vision legacy. Selected proceedings of the international conference. Taylor & Francis · Basingstoke
- Gerling J, Meigen T, Bach M (1995) Diagnosis of protan and deutan color vision deficiencies with pattern-ERG and VEP. In: Drum B (ed) Colour Vision Deficiencies XII, pp 375-380. Dordrecht: Kluwer Academic Publishers
- Kommerell G, Ullrich D, Gilles U, Bach M (1994) Asymmetry of motion VEP in infantile strabismus and in central vestibular nystagmus. In: Fuchs AF, Brand Th, Büttner U, Zee DS (Eds) Contemporary ocular motor and vestibular research: A tribute to David A. Robinson. Thieme · Stuttgart, New York 394-397
- Meigen T, Bach M (1994) Electrophysiological correlates of texture segregation. In: Gale A, Carr K, Moorhead IR (Eds) Visual Search III, Taylor and Francis
- Bach M, Waltenspiel S, Schildwächter A (1989) Detection of defocused gratings – Spurious resolution, a pitfall in the determination of visual acuity based on preferential looking or VEP. In: Kulikowski JJ, Dickinson CM, Murray IJ (eds) Seeing contour and colour. Pergamon · Oxford: 562-565
- Bach M, Joost W (1989) VEP vs spatial frequency at high contrast: Subjects have either a bimodal or single-peaked response function. In: Kulikowski JJ, Dickinson CM & Murray IJ (eds) Seeing contour and colour. Pergamon · Oxford: 478-484

Selected Abstracts (no longer updated) [#]

- Bach M, Ullrich D, Dorn T, Unsöld A & Hoffmann M (1999) ERPs and the mechanisms of motion adaptation. Neural Plasticity, Suppl. 1:39
- Hoffmann M, Bach M (1999) Visual motion detection in man is governed by non-retinal mechanisms (Abstract) ECVF 1999, Trieste
- Meigen T, Kastner S & Bach M (1997) Texture segregation and orientation gradients: A comparison of electrophysiological and psychophysical threshold detection. Proceedings of the 25th Göttingen Neurobiology Conference 1997, Vol. II
- Bach M, Sulimma F & Gerling J (1996) On the local correlation of the pattern-electroretinogram and the visual field in early glaucoma. Vision Res 36:S73 (#1418)
- Schliebs B, Gerling J, Bach M (1995) Progressive central cone dystrophy: Objective diagnosis and disease pattern established with the focal Electroretinogram. Invest Ophthalmol Vis Sci (ARVO Suppl.) 36:#4255 (Abstract)
- Gerling J, Meigen T, Bach M (1993) Diagnosis of congenital color vision deficiencies using pattern-ERG and VEP. Invest Ophthalmol Vis Sci (ARVO Suppl.) 34:#463
- Bach M, Meigen T (1992) Electrophysiological correlates of texture segregation – Effect of orientation gradient. Invest Ophthalmol Vis Sci (ARVO Suppl.) 33:#1349
- Gerling J, Bach M (1991) Retinal ganglion cells respond to perceptually fused color flicker – evidence from the pattern ERG. Invest Ophthalmol Vis Sci (ARVO Suppl.) 32:715
- Bach M, Meigen T (1990) Electrophysiological correlates of texture-segmentation in human observers. Invest Ophthalmol Vis Sci (ARVO Suppl.) 31:104 (#515)
- Gerling J, Bach M, Geiger K (1990) In optic nerve atrophy, the pattern electroretinogram is reduced for small and large check sizes. Invest Ophthalmol Vis Sci (ARVO Suppl.) 31:1931
- Pfeiffer N, Bach M, Tillmon B (1991) Predictive value of pattern-electroretinogram for development of visual field loss in ocular hypertensive patients. Invest Ophthalmol Vis Sci (ARVO Suppl.) 32:1151
- Bach M, Pfeiffer N (1989) Glaucoma-specific alterations of the pattern-ERG: A tool for early diagnosis? Invest Ophthalmol Vis Sci (ARVO Suppl.) 30:55/4
- Bach M, Speidel A, Waltenspiel S (1988) Activity of the magno- and parvocellular pathways reflected in the pattern-ERG. Perception 17:369/A31