

**University Hospital Freiburg
Dept. of Diagnostic Radiology – Medical Physics
Cardiovascular Group**

Last update on 27.10.2011

Journal papers:

2011

Bauer S, Markl M, Honal M, Jung B.
Dependence of the image quality on reconstruction and acquisition parameters for GRAPPA based parallel imaging.
Magn Reson Med 2011;66:402-9.

Benk C, Lorenz R, Beyersdorf F, Hennig J, Korvink JG, Markl M.
3D Flow Characteristics in Ventricular Assist Devices: Impact of Valve Design and Operating Conditions.
J Thorac Cardiovasc Surg 2011;Epub.

Echternach M, Traser L, Markl M, Richter B.
Vocal Tract Configurations in Male Alto Register Functions.
J Voice 2011;Epub.

Echternach M, Markl M, Richter B.
Vocal Tract configurations in Swiss Yodelling.
Logopedics Phoniatrics Vocology 2011;Epub.

Frydrychowicz A, Markl M, Hirtler D, Harloff A, Schlensak C, Geiger J, Stiller B, Arnold R.
Aortic Hemodynamics in Patients With and Without Repair of Aortic Coarctation: In-Vivo Analysis by 4D Flow-Sensitive Magnetic Resonance Imaging.
Invest Radiology 2011;Epub.

Frydrychowicz A, Landgraf B, Markl M.
Controversial findings in "Three-dimensional velocity mapping of thoracic aorta and supra-aortic arteries in Takayasu arteritis".
J Magn Reson Imaging 2011; 33:252-3.

Barker A, Markl M.
Editorial comment The role of hemodynamics in bicuspid aortic valve disease.
Eur J Cardiothorac Surg 2011;Epub.

Markl M, Kilner PJ, Ebbers T.
Comprehensive 4D velocity mapping of the heart and great vessels by cardiovascular magnetic resonance.
J Cardiovasc Magn Reson 2011; 13:7.

Odeen H, Uppman M, Markl M, Spottiswoode B.
Analysis of Imaging cerebrospinal fluid flow using 3D gradient echo phase contrast velocity encoded MRI.
Physiol Meas 2011; 32:407-421.

Markl M, Geiger J, Kilner PJ, Foll D, Stiller B, Beyersdorf F, Arnold R, Frydrychowicz A.
Time-resolved three-dimensional magnetic resonance velocity mapping of cardiovascular flow paths in volunteers and patients with Fontan circulation.
Eur J Cardiothorac Surg 2011;39:206-212.

Markl M.
Marked three-dimensional flow pattern changes in distorted aortic geometry.

Eur Heart J 2011;32:679.

Staehele F, Jung B, Bauer S, Leupold J, Bock J, Lorenz R, Föll D, Markl M.
Acceleration Phase Mapping of Myocardial Function.
Magn Reson Med 2011;65:1335-45.

Stalder AF, Frydrychowicz A, Russe M, Korvink JG, Hennig J, Li K, Markl M.
Assessment of Flow Instabilities in the Healthy Aorta using Flow-sensitive MRI.
J Magn Reson Imaging 2011;33:839-46.

Jung B, Stalder AF, Simon B, Markl M.
On the undersampling strategies to accelerate time-resolved 3D imaging using k-t-GRAPPA.
Magn Reson Med 2011;66:966-975.

Markl M, Wallis W, Harloff A.
Reproducibility of Flow and Wall Shear Stress Analysis Using Flow-Sensitive 4D MRI.
J Magn Reson Imaging 2011;33:988-94.

Markl M, Geiger J, Arnold R, Stroh AL, Damjanovic D, Föll D, Beyersdorf F.
Comprehensive 4D MR Flow Analysis after Successful Heart Transplantation Resolves Controversial Intra-Operative Findings and Reveals Complex Hemodynamic Alterations.
Circulation 2011;123:e381-3.

Bock J, Frydrychowicz A, Lorenz R, Hirtler D, Barker A, Johnson KM, Arnold R, Burkhardt H, Hennig J, Markl M.
In-vivo Non-Invasive 4D Pressure Difference Mapping in the Human Aorta: Phantom Validation and Application in Healthy Volunteers and Patients
Magn Reson Med 2011;Epub.

Winterer J, Blanke P, Schaefer A, Pache G, Langer M, Markl M.
Bilateral contrast-enhanced MR angiography of the hand: diagnostic image quality of accelerated MRI using echo sharing with interleaved stochastic trajectories (TWIST).
Eur Radiol 2011;Epub.

Barker A, Staehele F, Bock J, Jung B, Markl M.
Analysis of Complex Cardiovascular Flow with Three-Component Acceleration-Encoded MRI.
Magn Reson Med 2011;Epub.

Dall'Armellina E, Jung B, Lygate C, Neubauer S, Markl M, Schneider J.
Improved Method for Quantification of Regional Cardiac Function in Mice using Phase Contrast MRI.
Magn Reson Med 2011;Epub.

Lorenz R, Benk C, Bock J, Stalder AF, Korvink JG, Hennig J, Markl M.
Novel closed circuit MR compatible pulsatile pump system using a ventricular assist device and aortic in vitro models.
Magn Reson Med 2011;Epub.

Schubert T, Santini F, Stalder AF, Bock J, Meckel S, Bonati L, Markl M, Wetzel S.
Dampening of Blood Flow Pulsatility along the Carotid Siphon, does Form follow Function?
Am J Neuroradiol 2011;32:1107-12.

Echternach M, Sundberg J, Baumann T, Markl M, Richter B.
Vocal tract area functions and formant frequencies in opera tenors' modal and falsetto registers.
J Acoust Soc Am 2011;129:3955.

Frydrychowicz A, Markl M.
Letter to the editor regarding "Association Between Aneurysm Shoulder Stress and Abdominal Aortic Aneurysm Expansion: A Longitudinal Follow-Up Study" by Li and coworkers.
Circulation 2011;123:e643.

Geiger J, Markl M, Stiller B, Schlensak C, Arnold R.
Iatrogenic neonatal Type B aortic dissection: comprehensive MR-based diagnosis and follow-up.
Pediatric Radiology 2011;Epub.

Codreanu I, Robson M, Rider O, Pegg T, Jung B, Dasanu C, Clarke K, Holloway C.
Chasing the reflected wave back into the heart: a new hypothesis while the jury is still out.
Vasc Health Risk Manag 2011;7:365-73.

Codreanu I, Pegg T, Selvanayagam J, Robson M, Rider O, Dasanu C, Jung B, Taggart D, Clarke K, Holloway C.
Details of Left Ventricular Remodelling and the Mechanism of Paradoxical Ventricular Septal Motion after Coronary Artery By-pass Graft Surgery.
J Invasive Cardiol 2011;23:276-82.

Geiger J, Markl M, Jung B, Grohmann J, Stiller B, Langer M, Arnold R.
4D-MR flow analysis in patients after repair for Tetralogy of Fallot: Influence of vascular geometry on pulmonary haemodynamics.
Eur Radiol 2011; 21:1651-7.

Friman O, Hennemuth A, Harloff A, Bock J, Markl M, Peitgen HO.
Probabilistic 4D blood flow tracking and uncertainty estimation.
Med Image Anal 2011;15:720-8.

2010

Markl M, Geiger J, Stiller B, Arnold R.
Impaired Continuity of Flow in Congenital Heart Disease with Single Ventricle Physiology.
Interact Cardiovasc Thorac Surg 2010, in press.

Friman O, Hennemuth A, Harloff A, Bock J, Markl M, Peitgen HO.
Probabilistic 4D blood flow mapping.
Med Image Comput Comput Assist Interv 2010;13(Pt 3):416-423.

Markl M, Wegent F, Zech T, Bauer S, Strecker C, Schumacher M, Weiller C, Hennig J, Harloff A.
In-vivo Wall Shear Stress Distribution in the Carotid Artery: Effect of Bifurcation Geometry, Internal Carotid Artery Stenosis and Recanalization Therapy.
Circulation, Cardiovascular Imaging 2010, published online

Codreanu I, Robson MD, Golding SJ, Jung BA, Clarke K, Holloway CJ.
Longitudinally and circumferentially directed movements of the left ventricle studied by cardiovascular magnetic resonance phase contrast velocity mapping.
J Cardiovasc Magn Reson 2010;12:48.

Frydrychowicz A, Russe M, Bock J, Stalder AF, Bley T, Harloff A, Markl M.
Comparison of gadofosveset trisodium and gadobenate dimeglumine during time-resolved thoracic MR angiography at 3T.
Academic Radiology 2010;17(11):1394-1400.

Markl M, Geiger J, Kilner P, Föll D, Stiller B, Beyersdorf F, Arnold R, Frydrychowicz A.
Time-resolved three-dimensional magnetic resonance velocity mapping of cardiovascular flow paths in volunteers and patients with Fontan circulation.
EJCTS 2010, published online.

Mangual J, Jung B, Ritter J, Kheradvar A.
Modeling Radial Viscoelastic Behavior of the Left Ventricle in a Cardiac Cycle.
Ann Biomed Eng 2010, published online.

Stankovic Z, Frydrychowicz A, Csatari Z, Panther E, Deibert P, Euringer W, Kreisel W, Russe M, Bauer S, Langer M, Markl M.
MR-based Visualization and Quantification of 3D Flow Characteristics in the Portal Venous System.
J Magn Reson Imaging 2010;32(2):466-475.

Peng HH, Bauer S, Chung HW, Hennig J, Jung B, Markl M.
Optimized Parallel Imaging for Dynamic PC-MRI with Multi-Directional Velocity Encoding.
Magn Reson Med 2010;64(2):472-480.

Harloff A, Simon J, Bredecke S, Assefa D, Helbing T, Frydrychowicz A, Weber J, Olschewski M, Strecker C, Hennig J, Weiller C, Markl M.
Complex Plaques in the Proximal Descending Aorta – An Underestimated High-Risk Source of Stroke.
Stroke 2010;41(6):1145-1150.

Harloff A, Nußbaumer A, Bauer S, Stalder AF, Frydrychowicz A, Weiller C, Hennig J, Markl M.
In-vivo Assessment of Wall Shear Stress in the Atherosclerotic Aorta using flow-sensitive 4D MRI.
Magn Reson Med 2010;63(6):1529-1536.

Markl M, Wallis W, Bredecke S, Simon J, Frydrychowicz A, Harloff A.
Estimation of Global Aortic Pulse Wave Velocity by Flow Sensitive 4D MRI.
Magn Reson Med 2010;63(6):1575-1582.

Echternach M, Sundberg M, Markl M, Richter B.
Professional opera tenor's vocal tract configurations in registers.
Folia Phoniatr Logop 2010;62(6):278-287.

Huff S, Honal M, Baumann T, Hennig J, Markl M, Ludwig U.
Continuously moving table time-of-flight angiography of the peripheral veins.
Magn Reson Med 2010;63(5):1219-1229.

Echternach M, Sundberg J, Arndt S, Markl M, Schumacher M, Richter B.
Vocal Tract in Female Registers-A Dynamic Real-Time MRI Study.
J Voice. 2010;24(2):133-139.

Jahnke C, Foell D, Heinrichs G, Jung B, Bley T, Handke M, Bode C, Geibel A.
Three-dimensional echocardiography for quantitative analysis of left-ventricular aneurysm.
Echocardiography,2010;27(1):64-68.

Geiger J, Bley T, Uhl M, Frydrychowicz A, Langer M, Markl M.
Diagnostic Value of T2 -Weighted Imaging for the Detection of Superficial Cranial Artery Inflammation in Giant Cell Arteritis.
J Magn Reson Imaging 2010;31(2):470-474.

Föll D, Jung B, Schilly E, Staehle F, Geibel A, Hennig J, Bode C, Markl M.
Magnetic Resonance Tissue Phase Mapping of Myocardial Motion - New Insights in Age and Gender.
Circulation - Cardiovascular Imaging 2010;3(1):54-64.

Johnson KM, Markl M.
Improved SNR in Phase Contrast Velocimetry with 5-Point Balanced Flow Encoding.
Magn Reson Med 2010;63(2):349-355.

Feinberg D, Giese D, Bongers D, Ramana S, Zaitsev M, Markl M, Günther M.
Hybrid Ultrasound-MRI for Improved Cardiac Imaging and Real Time Respiration Control.
Magn Reson Med 2010;63(2):290-296.

Bock J, Frydrychowicz A, Stalder AF, Bley TA, Burkhardt H, Hennig J, Markl M.
4D phase contrast MRI at 3 T: Effect of standard and blood-pool contrast agents on SNR, PC-MRA, and blood flow visualization.
Magn Reson Med 2010;63(2):330-338.

Markl M, Harloff A.
Letter by markl and harloff regarding article, "aortic arch plaques and risk of recurrent stroke and death".
Circulation 2010;121(2):e11.

2009

Santini F, Wetzel SG, Bock J, Markl M, Scheffler K.
Time-resolved three-dimensional (3D) phase-contrast (PC) balanced steady-state free precession (bSSFP).
Magn Reson Med 2009;62(4):966-974.

Lay-Zaporozhan J, Unterhinninghofen R, Rengier F, Markl M, Eichhorn J, Tengg-Kobligk H, Ley S.
4D visualization of thoracic blood flow using MRI in a patient following correction of Transposition of the Great Arteries (d-TGA) and uncorrected aortic coarctation.
Acta Radiol 2009;1-5.

Frydrychowicz A, Berger A, Stalder AF, Markl M.
Preliminary results by flow-sensitive magnetic resonance imaging after Tiron David I procedure with an anatomically shaped ascending aortic graft.
Interact Cardiovasc Thorac Surg 2009;9(2):155-158.

Harloff A, Markl M, Frydrychowicz A, Hennig J, Weiller C.
[Diagnosing stroke aetiologies : Morphologic and functional analysis of the aorta and carotid arteries by MRI.].
Der Nervenarzt 2009;80(8):929-940.

Geiger J, Arnold R, Baumann T, Uhl M, Jung B, Langer M, Markl M.
Rare case of supraaortic artery anomaly in a patient with congenital cardiac defect.
Journal of cardiovascular medicine 2009;10(8):654-656.

Frydrychowicz A, Stalder AF, Russe M, Bock J, Bauer S, Harloff A, Berger A, Langer M, Hennig J, Markl M.
Three dimensional Analysis of Segmental Wall Shear Stress in the Aorta by Flow-Sensitive 4D MRI.
J Magn Reson Imaging 2009;30(1):77-84

Schenkel T, Malve M, Reik M, Markl M, Jung B, Oertel H.
MRI-Based CFD Analysis of Flow in a Human Left Ventricle: Methodology and Application to a Healthy Heart.
Annals of biomedical engineering 2009;37(3):503-515.

Doenst T, Spiegel K, Reik M, Markl M, Hennig J, Nitzsche S, Beyersdorf F, Oertel H.
Fluid-Dynamic Modelling of the Human Left Ventricle -Prototypical Evaluation of the Effect of Ischemic Remodelling and Surgical Ventricular Reconstruction.
The Annals of thoracic surgery 2009;87(4):1187-1195.

Harloff A, Albrecht F, Spreer J, Stalder AF, Bock J, Frydrychowicz A, Schöllhorn J, Hetzel A, Schumacher M, Hennig J, Markl M.
3D Blood Flow Characteristics in the Carotid Artery Bifurcation by Flow Sensitive 4D MRI at 3T.
Magn Reson Med 2009, 61:65-74.

Bley T, Geiger J, Jacobsen S, Wieben O, Markl M, Vaith P, Grist T, Langer M, Uhl M.
High-resolution MRI for assessment of middle meningeal artery involvement in giant cell arteritis.
Annals of the rheumatic diseases 2009;68(8):1369-1370.

Harloff A, Zech T, Frydrychowicz A, Schumacher M, Schöllhorn J, Hennig J, Weiller C, Markl M.
Carotid Intima-Media Thickness and Distensibility Measured by MRI at 3T Versus High-Resolution Ultrasound.
Eur Radiol 2009;19(6):1470-1479.

Markl M, Arnold R, Hirtler D, von zur Muhlen C, Harloff A, Langer M, Hennig J, Frydrychowicz A.
3D Flow Characteristics in Aortic Coarctation and Post-Stenotic Dilatation.
J Comput Assist Tomogr 2009;33(5):776-778.

Föll D, Jung B, Staehle F, Schilly E, Bode C, Hennig J, Markl M.
Visualization of Multidirectional Regional Left Ventricular Dynamics by High Temporal Resolution Tissue Phase Mapping.
J Magn Reson Imaging 2009;29(5):1043-1052.

Harloff A, Strecker C, Dudler P, Nussbaumer A, Frydrychowicz A, Olschewski M, Bock J, Stalder AF, Stroh AL, Weiller C, Hennig J, Markl M.
Retrograde embolism from the descending aorta: visualization by multidirectional 3D velocity mapping in cryptogenic stroke.
Stroke; a journal of cerebral circulation 2009;40(4):1505-1508.

Honal M, Bauer S, Ludwig U, Leupold J.
Increasing Efficiency of Parallel Imaging for 2D Multi-Slice Acquisitions.

Magn Reson Med 2009;61(6):1459-1470..

Breyer T, Echternach M, Arndt S, Richter B, Speck O, Schumacher M, Markl M.
Dynamic magnetic resonance imaging of swallowing and laryngeal motion using parallel imaging at 3 T.
Magn Reson Imaging 2009;27(1):48-54.

2008

Frydrychowicz A, Berger A, Russe MF, Stalder AF, Harloff A, Dittrich S, Hennig J, Langer M, Markl M.
Time-resolved magnetic resonance angiography and flow-sensitive 4-dimensional magnetic resonance imaging at 3 Tesla for blood flow and wall shear stress analysis.
J Thorac Cardiovasc Surg 2008;136(2):400-407.

Bley TA, Reinhard M, Hauenstein C, Markl M, Warnatz K, Hetzel A, Uhl M, Vaith P, Langer M.
Comparison of duplex sonography and high-resolution magnetic resonance imaging in the diagnosis of giant cell (temporal) arteritis.
Arthritis and rheumatism 2008;58(8):2574-2578.

B. Jung, P. Ullmann, M. Honal, S. Bauer, J. Hennig, M. Markl
Parallel MRI with Extended and Averaged GRAPPA Kernels (PEAK-GRAPPA): Optimized Spatiotemporal Dynamic Imaging
J Magn Reson Imaging 2008;28(5):1226-1232.

Stalder AF, Russe MF, Frydrychowicz A, Bock J, Hennig J, Markl M.
Quantitative 2D and 3D Phase Contrast MRI: Optimized Analysis of Blood Flow and Vessel Wall Parameters.
Magn Reson Med 2008, 2008;60(5):1218-1231.

Jung B, Ullmann P, Honal M, Hennig J, Markl M.
K-t-Space Accelerated Phase Contrast MRI.
Magn Reson Med 2008;60(5):1169-1177.

Jung B, Honal M, Hennig J, Markl M.
K-t-Space Accelerated Myocardial Perfusion.
J Magn Reson Imaging 2008, 2008;28(5):1080-1085.

Frydrychowicz A, Bley T, Zadeh ZA, Harloff A, Winterer J, Hennig J, Langer M, Markl M.
Image Analysis in Time-Resolved Large Field-of-View 3-Dimensional MR-Angiography at 3 Tesla.
J Magn Reson Imaging 2008;28(5):1116-1124.

Frydrychowicz A, Arnold R, Hirtler D, Schlensak C, Stalder AF, Hennig J, Langer M, Markl M.
Multidirectional flow analysis by cardiovascular magnetic resonance in aneurysm development following repair of aortic coarctation.
J Cardiovasc Magn Reson 2008;10(1):30.

Echternach M, Arndt S, Markl M, Richter B, Breyer T.
[Acquired laryngomalacia of the epiglottis : Case report and review of the literature.].
HNO (56(12): 1233-1238, 2008

Markl M, Scherer S, Frydrychowicz A, Burger D, Geibel A, Hennig J.
Balanced Left Ventricular Myocardial SSFP-Tagging at 1.5 and 3 Tesla.
Magn Reson Med 2008;60(3):631-639.

Frydrychowicz A, Arnold R, Harloff A, Schlensak C, Hennig J, Langer M, Markl M.
In-Vivo 3D Flow Connectivity Mapping after Extracardiac Total Cavopulmonary Connection.
Circulation 2008;118(2):e16-17.

Weigang E, Kari FA, Beyersdorf F, Luehr M, Eitz CD, Frydrychowicz A, Harloff A, Markl M.
Flow-sensitive four-dimensional magnetic resonance imaging: flow patterns in ascending aortic aneurysms.
Eur J Cardiothorac Surg 2008;34(1):11-16.

Markl M, Dudler P, Frydrychowicz A, Strecker C, Weiller C, Hennig J, Harloff A.
Optimized 3D bright blood MRI of aortic plaque at 3 T.
Magn Reson Imaging 2008;26(3):330-336.

Winterer JT, Moske-Eick O, Markl M, Frydrychowicz A, Bley TA, Langer M.
Bilateral ce-MR angiography of the hands at 3.0 T and 1.5 T: intraindividual comparison of quantitative and qualitative image parameters in healthy volunteers.
Eur Radiol 2008;18(4):658-664.

Harloff A, Dudler P, Frydrychowicz A, Strecker C, Stroh AL, Geibel A, Hetzel A, Hennig J, Markl M.
Reliability of Aortic MRI at 3Tesla in Patients with Acute Cryptogenic Stroke.
Journal of neurology, neurosurgery, and psychiatry 2008;79(5):540-546.

Canstein C, Cachot P, Faust A, Stalder AF, Bock J, Frydrychowicz A, Kuffer J, Hennig J, Markl M.
3D MR flow analysis in realistic rapid-prototyping model systems of the thoracic aorta: Comparison with in vivo data and computational fluid dynamics in identical vessel geometries.
Magn Reson Med 2008;59(3):535-546.

Meckel S, Stalder AF, Santini F, Radü EW, Markl M, Rüfenacht DA, Wetzel S.
In-vivo visualization and analysis of 3D hemodynamics in cerebral aneurysms with flow-sensitized 4D MR imaging at 3T.
Neuroradiology 2008;50(6):473-484.

Echternach M, Sundberg J, Arndt S, Breyer T, Markl M, Schumacher M, Richter B.
Vocal tract and register changes analysed by real-time MRI in male professional singers-a pilot study.
Logopedics, phoniatrics, vocology 2008;33(2):67-73.

Staehele F, Leupold J, Hennig J, Markl M.
Off-Resonance Dependent Slice Profile Effects in Balanced SSFP Imaging.
Magn Reson Med 2008, 59:1197-1202

Bley T, Markl M, Schelp M, Uhl M, Frydrychowicz A, Vaith P, Peter HH, Langer M, Warnatz K.
Mural inflammatory hyperenhancement in MRI of giant cell (temporal) arteritis resolves under corticosteroid treatment.
Rheumatology (Oxford, England) 2008;47(1):65-67.

A.F. Stalder, D. v. Elverfeldt, D. Paul, J. Hennig and M. Markl
Variable Echo Time Imaging: Signal Characteristics of 1-M Gadobutrol Contrast Agent at 1.5 and 3T
Magn Reson Med, 2008, 59:113-123

2007

Unterhinninghofen R, Ley S, Frydrychowicz A, Markl M.
[MR-based tridirectional flow imaging : Acquisition and 3D analysis of flows in the thoracic aorta.].
Der Radiologe 2007;47(11):1012-1020.

Harloff A, Strecker C, Frydrychowicz A, Dudler P, Hetzel A, Geibel A, Kollum M, Weiller C, Hennig J, Markl M.
Plaques in the descending aorta: A new risk factor for stroke? Visualization of potential embolization pathways by 4D MRI.
J Magn Reson Imaging 2007, 26(6):1651-1655.

Hope T, Markl M, Wigström L, Alley MT, Miller DC, Herfkens RJ.
A Comparison of Flow Patterns in Ascending Aortic Aneurysms and Volunteers Using Four-Dimensional Magnetic Resonance Velocity Mapping.
J Magn Reson Imaging 2007, 26(6):1471-1479.

Markl M, Harloff A, Foll D, Langer M, Hennig J, Frydrychowicz A.
Sclerotic aortic valve: flow-sensitive 4-dimensional magnetic resonance imaging reveals 3 distinct flow-pattern changes.
Circulation 2007;116(10):e336-337.

M. Markl, C. Benk, D. Klausmann, A.F. Stalder, A. Frydrychowicz, J. Hennig, F. Beyersdorf
3D MR Flow Analysis in a Ventricular Assist Device
J Thorac Cardiovasc Surg 2007;134(6):1471-1476

Frydrychowicz A, Winterer JT, Zaitsev M, Jung B, Hennig J, Langer M, Markl M.
Visualization of iliac and proximal femoral artery hemodynamics using time-resolved 3D phase contrast MRI at 3T.
J Magn Reson Imaging 2007;25(5):1085-1092.

Frydrychowicz A, Markl M, Harloff A, Stalder AF, Bock J, Bley TA, Berger A, Russe MF, Schlensak C, Hennig J, Langer M.
[Flow-Sensitive in-vivo 4D MR Imaging at 3T for the Analysis of Aortic Hemodynamics and Derived Vessel Wall Parameters].
Rofo 2007;179(5):463-472.

Bley T, Uhl M, Carew J, Markl M, Schmidt D, Peter HH, Langer M, Wieben O.
Diagnostic value of high resolution MRI in giant cell arteritis
AJNR Am J Neuroradiol 2007;28(9):1722-1727.

Bley TA, Ness T, Warnatz K, Frydrychowicz A, Uhl M, Hennig J, Langer M, Markl M.
Influence of corticosteroid treatment on MRI findings in giant cell arteritis.
Clin Rheumatol 2007;26(9):1541-1543.

Markl M, Harloff A, Bley TA, Zaitsev M, Jung B, Weigang E, Langer M, Hennig J, Frydrychowicz A.
Time-resolved 3D MR velocity mapping at 3T: Improved navigator-gated assessment of vascular anatomy and blood flow.
J Magn Reson Imaging 2007;25:824-831.

Wetzel S, Meckel S, Frydrychowicz A, Bonati L, Radue EW, Scheffler K, Hennig J, Markl M.
In Vivo Assessment and Visualization of Intracranial Arterial Hemodynamics with Flow-Sensitized 4D MR Imaging at 3T.
AJNR Am J Neuroradiol 2007;28(3):433-438.

Frydrychowicz A, Bley TA, Dittrich S, Hennig J, Langer M, Markl M.
Visualization of Vascular Hemodynamics in a Case of a Large Patent Ductus Arteriosus Using Flow Sensitive 3D CMR at 3T.
J Cardiovasc Magn Reson 2007;9(3):585-587.

Kari F, Pernice F, Frydrychowicz A, Markl M, Harloff A, Luehr M, Kobba J, Hennig J, Beyersdorf F, Weigang E.
Fluss-sensitive 4D Magnetresonanztomographie: Blutflusseigenschaften bei gesunden Probanden und Patienten mit Erkrankungen der thorakalen Aorta.
Z Herz- Thorax- Gefäßchi. 2007;21(1):1-8.

Bley TA, Uhl M, Markl M, Frydrychowicz A, Langer M.
[MRI in giant cell (temporal) arteritis].
Rofo 2007;179(7):703-711.

Bley TA, Uhl M, Venhoff N, Thoden J, Langer M, Markl M.
3-T MRI reveals cranial and thoracic inflammatory changes in giant cell arteritis.
Clin Rheumatol 2007;26(3):448-450.

Yamashita S, Isoda H, Hirano M, Takeda H, Inagawa S, Takehara Y, Alley MT, Markl M, Pelc NJ, Sakahara H.
Visualization of hemodynamics in intracranial arteries using time-resolved three-dimensional phase-contrast MRI.
J Magn Reson Imaging 2007;25(3):473-478.

Frydrychowicz A, Schlensak C, Stalder A, Russe M, Siepe M, Beyersdorf F, Langer M, Hennig J, Markl M.
Ascending-descending aortic bypass surgery in aortic arch coarctation: four-dimensional magnetic resonance flow analysis.
J Thorac Cardiovasc Surg 2007;133(1):260-262.

A. Frydrychowicz, A. Harloff, B. Jung, M. Zaitsev, E. Weigang, T. A. Bley, M. Langer, J. Hennig, M. Markl
Time-Resolved 3D MR Flow Analysis at 3T: Visualization of Normal and Pathological Aortic Vascular Hemodynamics
J Comput Assist Tomo. 2007;31:9-15

2006

- Frydrychowicz A, Bley T, Winterer J, Harloff A, Langer M, Hennig J, Markl M.
Accelerated Time-Resolved Contrast-Enhanced MR-Angiography at 3T: Clinical Experience in 31 Patients.
Magma 2006;19(4):187-195.
- Jung B, Foll D, Bottler P, Petersen S, Hennig J, Markl M.
Detailed analysis of myocardial motion in volunteers and patients using high-temporal-resolution MR tissue phase mapping.
J Magn Reson Imaging 2006;24(5):1033-1039.
- Paul D, Markl M, Fautz HP, Hennig J.
T(2)-weighted balanced SSFP imaging (T(2)-TIDE) using variable flip angles.
Magn Reson Med,2006;56(1):82-93.
- M. Markl, M. Uhl, O. Wieben, T. Neß, M. Langer, J. Hennig, T.A. Bley
High Resolution 3T MRI for the Assessment of Cervical and Superficial Cranial Arteries in Giant Cell Arteritis
J Magn Reson Imaging 2006;24(2): 423-427.
- A. Frydrychowicz, E. Weigang, M. Langer, M. Markl
Flow-sensitive 3D Magnetic Resonance Imaging Reveals Complex Blood Flow Alterations in Aortic Dacron Graft Repair
Interact CardioVasc Thorac Surg 2006;5:340-342
- S. Petersen, L. Hudsmith, M. Robson, H. Doll, J. Francis, F Wiesmann, B. Jung, J. Hennig, H. Watkins, S. Neubauer.
Sex-specific characteristics of cardiac function, geometry and mass in young adult elite athletes.
J Magn Reson Imagin,2006;24(2):297-303.
- Isoda H, Hirano M, Takeda H, Kosugi T, Alley MT, Markl M, Pelc NJ, Sakahara H.
Visualization of Hemodynamics in a Silicon Aneurysm Model using Time-Resolved Three-Dimensional Phase-Contrast MRI.
AJNR Am J Neuroradiol 2006;27(5):1119-1122.
- S. Petersen, B. Jung, F. Wiesmann, J. Selvanayagam, J. Francis, J. Hennig, S. Neubauer, M. Robson. Three-Dimensional Myocardial Tissue Motion – Quantitative Regional Wall Motion Analysis in Healthy Volunteers using Cine Phase Contrast Velocity Magnetic Resonance Imaging
Radiology 2006; 238:816-826.2006
- Frydrychowicz A, Weigang E, Harloff A, Beyersdorf F, Hennig J, Langer M, Markl M.
Images in cardiovascular medicine. Time-resolved 3-dimensional magnetic resonance velocity mapping at 3 T reveals drastic changes in flow patterns in a partially thrombosed aortic arch.
*Circulation*2006;113(11):e460-461.
- Jung B, Zaitsev M, Hennig J, Markl M.
Navigator gated high temporal resolution tissue phase mapping of myocardial motion.
Magn Reson Med 2006;55(4):937-942.
- Jung B, Markl M, Foll D, Hennig J.
Investigating myocardial motion by MRI using tissue phase mapping.
Eur J Cardiothorac Surg 2006; 29:150-157.
- Jung BA, Kreher BW, Markl M, Hennig J.
Visualization of tissue velocity data from cardiac wall motion measurements with myocardial fiber tracking: principles and implications for cardiac fiber structures.
Eur J Cardiothorac Surg 2006; 29:158-164.
- Buckberg GD, Mahajan A, Jung B, Markl M, Hennig J, Ballester-Rodes M.
MRI myocardial motion and fiber tracking: a confirmation of knowledge from different imaging modalities.
Eur J Cardiothorac Surg 2006; 29:165-177.

Bley TA, Markl M, Wieben O.
Inflammatory hyperenhancement persists in delayed high-resolution MRI in giant cell arteritis.
AJR Am J Roentgenol 2006;186(4):1197-1198.

2005

Markl M, Draney MT, Miller DC, Levin JM, Williamson EE, Pelc NJ, Liang DH, Herfkens RJ.
Time-resolved three-dimensional magnetic resonance velocity mapping of aortic flow in healthy volunteers and patients after valve-sparing aortic root replacement.
J Thorac Cardiovasc Surg 2005;130(2):456-463.

Bley TA, Wieben O, Uhl M, Thiel J, Schmidt D, Langer M.
High-resolution MRI in giant cell arteritis: imaging of the wall of the superficial temporal artery.
AJR Am J Roentgenol 2005;184(1):283-287.

Bley TA, Wieben O, Uhl M, Vaith P, Schmidt D, Warnatz K, Langer M.
Assessment of the cranial involvement pattern of giant cell arteritis with 3T magnetic resonance imaging.
Arthritis Rheum 2005;52(8):2470-2477.

Bley TA, Warnatz K, Wieben O, Uhl M, Scholz C, Vaith P, Peter HH, Langer M.
High-resolution MRI in giant cell arteritis with multiple inflammatory stenoses in both calves.
Rheumatology (Oxford) 2005;44(7):954-955.

Bley TA, Wieben O, Leupold J, Uhl M. MRI findings in Temporal Arteritis.
Circulation 2005;111:e260.

Bley TA, Wieben O, Uhl M, Miehle N, Langer M, Hennig J, Markl M.
Integrated head-thoracic vascular MRI at 3 T: Assessment of cranial, cervical and thoracic involvement of giant cell arteritis.
Magma 2005;18(4):193-200.

Markl M, Leupold J, Bieri O, Scheffler K, Hennig J.
Double Average Parallel SSFP Imaging: Optimized Eddy Current and Transient Oscillation Compensation.
Magn Reson Med 2005, 54(4):965-974.

Markl M, Schumacher R, Kuffer J, Bley TA, Hennig J.
Rapid vessel prototyping: vascular modeling using 3t magnetic resonance angiography and rapid prototyping technology.
Magma 2005;18(6):288-292.

2004

Jung B, Schneider B, Markl M, Saurbier B, Geibel A, Hennig J.
Measurement of left ventricular velocities: phase contrast MRI velocity mapping versus tissue-doppler-ultrasound in healthy volunteers.
J Cardiovasc Magn Reson 2004;6(4):777-783.

M. Markl, M. Draney, M. Hope, J. Levin, F. Chan, M. Alley, N. Pelc, R. Herfkens.
Time-resolved 3-dimensional velocity mapping in the thoracic aorta: visualization of 3-directional blood flow patterns in healthy volunteers and patients.
J Comput Assist Tomogr 2004; 28:459-468.

2003

M. Markl, M. Alley, C. Elkins, N. Pelc.
Flow effects in balanced steady state free precession imaging.
Magn Reson Med 2003; 50:892-903.

M. Markl, M. Alley, N. Pelc.
Balanced phase-contrast steady-state free precession (PC-SSFP): a novel technique for velocity encoding by gradient inversion.

Magn Reson Med 2003; 49:945-952.

M. Markl, F. Chan, M. Alley, K. Wedding, M. Draney, C. Elkins, D. Parker, R. Wicker, C. Taylor, R. Herfkens, N. Pelc.
Time-resolved three-dimensional phase-contrast MRI.
J Magn Reson Imaging 2003; 17:499-506.

2002

B. Jung, K. Scheffler, J. Hennig.
Single-Breathhold 3D-TrueFISP Cardiac Cine Imaging.
Magn Reson Med 2002; 48:921-925.

M. Markl, B. Schneider, J. Hennig.
Fast phase contrast cardiac magnetic resonance imaging: improved assessment and analysis of left ventricular wall motion.
J Magn Reson Imaging 2002; 15:642-653.

Patents

M. Markl, J. Leupold, Wirbelstromkompensation mit N-Average SSFP Bildgebung Verfahren zur Messung der Magnetresonanz (NMR) mittels Steady State Free Precession
am 15.12. Patent Nr. 10 2004 060 768