

LITERATUR

- Branemark P I (1988): Tooth replacement by oral endoprostheses: clinical aspects. *Int J Oral Implantol* 5: 27-29
- Calvo Guirado J L, Saez Yuguero M R, Pardo Zamora G, Munoz Barrio E (2007): Immediate provisionalization on a new implant design for esthetic restoration and preserving crestal bone. *Implant Dent* 16: 155-164
- De Boever A L, Keersmaekers K, Vanmaele G, Kerschbaum T, Theuniers G, De Boever J A (2006): Prosthetic complications in fixed endosseous implant-borne reconstructions after an observations period of at least 40 months. *J Oral Rehabil* 33: 833-839
- Del Fabbro M, Testori T, Francetti L, Weinstein R (2004): Systematic review of survival rates for implants placed in the grafted maxillary sinus. *Int J Periodontics Restorative Dent* 24: 565-577
- El-Mowafy O, Brochu J F (2002): Longevity and clinical performance of IPS-Empress ceramic restorations--a literature review. *J Can Dent Assoc* 68: 233-237
- Ferrigno N, Laureti M, Fanali S (2006): Dental implants placement in conjunction with osteotome sinus floor elevation: a 12-year life-table analysis from a prospective study on 588 ITI implants. *Clin Oral Implants Res* 17: 194-205
- Galindo M L, Hagmann E, Marinello C P, Zitzmann N U (2006): [Long-term clinical results with Procera AllCeram full-ceramic crowns]. *Schweiz Monatsschr Zahnmed* 116: 804-809
- Grossmann Y, Finger I M, Block M S (2005): Indications for splinting implant restorations. *J Oral Maxillofac Surg* 63: 1642-1652
- Gürel G (2003): Predictable, precise, and repeatable tooth preparation for porcelain laminate veneers. *Pract Proced Aesthet Dent* 15: 17-24; quiz 26
- Hämmerle C, Jung R (2007): Prosthetic management of implants in the esthetic zone: general principles and scientific documentation. In: Buser D, Belser U, Wismeijer D (Hrsg.): *ITI treatment guide. Volume 1: Implant therapy in the esthetic zone. Single-tooth replacements.* Quintessence Publishing, Berlin,
- Jemt T (1999): Restoring the gingival contour by means of provisional resin crowns after single-implant treatment. *Int J Periodontics Restorative Dent* 19: 20-29
- Karoussis I K, Kotsovilis S, Fourmouis I (2007): A comprehensive and critical review of dental implant prognosis in periodontally compromised partially edentulous patients. *Clin Oral Implants Res*
- Karoussis I K, Salvi G E, Heitz-Mayfield L J, Bragger U, Hammerle C H, Lang N P (2003): Long-term implant prognosis in patients with and without a history of chronic periodontitis: a 10-year prospective cohort study of the ITI Dental Implant System. *Clin Oral Implants Res* 14: 329-339

- Kessler-Liechti G, Mericske-Stern R (2006): [Rehabilitation of an abraded occlusion with Procera-ZrO₂ all-ceramic crowns. A case report]. *Schweiz Monatsschr Zahnmed* 116: 156-167
- Kreulen C M, Creugers N H, Meijering A C (1998): Meta-analysis of anterior veneer restorations in clinical studies. *J Dent* 26: 345-353
- Lazzara R J, Porter S S (2006): Platform switching: a new concept in implant dentistry for controlling postrestorative crestal bone levels. *Int J Periodontics Restorative Dent* 26: 9-17
- Lindquist L W, Carlsson G E, Jemt T (1996): A prospective 15-year follow-up study of mandibular fixed prostheses supported by osseointegrated implants. Clinical results and marginal bone loss. *Clin Oral Implants Res* 7: 329-336
- Magne P, Belser U (2002): *Bonded Porcelain Restorations in the Anterior Dentition: A Biomimetic Approach*. Quintessence Publishing Co., Chicago
- Magne P, Kwon K R, Belser U C, Hodges J S, Douglas W H (1999): Crack propensity of porcelain laminate veneers: A simulated operator evaluation. *J Prosthet Dent* 81: 327-334
- Marquardt P, Strub J R (2006): Survival rates of IPS empress 2 all-ceramic crowns and fixed partial dentures: results of a 5-year prospective clinical study. *Quintessence Int* 37: 253-259
- McDermott N E, Chuang S K, Woo V V, Dodson T B (2006): Maxillary sinus augmentation as a risk factor for implant failure. *Int J Oral Maxillofac Implants* 21: 366-374
- Mengel R, Flores-de-Jacoby L (2005): Implants in patients treated for generalized aggressive and chronic periodontitis: a 3-year prospective longitudinal study. *J Periodontol* 76: 534-543
- Narhi T O, Hevinga M, Voorsmit R A, Kalk W (2001): Maxillary overdentures retained by splinted and unsplinted implants: a retrospective study. *Int J Oral Maxillofac Implants* 16: 259-266
- Norton M R (2006): Multiple single-tooth implant restorations in the posterior jaws: maintenance of marginal bone levels with reference to the implant-abutment microgap. *Int J Oral Maxillofac Implants* 21: 777-784
- Olson J W, Dent C D, Dominici J T, Lambert P M, Bellome J, Bichara J, Morris H F (1997): The influence of maxillary sinus augmentation on the success of dental implants through second-stage surgery. *Implant Dent* 6: 225-228
- Orton G S, Steele D L, Wolinsky L E (1989): Dental professional's role in monitoring and maintenance of tissue-integrated prostheses. *Int J Oral Maxillofac Implants* 4: 305-310
- Paul S J, Scharer P (1997): The dual bonding technique: a modified method to improve adhesive luting procedures. *Int J Periodontics Restorative Dent* 17: 536-545

- Peumans M, De Munck J, Fieuws S, Lambrechts P, Vanherle G, Van Meerbeek B (2004): A prospective ten-year clinical trial of porcelain veneers. *J Adhes Dent* 6: 65-76
- Pjetursson B E, Tan K, Lang N P, Bragger U, Egger M, Zwahlen M (2004): A systematic review of the survival and complication rates of fixed partial dentures (FPDs) after an observation period of at least 5 years. *Clin Oral Implants Res* 15: 625-642
- Romeo E, Lops D, Margutti E, Ghisolfi M, Chiapasco M, Vogel G (2003): Implant-supported fixed cantilever prostheses in partially edentulous arches. A seven-year prospective study. *Clin Oral Implants Res* 14: 303-311
- Roos-Jansaker A M, Lindahl C, Renvert H, Renvert S (2006): Nine- to fourteen-year follow-up of implant treatment. Part I: implant loss and associations to various factors. *J Clin Periodontol* 33: 283-289
- Saadoun A P, Le Gall M G, Touati B (2004): Current trends in implantology: part II—treatment planning, aesthetic considerations, and tissue regeneration. *Pract Proced Aesthet Dent* 16: 707-714; quiz 716
- Sorensen J A, Choi C, Fanuscu M I, Mito W T (1998): IPS Empress crown system: three-year clinical trial results. *J Calif Dent Assoc* 26: 130-136
- Stricker A, Voss P J, Gutwald R, Schramm A, Schmelzeisen R (2003): Maxillary sinus floor augmentation with autogenous bone grafts to enable placement of SLA-surfaced implants: preliminary results after 15-40 months. *Clin Oral Implants Res* 14: 207-212
- Tan K, Pjetursson B E, Lang N P, Chan E S (2004): A systematic review of the survival and complication rates of fixed partial dentures (FPDs) after an observation period of at least 5 years. *Clin Oral Implants Res* 15: 654-666
- Touati B (1995): Improving aesthetics of implant-supported restorations. *Pract Periodontics Aesthet Dent* 7: 81-92; quiz 93
- Touati B, Guez G, Saadoun A (1999): Aesthetic soft tissue integration and optimized emergence profile: provisionalization and customized impression coping. *Pract Periodontics Aesthet Dent* 11: 305-314; quiz 316
- Wakiaga J, Brunton P, Silikas N, Glenny A M (2004): Direct versus indirect veneer restorations for intrinsic dental stains. *Cochrane Database Syst Rev* CD004347