

LITERATUR

- Baharin B, Palmer R M, Coward P, Wilson R F (2006): Investigation of periodontal destruction patterns in smokers and non-smokers. *J Clin Periodontol* 33: 485-490
- Bartlett D, Sundaram G (2006): An up to 3-year randomized clinical study comparing indirect and direct resin composites used to restore worn posterior teeth. *Int J Prosthodont* 19: 613-617
- Brägger U, Karoussis I, Persson R, Pjetursson B, Salvi G, Lang N (2005): Technical and biological complications/failures with single crowns and fixed partial dentures on implants: a 10-year prospective cohort study. *Clin Oral Implants Res* 16: 326-334
- Creugers N H, Kayser A F, van 't Hof M A (1994): A meta-analysis of durability data on conventional fixed bridges. *Community Dent Oral Epidemiol* 22: 448-452
- da Rosa Rodolpho P A, Cenci M S, Donassollo T A, Loguercio A D, Demarco F F (2006): A clinical evaluation of posterior composite restorations: 17-year findings. *J Dent* 34: 427-435
- Deliperi S, Bardwell D N (2006): Clinical evaluation of direct cuspal coverage with posterior composite resin restorations. *J Esthet Restor Dent* 18: 256-265; discussion 266-257
- El-Mowafy O, Brochu J F (2002): Longevity and clinical performance of IPS-Empress ceramic restorations--a literature review. *J Can Dent Assoc* 68: 233-237
- Ferracane J L (2006): Is the wear of dental composites still a clinical concern? Is there still a need for in vitro wear simulating devices? *Dent Mater* 22: 689-692
- Gaengler P, Hoyer I, Montag R (2001): Clinical evaluation of posterior composite restorations: the 10-year report. *J Adhes Dent* 3: 185-194
- Galindo M L, Hagmann E, Marinello C P, Zitzmann N U (2006): [Long-term clinical results with Procera AllCeram full-ceramic crowns]. *Schweiz Monatsschr Zahnmed* 116: 804-809
- Hickel R, Manhart J (2001): Longevity of restorations in posterior teeth and reasons for failure. *J Adhes Dent* 3: 45-64
- Hinode D, Tanabe S, Yokoyama M, Fujisawa K, Yamauchi E, Miyamoto Y (2006): Influence of smoking on osseointegrated implant failure: a meta-analysis. *Clin Oral Implants Res* 17: 473-478
- Kessler-Liechti G, Mericske-Stern R (2006): [Rehabilitation of an abraded occlusion with Procera-ZrO₂ all-ceramic crowns. A case report]. *Schweiz Monatsschr Zahnmed* 116: 156-167

- Lavigne G L, Lobbezoo F, Rompre P H, Nielsen T A, Montplaisir J (1997): Cigarette smoking as a risk factor or an exacerbating factor for restless legs syndrome and sleep bruxism. *Sleep* 20: 290-293
- Manhart J, Chen H, Hamm G, Hickel R (2004): Buonocore Memorial Lecture. Review of the clinical survival of direct and indirect restorations in posterior teeth of the permanent dentition. *Oper Dent* 29: 481-508
- Ohayon M M, Li K K, Guilleminault C (2001): Risk factors for sleep bruxism in the general population. *Chest* 119: 53-61
- Opdam N J, Bronkhorst E M, Roeters J M, Loomans B A (2007): A retrospective clinical study on longevity of posterior composite and amalgam restorations. *Dent Mater* 23: 2-8
- Rammelsberg P, Spiegl K, Eickemeyer G, Schmitter M (2005): Clinical performance of metal-free polymer crowns after 3 years in service. *J Dent* 33: 517-523
- Rivera-Morales W C, Mohl N D (1991a): Relationship of occlusal vertical dimension to the health of the masticatory system. *J Prosthet Dent* 65: 547-553
- Rivera-Morales W C, Mohl N D (1991b): Variability of closest speaking space compared with interocclusal distance in dentulous subjects. *J Prosthet Dent* 65: 228-232
- Roeters F J, Opdam N M, Stel M (2003): [Restoring the occlusion by direct techniques]. *Ned Tijdschr Tandheelkd* 110: 229-233
- Roeters J, Stel M (2000): [Adhesive techniques in the treatment of tooth wear due to bruxism]. *Ned Tijdschr Tandheelkd* 107: 308-311
- Salinas T J, Block M S, Sadan A (2004): Fixed partial denture or single-tooth implant restoration? Statistical considerations for sequencing and treatment. *J Oral Maxillofac Surg* 62: 2-16
- Schulte A G, Vockler A, Reinhardt R (2005): Longevity of ceramic inlays and onlays luted with a solely light-curing composite resin. *J Dent* 33: 433-442
- Scurria M S, Bader J D, Shugars D A (1998): Meta-analysis of fixed partial denture survival: prostheses and abutments. *J Prosthet Dent* 79: 459-464
- Sjogren U, Hagglund B, Sundqvist G, Wing K (1990): Factors affecting the long-term results of endodontic treatment. *J Endod* 16: 498-504
- Stoll R, Betke K, Stachniss V (2005): The Influence of Different Factors on the Survival of Root Canal Fillings: A 10-Year Retrospective Study. *J Endod* 31: 783-790
- Studer S P, Wettstein F, Lehner C, Zullo T G, Scharer P (2000): Long-term survival estimates of cast gold inlays and onlays with their analysis of failures. *J Oral Rehabil* 27: 461-472

- Tan K, Pjetursson B E, Lang N P, Chan E S (2004): A systematic review of the survival and complication rates of fixed partial dentures (FPDs) after an observation period of at least 5 years. *Clin Oral Implants Res* 15: 654-666
- van Pelt A W, Derksen H B, de Jong H P (2003): [Restoration of occlusal structure by direct tooth coating materials]. *Ned Tijdschr Tandheelkd* 110: 223-228
- Yip K H, Chow T W, Chu F C (2003): Rehabilitating a patient with bruxism-associated tooth tissue loss: a literature review and case report. *Gen Dent* 51: 70-74; quiz 75-76