

Georg Bauer
Complete list of publications

- 1) Bauer G, Hofschneider PH. An RNA-dependent DNA polymerase, different from the known viral reverse transcriptases, in the chicken system. *Proc. Natl. Acad. Sci. U.S.A.* 73, 3025-3029, 1976.
- 2) Bauer G, Jilek G, Hofschneider PH. A new, not virus related reverse transcriptase in the chicken system. In: *Modern Trends in Human Leukemia II*, R. Neth, R.C. Gallo, K.Mannweiler, W.C. Moloney, editors., J.F. Lehmanns Verlag München, p.515-529, 1976
- 3) Bauer G, Jilek G, Hofschneider PH. Purification and further characterization of an RNA-dependent DNA polymerase from the allantoic fluid of leukosis-virus-free chicken eggs. *Eur. J. Biochem.* 79, 345-354, 1977.
- 4) Bauer G, Jilek G, Hofschneider PH. Characterization of a new reverse transcriptase of possibly cellular origin in the chicken system. *Arzneimittelforschung (Drug research)* 27, 215-220, 1977.
- 5) Bauer G. RNA-dependent DNA polymerase (reverse transcriptase). *Blut* 35, 3-9, 1977
- 6) Bauer G, Friis RR, Jilek G, Hofschneider PH. Purification and characterization of particles containing RNA-dependent DNA polymerase, in the allantoic fluid of uninfected leukosis-virus-free chicken eggs. *Biochem. Biophys. Acta* 518, 125-137, 1978.
- 7) Bauer G, Soo R, Friss, RR. Comparison of the RNA-dependent DNA polymerase of an endogenous avian leukosis virus to the polymerase of an exogenous avian leukosis virus. *Eur. J. Biochem.* 90, 21-27, 1978.
- 8) Bauer G, Friis RR, Mattersberger H, Hofschneider PH. Controlled release of particle-associated RNA-dependent DNA polymerase by primary chick embryo cell cultures. *Exp. Cell Research* 117, 383-392, 1978.
- 9) Bauer G, Hofschneider PH. RNA-dependent DNA polymerase in a "virus-free" system. In: *Integration and Excision of DNA molecules*. P.H. Hofschneider and P. Starlinger editors. Springer Verlag Berlin, Heidelberg, New York 1978, p. 101-105
- 10) Bauer G. RNA-Tumoviren. *Naturwissenschaftliche Rundschau* 31, 445-455, 1978
- 11) Bauer G, Mattersberger H, Soo R, Jendis R, Hofschneider PH. Release of particle associated RNA dependent DNA polymerases by primary chicken and quail embryo cells. In: *Modern Trends in Human Leukemia III*. R.Neth, R.C. Gallo, P.H. Hofschneider and K. Mannweiler editors. Springer Verlag Berlin, Heidelberg, New York 1979, p. 575-579
- 12) Bauer G, Temin HM. RNA-directed DNA polymerase from particles released by normal goose cells. *J. Virol.* 29, 1006-1013, 1979.
- 13) Bauer G, Temin HM. Pheasant virus DNA polymerase is related to avian leukosis virus DNA polymerase at the active site. *J. Virol.* 32, 78-90, 1979
- 14) Bauer G, Temin HM. Radioimmunological comparison of the DNA polymerase of avian retroviruses. *J. Virol.* 33, 1046-1057, 1980
- 15) Bauer G, Temin HM. Specific antigenic relationships between the RNA-dependent DNA polymerases of avian reticuloendotheliosis viruses and mammalian type C retroviruses. *J. Virol.* 34, 168-177, 1980
- 16) Yamamoto N, Bauer G. The relationship between tumor promotor binding and Epstein-Barr virus induction in human lymphoblastoid cell lines. *Journal of Cellular Physiology* 109, 397-402, 1981.
- 17) Bauer G. RNA-dependent DNA polymerases from normal avian cells. In: *The role of RNA development and reproduction*. M.C.Niu and H.H. Chuang editors. Science press

Peking. p.60-78, 1981

- 18) Bauer G, Höfler P, zur Hausen H. Epstein-Barr virus induction by a serum factor I. Induction and cooperation with additional inducers. *Virology* 121, 184-194, 1982.
- 19) Bauer G, Höfler P, Simon M. Epstein-Barr virus induction by a serum factor II. Purification of a highmolecular weight protein that is responsible for induction. *J. Biol. Chem.* 257, 11405-11410, 1982.
- 20) Bauer G, Höfler P, Simon M. Epstein-Barr virus induction by a serum factor III. Characterization of the purified molecule and the mechanism of its activation. *J. Biol. Chem.* 257, 11411-11415, 1982.
- 21) Wittmann P, Höfler P, Bauer G. Epstein-Barr virus induction by a serum factor IV. Ubiquitous occurrence of the factor and its interaction with defined lymphoblastoid cell lines. *Int. J. Cancer* 30, 503-510, 1982
- 22) Zur Hausen H, Yamamoto N, Bauer G. Virus induction by tumor promoters. In: *Carcinogenesis*, Vol.7, E. Hecker editor. Raven Press New York 1982, p. 617-623
- 23) Bauer G. Quantitative analysis of the cooperative effect between inducers of Epstein-Barr virus antigen synthesis. *J. Gen. Virology* 64, 1337-1346, 1983
- 24) Bauer G. Induction of EBV early antigens by corticosteroids: Inhibition by TPA and retinoic acid. *Int. J. Cancer* 31, 291-295, 1983
- 25) Neumann-Haefelin D, Rethwilm A, Bauer G, Gudat F, zur Hausen H. Characterization of a foamy virus isolated from cercopithecus aethiops lymphoblastoid cells. *Med. Microbiol. Immunol.* 172, 75-86, 1983
- 26) Bauer G, zur Hausen H. Induction of latent Epstein-Barr virus information by a serum factor. *Hämatol.-Bluttransfus.* 28, 297-298, 1983
- 27) Zur Hausen H, Bauer G. Tumor promoters and a naturally occurring serum factor in the induction of Epstein-Barr-virus. "Nasopharyngeal carcinoma: current concepts", U. Prasad et al., Eds. University of Malaga, Kuala Lumpur, 1983, pp 315-320
- 28) Daniel L, Bauer G, zur Hausen H. Effect of indomethacin on Epstein-Barr virus antigen induction. *Cancer Research* 44, 981-983, 1984
- 29) Bauer G, Birnbaum U, Höfler P, Heldin C-H. EBV-inducing factor exhibits growth-promoting activity for fibroblasts. *EMBO Journal* 4, 1957-1961, 1985
- 30) Bauknecht T, Siebers J, Kiechle M, Bauer G. Characterization of growth factors in human ovarian carcinomas. *Cancer Research* 46, 2614-2618, 1986
- 31) Dietrich JB, Chasserot-Golaz S, Beck G and Bauer G. Antagonism of glucocorticoid induction of Epstein-Barr virus early antigens by different steroids in Daudi lymphoma cells. *J. Steroid Biochemistry* 24, 417-421, 1986
- 32) Dietrich JB, Chasserot S, Beck G and Bauer G. Antigluocorticoids block the enhancement of the EBV early antigens induced by a steroid agonist or a serum factor in Daudi lymphoma cells. *Cancer letters* 30, 86, 1986
- 33) Anisomova E, Roubalova K, Bauer G, Roubal J. Chemically purified serum factor can induce both Epstein-Barr virus antigen synthesis and cell differentiation. *Arch. of Virology* 94, 309-314, 1987
- 34) Marks F, Fürstenberger G, Gschwendt M, Rogers M, Schurich B, Kaina B, Bauer G. The wound response as a key element for an understanding of multistage carcinogenesis in skin. in : *Chemical Carcinogenesis*; F. Feo, P. Pani, A. Columbano and R. Garcea, editors, Plenum Press Corporation, p. 217-234. (1988)
- 35) Rogers M, Fürstenberger G, Bauer G, Höfler P, Marks F. EIF-Epstein-Barr Virus Inducing Factor - a peptide with TGF- β activity is a convertogenic agent ("stage I tumor promoter") in mouse skin in

vitro. In: F. Bresciani, R.J.B. King, M. E. Lipman and J. P. Raynaud (eds) Progress in Cancer Research and Therapy, vol. 35, Hormones and Cancer 3, pp 254-257, Raven Press, New York (1988).

36) Fürstenberger G, Rogers M, Schnapke R, Bauer G, Höfler P, Marks F. Stimulatory role of transforming growth factors in multistage skin carcinogenesis: possible explanation for the tumor-inducing effect of wounding in initiated NMRI mouse skin. *Int. J. Cancer* 43, 915-921 (1989)

37) Bauer G, Götschl M, Höfler P. Tumor-promoting activity of Epstein-Barr-Virus-Inducing Factor/Transforming Growth Factor Type beta (EIF/TGF- β) is due to the induction of irreversible transformation. *Int. J. Cancer* 47, 881-88 (1991)

38) Götschl M, Höfler P, Bauer G. Reactivity to TGF- β is one step towards transformation. *Int. J. Cancer* 51, 139-143 (1992)

39) Bauer G, Kahl S, Singh Sawhney I, Höfler P, Gerspach R, Matz G. Transformation of rodent fibroblasts by herpes simplex virus: presence of morphological transforming region 1 (MTR 1) is not required for the maintenance of the transformed state. *Int. J. Cancer* 51: 754-760 (1992)

40) Bauer G. Die Aussagemöglichkeiten der Epstein-Barr-Virus-Diagnostik
Der Internist 33: 586-592 (1992)

41) Höfler P, Wehrle I, Bauer G. TGF- β induces an inhibitory effect of normal cells directed against transformed cells. *Int. J. Cancer* 54: 125-130 (1993)

42) Kampmann M, Henninger K, Bauer G. Determination of antibodies directed specifically against Epstein-Barr virus nuclear antigen-1 (EBNA-1) by anticomplementary immunofluorescence (ACIF). *Med. Microbiol. Letters* 2: 1-8 (1993)

43) Schillinger M, Kampmann M, Henninger K, Murray G, Hanselmann I, Bauer G. Variability of humoral immune response to acute Epstein-Barr virus (EBV) infection: evaluation of the significance of serological markers. *Med. Microbiol. Letters* 2: 296-303 (1993)

44) Sohn H-J, Bauer G. Absorption of IgG increases the sensitivity of detection of the Epstein-Barr virus capsid antigen-specific IgM test. *Med. Microbiol. Letters* 2: 371-378 (1993)

45) Vetter V, Kreutzer L, Bauer G. Differentiation of primary from secondary anti-EBNA-1-negative cases by determination of avidity of VCA-IgG. *Clinical and Diagnostic Virology*, 2: 29-39. (1994)

46) Andersson A, Vetter V, Kreutzer L, Bauer G. The avidities of IgG directed against viral capsid antigen (VCA) or early antigen (EA): useful markers for a more significant Epstein-Barr virus serology. *J. Med. Virol.*, 43: 238-244 (1994)

47) Sigel G, Schillinger M, Henninger K, Bauer G. IgA directed against early antigen of Epstein-Barr virus is no specific marker for the diagnosis of nasopharyngeal carcinoma. *J. Med. Virol.*, 43: 222-227 (1994)

48) Karner W, Bauer G. Activation of a varicella zoster virus-specific IgA response during acute Epstein-Barr virus infection. *J. Med. Virol.*, 44: 258-262 (1994).

49) Rapp C, Berthold H, Bauer G. Loss of Anti-EBNA-1 during active hepatitis B virus infection: A diagnostic problem and indication for HBV-induced transient cellular immunosuppression. *Med. Microbiol. Letters*, 3: 235-243 (1994).

50) Alpers C, Scheid S, Bauer G. Acute EBV infection results in IgM responses against unrelated viruses. *Med. Microbiol. Letters* 3: 306-314 (1994).

51) Bauer G. Epstein-Barr-Virus: Bedeutung und Möglichkeiten der Labordiagnostik
Therapeutische Umschau 51: 558-562 (1994),

- 52) Jürgensmeier J, Schmitt CP, Viesel E, Höfler P, Bauer G. TGF- β -treated normal fibroblasts eliminate transformed fibroblasts by induction of apoptosis. *Cancer Research*, 54:393-398 (1994)
- 53) Jürgensmeier J, Höfler P, Bauer G. TGF- β -induced elimination of transformed fibroblasts by normal cells: independence of cell-to-cell contact and dependence on reactive oxygen species. *Int. J. Oncology* 5: 525-531 (1994).
- 54) Wehrle I, Jakob A, Höfler P, Bauer G. Transformation of murine fibroblasts by UV light and TGF- β : establishment of an autocrine TGF- β loop. *Int. J. Oncology* 5: 1341-1346 (1994).
- 55) Schaefer D, Jürgensmeier J, Bauer G. Catechol interferes with TGF- β -induced elimination of transformed cells by normal cells: implications for the survival of transformed cells during carcinogenesis. *Int. J. Cancer* 60, 520-526 (1995).
- 56) Vossbeck H, Strahm B, Höfler P, Bauer G. Direct transforming activity of TGF- β on rat fibroblasts. *Int. J. Cancer* 61: 92-97 (1995).
- 57) Picht G, Hundertmark N, Schmitt CP, Bauer G. Clonal analysis of the effect of TGF- β on the apoptosis-inducing activity of normal cells. *Exp. Cell Research* 218, 71-78 (1995).
- 58) Bauer G. Resistance to TGF- β -induced elimination of transformed cells is required during tumor progression. *Int. J. Oncol.* 6, 1227-1229 (1995).
- 59) Strauß SC, Weber M, Schächtele C, Bauer G. PKC-dependent and -independent cellular effects induced by recombinant transforming growth factor type beta 1. *Int. J. Oncol.* 7, 565-572, 1995.
- 60) Bauer G. Diagnostik der Herpesviren. Teil I: Epstein-Barr-Virus (EBV) und Zytomegalievirus (CMV). *mta* 10, 502-508 (1995).
- 61) Bauer G. Diagnostik der Herpesviren. Teil II: Herpes simplex-Virus (HSV), Varizella-Zoster-Virus (VZV) und Humanes Herpesvirus-6 (HHV-6). *mta* 10, 587-593 (1995)
- 62) Bauer G. Rationale und rationelle EBV-Diagnostik. *Clin. Lab.* 41, 623 - 634 (1995).
- 63) Bauer G. The rational basis for efficient EBV serology. *Clin. Lab.* 41, 623-634 (1995).
- 64) Langer C, Jürgensmeier JM, Bauer G. Reactive oxygen species act both at TGF- β -dependent and -independent steps during induction of apoptosis of transformed cells by normal cells. *Exp. Cell Res.* 222: 117-124, 1996.
- 65) Dichgans C, Höfler P, Bauer G. Transformation of rat fibroblasts by TGF- β : restriction to a minor subpopulation, rather than a rare event. *Int. J. Oncol.*, 7, 1367-1371, 1995.
- 66) Hackenjos K, Langer C, Zabel S, Bauer G. Transformed cells trigger induction of their own apoptosis in coculture with normal cells. *Oncology Reports*, 3: 27-31, 1996
- 67) Bauer G. Elimination of transformed cells by normal cells: a novel concept for the control of carcinogenesis. *Histol. Histopathol.* 11: 237-255, 1996.
- 68) Melchinger W, Strauss SC, Zucker B, Bauer G. Antiapoptotic activity of bovine papilloma viruses: implications for the control of carcinogenesis. *Int. J. Oncol.* 9: 927-933, 1996.
- 69) Bauer G. IgM – ein variabler und mehrdeutiger diagnostischer Marker. *Der Mikrobiologe* 6: 44-51 (1996)
- 70) Gassmann C, Bauer G. Avidity determination of IgG directed against tick-borne encephalitis virus improves detection of current infections. *J. Med. Virol.* 51: 242-251, 1997.
- 71) Wolter T, Gassmann C, Vetter V, Bauer G. Avidity determination: utilization of a basic immunological mechanism allows to improve serological diagnosis of infections. *Clin. Laboratory* 43: 125-135, 1997.

- 72) Panse J, Hipp M-L, Bauer G. Fibroblasts transformed by chemical carcinogens are sensitive for intercellular induction of apoptosis: implications for the control of oncogenesis. *Carcinogenesis* 18: 259-264, 1997.
- 73) Zucker B, Bauer G. Intercellular induction of apoptosis of transformed cells is modulated by their intracellular glutathione concentration. *Int. J. Oncol.* 10: 141-146, 1997.
- 74) Jürgensmeier J, Panse J, Schäfer R, Bauer G. Reactive oxygen species as mediators of the transformed phenotype. *Int. J. Cancer* 70: 587-589, 1997.
- 75) Bauer G. Interference of papilloma viruses with p53-dependent and -independent apoptotic pathways: clues to viral oncogenesis (Review-hypothesis). *Oncology Reports* 4: 273-275, 1997.
- 76) Jürgensmeier J, Bauer G. Interference of Bcl-2 with intercellular control of carcinogenesis. *Int. J. Cancer* 71: 698-704, 1997.
- 77) Bassler D, Brauns HH, Bauer G. Role of proliferation for intercellular induction of apoptosis. *Exp. Cell Res.* 232: 349-352, 1997.
- 78) Zucker B, Hanusch J, Bauer G. Glutathione depletion in fibroblasts is the basis for induction of apoptosis by endogenous reactive oxygen species. *Cell Death and Differentiation*, 4: 388-395, 1997.
- 79) Descalzo A, Weiland C, Dietze L, Matz B, Bauer G. Transformation of rodent fibroblasts by ICP-4, the major transactivating protein of herpes simplex virus type 1. *Int. J. Oncology* 10: 765-773, 1997.
- 80) Beck E, Schäfer R, Bauer G. Sensitivity of transformed fibroblasts for intercellular induction of apoptosis is determined by their transformed phenotype. *Exp. Cell Res.* 234: 47-56, 1997.
- 81) Hipp M-L, Bauer G. Intercellular induction of apoptosis in transformed cells does not depend on p53. *Oncogene* 15: 791-797, 1997.
- 82) Eckert S, Bauer G. TGF-beta isoforms and fibroblast growth factor exhibit analogous indirect antioncogenic activity through triggering of intercellular induction of apoptosis. *Anticancer Res.* 18: 45-52, 1998.
- 83) Dormann S, Bauer G. TGF-beta and FGF trigger intercellular induction of apoptosis: analogous activity on non-transformed but differential activity on transformed cells. *Int. J. Oncol.* 13: 1247-1252, 1998.
- 84) Saran M, Beck-Speier I, Fellerhoff B, Bauer G. Phagocytic killing of microorganisms by radical processes: consequences of the reaction of hydroxyl radicals with chloride yielding chlorine atoms. *Free Rad. Biol. Med.* 26: 482-490, 1999.
- 85) Dormann S, Schwieger A, Hanusch J, Häufel T, Engelmann I, Bauer G. Intercellular induction of apoptosis through modulation of endogenous survival factor concentration. *Anticancer Research* 19: 87-104, 1999.
- 86) Häufel T, Dormann S, Hanusch J, Schwieger A, Bauer G. Three distinct roles for TGF-beta during intercellular induction of apoptosis. *Anticancer Res.* 19: 105-112, 1999
- 87) Schulz A, Bauer G. Synergistic action between tumor necrosis factor alpha and transforming growth factor beta: consequences for natural antitumor mechanisms. *Anticancer Res.* 20: 3443-3448, 2000
- 88) Schulz A, Bauer G. Selective effect of tumor necrosis factor on transformed versus nontransformed cells: Nonselective signal recognition but differential target cell response. *Anticancer Res.* 20: 3435-3442, 2000
- 89) Bauer G. Reactive oxygen and nitrogen species: efficient, selective and interactive signals during intercellular induction of apoptosis. *Anticancer Research* 20, 4115-4140, 2000

- 90) Engelmann I, Eichholtz-Wirth H, Bauer G. Ex vivo tumor cell lines are resistant against intercellular induction of apoptosis and independent of exogenous survival factors. *Anticancer Res.* 20: 2361-2370, 2000
- 91) Engelmann I, Bauer G. How can tumor cells escape intercellular induction of apoptosis? *Anticancer Res.* 20: 2297-2306, 2000.
- 92) Engelmann I, Dormann S, Saran M, Bauer G: Transformed target cell-derived superoxide anions drive apoptosis induction by myeloperoxidase. *Redox Report* 5: 207-214, 2000.
- 93) Engelmann I, Bauer G. Reversible and oxidative inactivation of endogenous survival factors after removal of exogenous survival factors. *Int. J. Oncol.* 17: 97-102, 2000.
- 94) Hanusch J, Schwieger A, Sers C, Schäfer R, Bauer G. Oncogenic transformation increases the sensitivity for apoptosis induction by inhibitors of macromolecular synthesis. *Int. J. Oncol.* 17: 89-95, 2000.
- 95) Herdener M, Heigold S, Saran M, Bauer G. Target cell-derived superoxide anions cause efficiency and selectivity of intercellular induction of apoptosis. *Free Radical Biology & Medicine* 29, 1260-1271, 2000
- 96) Bauer G, Dormann S, Engelmann I, Schulz A, Saran M. Reactive oxygen species and apoptosis. In: *Handbook of Exp. Pharmacology*, R. G. Cameron and G. Feuer, editors. Springer Verlag, Berlin, Heidelberg, New York; vol. 142, pp 275-318, 2000
- 97) Bauer G. Simplicity through complexity: immunoblots with recombinant antigens as the new gold standard in Epstein Barr virus serology. *Clin. Lab.* 47: 223-230, 2001
- 98) Von Eynatten K, Bauer G. Central and ambivalent role of hydrogen peroxide during intercellular induction of apoptosis. *Int. J. Oncol.* 18, 1169-1174, 2001
- 99) Schimmel M, Bauer G. Selective apoptosis induction in transformed fibroblasts by B cell lines: involvement of reactive oxygen and nitrogen species. *Int. J. Oncol.* 19, 299-304, 2001
- 100) Bauer G. Lactobacilli-mediated control of vaginal cancer through specific reactive oxygen species interaction. *Medical Hypotheses*, 57: 252-257, 2001.
- 101) Schwieger A, Bauer L, Hanusch J, Sers C, Schäfer R, Bauer G. Ras oncogene expression determines sensitivity for intercellular induction of apoptosis. *Carcinogenesis*. 22:1385-1392, 2001
- 102) Steinebach C. and Bauer G. An alternative signalling pathway based on nitryl chloride during intercellular induction of apoptosis. *In vitro and applied molecular toxicology* 14: 107-120, 2001
- 103) Häufel T and Bauer G. Transformation of rat fibroblasts by TGF-beta and EGF induces sensitivity for intercellular induction of apoptosis. *Anticancer Res.* 21: 2617-2628, 2001.
- 104) Bauer G. Signaling and proapoptotic functions of transformed cell-derived reactive oxygen species. *Prostaglandines, Leukotrienes and Essential Fatty Acids* 66:41-56, 2002.
- 105) Paul K and Bauer G. Promyelocytic HL 60 cells induce apoptosis specifically in transformed cells: Involvement of myeloperoxidase, nitric oxide and target cell-derived superoxide anions. *Anticancer Res.* 21, 3237-3246, 2002
- 106) Heigold S, Sers C, Bechtel W., Ivanovas B, Schäfer R and Bauer G: Nitric oxide mediates apoptosis induction selectively in transformed fibroblasts compared to nontransformed fibroblasts. *Carcinogenesis* 23:929-941, 2002.
- 107) Heigold S and Bauer G. Raw 264.7 macrophages induce apoptosis selectively in transformed cells: Intercellular signalling based on reactive oxygen species. *J. Leukocyte Biology* 72: 554-563, 2002

- 108) Schimmel M and Bauer G. Proapoptotic and redox state-related signalling of reactive oxygen species generated by transformed fibroblasts. *Oncogene*. 21:5886-5896, 2002
- 109) Ivanovas B and Bauer G. Selective and nonselective apoptosis induction in transformed and nontransformed fibroblasts by exogenous reactive oxygen and nitrogen species. *Anticancer Research, Anticancer Res.* 22:841-856, 2002
- 110) Haberstroh K, Heigold S and Bauer G. Transformed cell-derived reactive oxygen species support and inhibit nitric oxide-mediated apoptosis induction. *Int J Oncol.* 21:145-151, 2002.
- 111) Steinmann M, Moosmann N, Schimmerl M, Gerhardus C and Bauer G. Differential role of extra- and intracellular superoxide anions for nitric oxide-mediated apoptosis induction. *In vivo* 18: 293-310, 2004.