

# Index

- Age-specific reference intervals, 247–250
- AIC (Akaike information criterion), 19, 23, 24, 30, 31, 33–37, 39–41, 49, 156, 163, 164, 205, 256
- Aims of multivariable models, 26–29
- Akaike's information criterion, *see* AIC (Akaike information criterion)
- Algorithms, 21, 31, 34, 78, 82, 96
- MFP, 117–120
  - MFPI, 155–157
  - MFPIgen, 174–175, 179–180
  - MFPT, 244
  - MVRS, 205
  - MVSS, 206–207
- All-subsets model selection, *see* Variables; Selection
- Applications
- ART study, 223–239
  - advanced prostate cancer, 157–163, 261
  - body fat data
    - research, 2–5, 72, 80–81, 83, 85–86, 262
    - educational, 36–38, 46, 100–101, 106, 188–190, 262–264
  - Boston housing data, 207–213, 261
  - breast cancer
    - diagnosis data, 190–191, 261
    - Freiburg DNA data, 58–59, 261
  - GBSG (German Breast Cancer Study Group) data, 5–9, 65, 108, 124–126, 128–130, 135–138, 145–146, 163–167, 193–197, 214–215, 262, 263
  - Rotterdam data, 243–246, 261
  - cervix cancer, 60–64, 261
  - cholesterol data, 249–250, 261
  - diabetes, 139–141, 261
  - fetal growth, 247–249, 261
  - glioma (brain cancer) study, 38–39, 186–188, 262, 264, 266–267
  - kidney cancer, 112–113, 168–171, 262, 266–267
  - myeloma study, 35–36, 261
  - nerve conduction data, 109–110, 261
  - oral cancer, 138–139, 204, 261, 266
  - PBC (primary biliary cirrhosis) data, 101–104, 107, 217–219, 262, 265–266
  - Pima Indians, 215–217, 261
  - prostate cancer data, 65–67, 93–94, 116–124, 127–128, 130–135, 175–177, 262, 264–265
  - quit smoking study, 175–176, 261
  - triceps skinfold thickness, 110–111, 261
  - Whitehall 1 data, 86–92, 140–144, 173–174, 177–181, 262, 265, 266
- Assumption (s)
- effects of, 8–9
  - of linearity, 2, 8, 61, 115, 152

- Backward elimination, *see* BE (backward elimination)
- Bagging (bootstrap aggregating), 198, 234
- Bayes, 51, 251, 254–255
- Bayesian information criterion, *see* BIC (Bayesian information criterion)
- BE (AIC), 34
- BE (backward elimination), 7, 17, 21, 23, 30–32, 34–42, 46, 49, 56, 57, 62–65, 115–117, 124, 127–129, 186–190, 205, 206, 220, 256, 257
- BE (BIC), 34
- BE-hier (hierarchical BE), 188–190
- Bias, 40
  - competition, 40
  - omission, 41, 48
  - selection, 17, 40–43, 45–49, 133, 149, 199, 234, 258
  - stopping rule, 40
- Bias/variance trade-off, 66
- BIC (Bayesian information criterion), 23, 24, 30, 31, 33–35, 37, 39, 40, 49, 156, 163, 256
- BIF (bootstrap inclusion fraction), 183–192, 197–198, 233–234
- Binary predictors, 54, 226
- Bland–Altman plot, 37–38, 212–213
- BMI (body mass index), *see* Applications, body fat data
- Bootstrap aggregating, *see* Bagging (bootstrap aggregating)
- Bootstrap inclusion fraction, *see* BIF (bootstrap inclusion fraction)
- Bootstrap, 24
  - function plots, 129–131
  - inclusion frequency and importance of variable, 186
  - selection of variables within bootstrap sample, 185–186
  - using to explore model stability, 185–186
  - see also* BIF (bootstrap inclusion fraction)
- Box–Tidwell, 73
  - and FP function, 73, 76, 85–86
- Categorical coding, 55–57, 61–63, 226
- Categorical and continuous predictors, 53–70
  - counting variable, 54, 58
  - discussion, 69–70
    - categorising continuous variables, 70
    - choice of coding scheme, 69
    - handling continuous variables, 70
    - sparse categories, 69
  - empirical curve fitting, 67–69
  - issues in model building with categorized variables, 60–64
  - ordinal predictors, 55–57
  - types of predictor, 54–55
- Categorical variables, 23
  - issues in model building with, 60–64
    - one ordinal variable, 61–62
    - several ordinal variables, 62–64
- Categorization, 58–60, 165–167
  - optimal cutpoint, 58–59
  - of survival time, 245–56
- Categorized variables, interaction with, 165–166
- Centring and scaling, 84–85, 90–91
- Chi-square test statistic, 20
- CI (confidence interval), 20
  - and fitted odds ratio, 91–92
- Coding schemes, 55–56
  - choice of, 69
  - effect on variable selection, 56–57
  - example multivariable model building, 60–64
- Combined or separate models, 26
- Complexity
  - assessing fit by adding more complex functions, 125–129
  - of function, and MFP, 148
  - of functions, 221
  - of model, controlling, 10, 27
  - and modelling aims, 144
  - of predictor, 258
  - simple *vs.* complex functions, 66
  - stability and interpretability, 49–50
- Confidence interval, *see* CI (confidence interval)
- Continuous-by-continuous interaction, *see* Interaction, continuous by continuous
- Continuous powers, FP powers as
  - approximations to, 85–86
  - Box–Tidwell and FP models, 85
  - example, 85–86
- Continuous predictors, xv, 53–70
  - beyond linearity, 64
  - does non-linearity matter?, 65–66
  - functional form, 2, 17, 55, 64–67, 257–258
  - interpretability and transportability, 66–67
    - simple *vs.* complex functions, 66
  - issues in modelling, 8–10
    - effects of assumptions, 8–9
    - categorizing, 70
  - see also* Categorical and continuous predictors
  - optimal cutpoints, 58–59
  - other ways of choosing cutpoint, 59–60

- Correlation structure, 17, 28, 50, 223
- Counting variables, 55
- Covariates, 20, 31
  - five types, 54
  - measurement error in, 258
- Cox model, xv, 5, 12–13, 38, 101, 108, 112, 124, 137, 157, 166, 217
  - time-varying hazard ratios in, 241–246
- Cross-validation, 43–45, 50, 51
- CSS (cubic smoothing spline), 205–206, 271
  - comparison to MFP and MVRs, 207–222
  - function selection procedure for, 206
  - procedure for model building with, 205–207
  - MVSS procedure, 205–207
- Cubic polynomial, 2, 3
- Cubic spline functions, restricted, 203–205
- Curve instability, 191, 195–197
  - measures of, 192
- Curve shapes with FP1 and FP2 functions, 76–78
- Cubic smoothing spline, *see* CSS (cubic smoothing spline)
- Cutpoint(s)
  - approaches, 8–9, 58
  - optimal, 58–59
  - other ways of choosing, 59–60
- d.f. (degrees of freedom), 20
- Data and software resources, 261–267
- Degrees of freedom, *see* d.f. (degrees of freedom)
- Derived variables, 54, 55, 263
- Deviance ( $D$ ), 4, 6, 7, 20, 79–80, 83, 85, 86, 89, 90, 93, 101–104, 106–107, 119, 120, 156, 181, 205, 206, 230, 243, 244
- Deviance difference, *see* Deviance ( $D$ )
- DFBETA, 176, 177
- Diagnostic plot for influential observations, 100–103, 230–231
- Dummy variables, 2, 7, 23, 53–57, 61–63, 69, 87, 92–94, 118, 131, 142–143, 166, 174–177, 226–227
- e.d.f. (equivalent degrees of freedom), 206
- Empirical curve fitting, 67–69
  - general approaches to smoothing, 68
- EPV (events per variable), 47, 148
  - see also* Sample size
- Equivalent degrees of freedom, *see* e.d.f. (equivalent degrees of freedom)
- Events per variable, *see* EPV (events per variable)
- Exponential functions, 9
  - and FP function, 73
- First-degree FP, *see* FP functions
- First derivative, 74–75, 122–123, 204
- Forward selection, *see* FS (forward selection)
- Fourier series, 14, 64
- FP (fractional polynomials), xv, 2–10, 71–114
  - disadvantages of, 9–10
  - model simplification, 156, 163
  - multivariable, *see* MFP (multivariable FP)
  - power study, 94–97
  - special topics, 241–254
    - age-specific reference intervals, 247–250
    - approximating smooth functions, 253–254
    - miscellaneous applications, 254
    - model uncertainty for functions, 251–252
    - quantitative risk assessment in
      - developmental toxicity studies, 250–251
    - relative survival, 252–253
    - time-varying hazard ratios in Cox model, 241–246
  - tabular presentation of functions, 87–89
  - time procedure, 242–243
  - univariate, *see* Univariate fractional polynomial (FP)
  - using FP functions as smoothers, 248–249
- FP functions, 3–8, 68–69, 71–98, 100–109, 111–113, 118–124, 138–143, 148, 156, 163–164, 173, 193–195, 198, 227–228, 130–131, 235–238, 242–244, 248–249, 253–254
- FP $m$  (FP of degree  $m$ ), 74–75, 82–83, 109–111
- Fractional polynomials, *see* FP (fractional polynomials)
- FS (forward selection), 31, 32, 34–37, 39, 49, 56, 57, 161, 243, 244
  - see also* StS
- FSP (function selection procedure), 82–84
  - choice of default function, 82, 242
  - closed test procedure for function selection, 82–83
  - example, 83
  - for cubic smoothing splines, 206
  - for restricted cubic splines, 205
  - for time-varying effects (FPT), 242–245
  - sequential procedure, 83
  - type 1 error and power of, 84
- Functional form of continuous covariates, 2–5, 9, 17, 64–70, 256–258
- Function complexity and MFP, 148
- Function plots, 71, 86–87, 115, 121–125, 130–131, 193–195, 209–219, 228–230

- Function selection procedure, *see* FSP (function selection procedure)
- GAM (generalized additive model), 206, 217, 257
- Garotte, 43, 44
- Generalized additive models, *see* GAM (generalized additive model)
- Generalized linear models, *see* GLM (generalized linear model)
- GLM (generalized linear model), 10–14, 30, 44, 49, 51, 73, 123, 135, 253
- Global vs. local influence models, 9, 67–69
- Goodness of fit, 4, 30, 68, 123, 125, 143–144, 222, 253
- Grambsch–Therneau test, 13, 241
- Graphical analysis of residuals, *see* Smoothed residuals
- Graphical checks, sensitivity and stability analyses, 154–155
- Graphical presentation of FP functions, 86–87
- Harrell’s rule of thumb, 47
- Hierarchical backward elimination, *see* BE-hier (hierarchical BE)
- Hierarchical models, *see* multilevel models
- Higher order FPs, *see* FPM (FP of degree  $m$ )
- Hypothesis
  - predefined or generation of, 153–154
  - testing, interactions, 79–80
  - see also* FSP (function selection procedure)
- ICC (intraclass correlation coefficient), 29, 37–38, 212
- Inclusion fractions, *see* BIF (bootstrap inclusion fraction)
- Influential observations, 100–103, 105–107, 148–149
  - effect on model selection, 189–190
  - extreme values, 224–225, 257
  - diagnostic plot for, 100–103, 230–231
- Information criterion, 32–33
  - see also* AIC (Akaike information criterion); BIC (Bayesian information criterion)
- Initial data analysis, 26, 35
- Interaction, 17, 151–182, 231–232
  - background, 152
  - categorization, 165–167
    - example: GBSG study, 166–167
    - interaction with categorized variables, 165–166
  - caused by mismodelling main effects, 154
    - check for, 258
    - comment on type I error of MFPI, 171–172
  - continuous-by-continuous interaction, 172–180
    - examples of MFPIgen, 175–179
    - graphical presentation, 179–180
    - MFPIgen: FP procedure to investigate interaction, 174–175
    - mismodelling may induce interaction, 173–174
  - discussion, 181–182
  - FP procedure to investigate, 174–175
  - general considerations, 152–155
    - cautious interpretation, need for, 155
    - effect of type of predictor, 152
    - graphical effects, sensitivity and stability analyses, 154–155
    - power, 153
    - predefined hypothesis or hypothesis generation, 153–154
    - randomized trials and observational studies, 153
    - treatment–effect plot, 154
  - MFPI procedure, 155–157
    - check of results and sensitivity analysis, 156–157
    - comparison with STEPP, 168–171
    - model simplification, 156
    - stability investigation, 168–71
  - multi-category variables, 181
  - searching for, 238
  - STEPP (subpopulation treatment effect pattern plot), 167–8
    - comparison with MFPI, 168–71
- Interpretability, 1, 16, 19–20, 97, 138, 144–150
  - complexity and stability, 49–50
  - interaction, 154, 162
  - residuals, 15
    - and transportability, 66–67, 115
- Interval estimation, 71, 80–82, 130–132
- Intraclass correlation coefficient, *see* ICC (intraclass correlation coefficient)
- Kernel-based scatter-plot smoothers, 9, 64, 67
- Kullback–Leibler information loss, 33
- Lasso (Least Absolute Shrinkage and Selection Operator), 43–44
- Likelihood ratio test, *see* LRT (likelihood ratio test)

- Linearity
  - beyond, 64
  - does it matter?, 65–66
- Local vs. global influence models, 9, 67–69
- Locally monotonic function, 76
- Local polynomial smoothers, 64
- Logistic functions, 9, 68, 105, 112
- Logistic regression, 12, 14, 84, 86–87, 89, 138, 148, 173, 177–179, 190, 216, 265
- Lowess, 9, 67, 248
- LRT (likelihood ratio test), 20, 33
  
- MA (model averaging), 51, 251–252
- Martingale residuals, 13, 15, 65, 112–113, 124–126, 143, 219
- Maximum likelihood estimate, *see* MLE (maximum likelihood estimate)
- Mean-square error, *see* MSE (mean-square error)
- Measurement error in covariates, 259
- Measure of curve instability, *see* Stability; measures
- Meta-analysis, 258–259
- Metric coding, 55–57, 61–63
- MFP (multivariable FP), 7–8, 19–20, 115–150
  - algorithm, 117–120
  - comparisons with splines, 201–222
    - background, 202–203
    - discussion, 219–222
    - complexity of functions, 221
    - optimal fit or transferability?, 221
    - reporting of selected models, 221–222
    - splines in general, 220–221
  - comparing predictors, 212–213
  - effects of reducing sample size, 208–212
  - MVRS: procedure for model building with regression splines, 203–205
  - MVSS: procedure for model building with cubic smoothing splines, 205–207
  - conclusion and future, 149–150
  - discussion, 146–150
  - full MFP model, 131–132, 135–136, 144–146
    - and function complexity, 148
  - how to work with, 223–239
    - discussion, 238–239
    - issues to be aware of, 235–238
      - comments on stability, 236–238
      - searching for interactions, 238
      - selecting main-effects model, 235–236
    - MFP analysis, 227–232
      - model criticism, 228–232
      - stability analysis, 232–235
  - interaction procedure, 155–157
  - interval estimation, 129–130
  - model criticism, 123–130
    - assessing fit by adding more complex functions, 125–129
    - consistency with subject-matter knowledge, 129
    - function plots, 121, 123–124
    - graphical analysis of residuals, 124–125
  - motivation, 116–117
  - philosophy of, 147–148
  - predictive value of additional variables, 136–137
  - presenting model, 120–123
    - effect estimates, 121–123
    - function plots, 121, 123–124
    - and sample size, 148
  - simple vs. complex FP models, 144–146
    - complexity and modelling aims, 144
  - single predictor of interest, 132–134
  - and subject-matter knowledge, 148
  - time procedure, 243
- MFPI (MFP interaction), 151–172, 180–182, 256, 267
  - procedure, 155–157
- MFPIgen (MFP general interaction), 151, 174–180, 231–232, 238–239, 256, 267
  - procedure, 174–175
- MFPT (MFP time), 243–245, 267
  - algorithm, 244
- Mismodelling
  - main effects, interactions caused by, 154
  - may induce interaction, 173–174
  - may induce non-PH, 241
- Missing data, 17, 26, 259
- MLE (maximum likelihood estimate), 79
- Model, full or selected, 23–25, 30, 35–51, 62–64, 69, 186, 195–197
  - see also* MFP (multivariable FP), full MFP model
- Model averaging, *see* MA (model averaging)
- Model building
  - with regression splines: MVRS, 203–205
  - scope in book, 17–18
  - in small datasets, 47

- Model criticism, 123–129, 228–232  
 adding more complex functions, 125–128  
 diagnostic plot for influential observations, *see*  
 Diagnostic plot  
 function plots, 123, 228  
 interactions, 231–232  
 refined model, 231  
 residuals and lack of fit, 124, 228–229  
 robustness transformation and subject-matter  
 knowledge, 229–230  
 subject-matter knowledge, 129
- Model fit  
 contribution of individual variables to,  
 134–136  
 goodness of fit, 4, 143–144
- Modelling aims and complexity, 144–145
- Modelling covariates with spike at zero, 92–94
- Modelling preferences, 18–20  
 criteria for good model, 18–19  
 general issues, 18  
 personal preferences, 19–20
- Model simplification, 135, 156, 163
- Model stability, 183–199  
 background, 184–185  
 check for, 258  
 discussion, 197–199  
 interdependencies among selected variables  
 and functions in subsets, 193  
 plots of functions, 193–195  
 relationship between inclusion fractions, 198  
 stability of functions, 198–199  
 for functions, 191–192  
 measures of curve instability, 192, 195–197  
 summarising variation between curves, 191  
 using bootstrap to explore, 185–191  
 bootstrap inclusion frequency and  
 importance of variable, 186  
 selection of variables within bootstrap  
 sample, 185–186
- Model uncertainty, 25, 51, 80–82, 89, 149  
 for functions, 251–252
- MSE (mean-square error), 27–28, 50, 256
- Multi-level (hierarchical), models, 259
- Multiple testing, 58, 59, 97, 153, 154, 167, 175,  
 231, 238, 239
- Multivariable FP, *see* MFP (multivariable FP)
- Multivariable regression spline, *see* MVRS  
 (multivariable regression spline)
- Multivariable smoothing spline, *see* MVSS  
 (multivariable smoothing spline)
- MVRS (multivariable regression spline), 149,  
 203–205  
 algorithm, 205  
 function selection procedure for restricted  
 cubic splines, 205  
 restricted cubic spline functions, 203–204
- MVSS (multivariable smoothing spline),  
 149, 205–207  
 algorithm, 206–207  
 cubic smoothing splines, 205–206  
 function selection procedure for cubic  
 smoothing splines, 206
- Negative exponential pre-transformation,  
 108–111
- Nelson–Aalen estimator, 65
- Normal-errors regression, xv, 10–11
- Notation, 20–21
- Nottingham prognostic index, *see* NPI  
 (Nottingham prognostic index)
- NPI (Nottingham prognostic index), 136–137
- Odds ratio, *see* OR (odds ratio)
- OLS (ordinary least squares), 11, 43–44, 135
- Omitted topics and future directions, 258–259  
 measurement error in covariates, 258  
 meta-analysis, 258–259  
 missing covariate data, 259  
 multi-level (hierarchical), models, 259  
 other types of model, 259
- Optimal cutpoints, 6, 58–59
- Optimal fit, or transferability?, 221
- OR (odds ratio), 56–57, 61–63, 87–88, 91–92
- Ordinal predictors, 55–57  
 coding schemes, 55–56  
 effect of coding schemes on variable selection,  
 56–57  
 example, 61–64
- Ordinary least squares, *see* OLS (ordinary least  
 squares)
- Parameterwise shrinkage factor, *see* PWSF  
 (parameterwise shrinkage factor)
- PH (proportional hazards), 13, 241–244, 246
- Plots of functions, *see* Function plots
- Polynomial regression, 2–3
- Post-estimation shrinkage, 42–45, 257
- Power transformations, *see* FP (fractional  
 polynomials)

- Predefined hypothesis  
 or hypothesis generation, 153–154  
 tamoxifen–oestrogen receptor interaction,  
 163–165
- Predicted residual sum of squares, *see* PRESS  
 (predicted residual sum of squares)
- Prediction  
 vs. explanation, 27  
 summary statistics and comparisons, 29
- Predictive factor(s), 155, 162, 168–171  
 oestrogen receptor positivity as, 163  
*see also* Interaction
- Predictive value, 45, 46  
 of additional variables, 136–138
- Predictors, 20  
 comparing, 212–213  
 effect of type of, 152  
 strength of, 30–31  
 types of, 54–55  
   binary, 54  
   derived, 55  
   nominal, 54–55  
   ordinal, counting, continuous, 55
- Preliminary for multivariable analysis, 25–26
- Preliminary transformation  
 improving fit by, 108–109  
 lack of fit of FP models, 108  
 negative exponential, 108–109  
 improving robustness by, 105–108  
 practical use of pre-transformation  $g_s(x)$ ,  
 107–108
- Presentation of FP functions, 86–92  
 graphical, 86–87  
 tabular, 87–89  
 example, 89–92
- PRESS (predicted residual sum of squares), 45
- Pre-transformation, *see* Transformation
- Primary biliary cirrhosis data, *see* Applications,  
 PBC (primary biliary cirrhosis) data
- Proportional hazards, *see* PH (proportional  
 hazards)
- PSA (prostate-specific antigen), *see* Applications;  
 prostate cancer data
- PWSF (parameterwise shrinkage factor), 45–46
- R, xvii, 34, 84, 91, 147, 202, 207, 220, 267
- $R^2$ -like measures, 10, 29, 86, 95–97, 134–137,  
 208–210, 221
- Randomized trials, 27, 48  
 and interactions 154–172
- Recommendations for practice, 255–258  
 check for interactions, 258  
 check for model stability, 258  
 complexity of predictor, 258  
 extreme values or influential points, 258  
 functional forms for continuous  
   covariates, 257–258  
   sensitivity analysis, 258  
   variable selection procedure, 255–257
- Reference interval, *see* RI (reference interval)
- Refined model, 231
- Regression models, types of, 10–14  
   Cox regression, 12–13  
   generalized linear models, 14  
   linear and additive predictors, 14  
   logistic regression, 12  
   normal-errors regression, 10–11
- Regression splines, 9, 14, 126–129, 202–205,  
 220, 241
- Relative survival, 252–253
- Reporting of models, 221–222
- Resampling of data, *see* Bootstrap
- Residuals  
   Cox regression, 13  
   generalized linear models, 14  
   graphical analysis of, 15, 124–125  
   and lack of fit, 228–229  
   logistic regression, 12  
   normal-errors regression, 11  
   OLS, 11  
   Pearson, 12, 14  
   raw, 11, 14, 15, 109, 112  
   role of, 15–16  
   running-line smoothers, 3, 4, 13, 15, 68,  
   124–126, 138, 143, 228–229, 235  
   scaled Schoenfeld, 13  
   uses of, 15
- Restricted cubic spline functions, *see* Regression  
 splines
- RI (reference interval), 247–250
- Ridge regression, 43
- Risk assessment, 250–251
- Robustness  
   improving by preliminary transformation  
   MFP, 148–149  
   univariate FP, 105–108  
   transformation and subject-matter knowledge,  
   229–230
- Runge phenomenon, 68–69

- Sample size, 10, 17, 33, 40, 47, 97, 109, 131, 148, 153, 172, 182, 186, 207, 208–212, 236–238 and MFP, 148
- SAS, xvii, 34, 84, 91, 147, 267
- Scaling and centring, 84–85  
computational aspects, 84–85  
examples, 85
- Schoenfeld residuals, 13, 241
- SE (standard error), 20  
of fitted value, 91
- Second-degree FP, *see* FP functions
- Selection, *see* Variables
- Selection bias, *see* Bias, selection
- Sensitivity  
analysis, 257  
and check of interaction, 156–157  
graphical checks and stability analyses, 154–155
- Shrinkage  
to correct for selection bias, 42–44  
and selection, 40–46  
parameterwise shrinkage factor, *see* PWSF (parameterwise shrinkage factor)  
*see also* Post-estimation shrinkage
- Significance level nominal, 19–21, 23–24, 26, 30–31, 34–37, 49–50, 239, 256–257  
and function selection procedure, 82–84  
and interactions, 154–158, 171–172  
and MFP, 115–116, 118, 130–133, 138  
and MFPT, 243  
and section procedure, 26  
and splines, 205  
and stability analysis, 186
- Simple vs. complex functions, *see* Complexity
- Simulation study, 40–42, 47, 84, 95–97  
*see also* Applications, ART study
- Sliding window, *see* STEPP (subpopulation treatment effect pattern plot)
- Smoothed residuals, *see* Residuals, running-line smoothers
- Smooth functions, approximating, 253–254
- Smoothing  
general approaches to, 68
- Software, xvii, 267
- Sparse categories, 53, 54, 69
- Spike at zero, modelling covariates with, 92–94
- Splines, *see* Regression splines  
*see also* MFP, comparisons with splines
- Stability, 49–51, 154–155, 183–199, 232–238  
complexity and interpretability, 49–50  
investigation for interactions, 168–171  
of functions, 191–192, 198–199  
measures, 192, 195–199
- Standard error, *see* SE (standard error)
- Stata, xvii, 15, 32, 34, 84–85, 90, 117–120, 147, 188, 202–203, 207, 215, 220, 243, 248, 249, 267
- STEPP (subpopulation treatment effect pattern plot), 151, 167–171, 182  
comparison with MFPI, 168–171
- Stepwise selection, *see* StS (stepwise selection)
- StS (stepwise selection), 31–32, 34–39, 49, 56, 256  
logic for four variants, 32  
*see also* FS (forward selection)
- Subject-matter knowledge  
assumption in book, 17  
consistency with, 129  
and complexity and sample size, 148  
and MFP, 8, 129, 147, 229–230  
plausibility of function, 2  
role in model development, 16
- Subpopulation treatment effect pattern plot, *see* STEPP (subpopulation treatment effect pattern plot)
- Survival time, categorization of, 245
- SW (sliding window), *see* STEPP (subpopulation treatment effect pattern plot)
- Tabular presentation of FP functions, 87–89
- Tail-oriented (TO) variants, *see* STEPP (subpopulation treatment effect pattern plot)
- Tamoxifen–oestrogen receptor interaction, 163–165
- Test procedure for function selection, 82–83  
closed test procedure, 82–83  
sequential procedure, 83  
type I error and power, 84
- Time-varying hazard ratios in Cox model, 241–246  
FP time procedure, 242–243  
MFP time (MFPT) procedure, 242–245  
prognostic model, 243–246
- TO (tail-oriented), *see* STEPP (subpopulation treatment effect pattern plot)
- Transferability, *see* Transportability
- Transformation  
FP, *see* FP functions  
of response variable, 11  
pre-transformation  
negative exponential, 108–109  
practical use, 107–108



- Transportability, 16, 53, 69, 70, 78, 147, 201, 222, 239, 256  
 or optimal fit 221  
 and interpretability, 66–67
- Treatment effect plot, 151, 154, 156–160, 162, 164, 168–171, 181
- Two-way interactions, models with, 32, 152–153, 173, 176–179, 231
- Type I error  
 of MFPI, 171–172  
 and power of function selection procedure, 84
- Univariate analyses, 5, 53, 226–227
- Univariate fractional polynomial (FP), 71–98, 99–114  
 characteristics, 75–76  
 FP1 and FP2 functions, 75  
 maximum or minimum of FP2 function, 75–76  
 choice of origin, 79  
 choice of powers, 78–79  
 definition and notation, 74–75  
 discussion, 97–98  
 examples of curve shapes with FP1 and FP2 functions, 76–78  
 function selection procedure, 82–84  
 genesis, 72–73  
 higher order, 109–111  
 inference, 79–82  
 hypothesis testing, 79–80  
 interval estimation, 80–82  
 issues with, 99–114  
 dependence on choice of origin, 103–104  
 diagnostic plot for influential points, 100–103  
 improving fit by preliminary transformation, 108–109  
 improving robustness by preliminary transformation, 105–108  
 susceptibility to influential covariate observations, 100  
 when FP models are unsuitable, 111–113  
 model fitting and estimation, 79  
 modelling covariates with spike at zero, 92–94  
 power of FP analysis, 94–97  
 powers as approximations to continuous powers, 85–86  
 presentation of FP functions, 86–89  
 relation to Box–Tidwell and exponential functions, 73  
 scaling and centring, 84–85  
 types of model, 73  
 worked example, 89  
 details of all FP models, 89  
 details of fitted model, 90–91  
 fitted odds ratio and its confidence interval, 91–92  
 function selection, 90  
 standard error of fitted value, 91
- Validation of proposed models, 16, 29, 66–67, 184, 258  
 external, *see also* Transportability  
 internal, *see also* Bootstrap, Cross-validation
- Variables  
 contribution to model fit, 134–136  
 definition and coding, 26  
 exclusion prior to model building, 26  
 multi-category, 181  
 number assumed, 17  
 selection, 23–51  
 comparison of selection strategies, 35–39  
 discussion on, 47–51  
 comparison of selection procedures, 49  
 complexity, stability and interpretability, 49–50  
 full, pre-specified or selected model, 47–48  
 model building in small datasets, 47  
 effect of influential observations on, 189–190  
 procedure, 17, 29–34, 255–257  
 all-subsets, 32–33  
 stepwise, 31–32  
*see also* BE, FS, StS  
 strength of predictors, 30–31  
 and shrinkage, 40–46  
 post-estimation shrinkage, 44–45  
 reducing selection bias, 45  
 selection bias, 40–42  
 shrinkage to correct for selection bias, 42–44  
 simulation study, 40–42
- Wald statistic, 36
- ‘Zeroth problem’, 25

