

Total Impact Points: 363

Citations: 3590 (Google Scholar)

h-Index: 27

[https://www.researchgate.net/profile/Guenter\\_Fritz](https://www.researchgate.net/profile/Guenter_Fritz)

<https://scholar.google.de/citations?user=vri4XloAAAAJ&hl=de>

73. Steuber, J.; Vohl, G.; Muras, V.; Toulouse, C.; Claußen, B.; Vorburger, T.; Fritz, G. (2015) The structure of Na<sup>+</sup>-translocating of NADH:ubiquinone oxidoreductase of *Vibrio cholerae*: implications on coupling between electron transfer and Na<sup>+</sup> transport. ***Biol Chem.*** accepted for publication **(2.8)**

72. Gollasch B, Basmanav B.F., Nanda A., **Fritz G.**, Mahmoudi H., Thiele H., Wehner M., Wolf S., Altmüller J., Nürnberg P., Frank J., Betz R.C.. (2015) Identification of a novel mutation in RIPK4 in a kindred with phenotypic features of Bartsocas-Papas and CHAND syndromes. *Am J Med Genet A*, in press **(2.05)**

71. Degani G., Colzani M., Tettamanzi A., Sorrentino L, Aliverti A., **Fritz G.**, Giancarlo Aldini, Laura Popolo An improved expression system for the VC1 ligand binding domain of the receptor for advanced glycation end products in *Pichia pastoris* (2015) ***Protein Expression and Purification*** 114: 48-57. **(1.5)**

70. Goldmann T, Zeller N, Raasch J, Kierdorf K, Frenzel K, Ketscher L, Basters A, Staszewski O, Brendecke SM, Spieß A, Tay TL, Kreutz C, Timmer J, Blank T, **Fritz G**, Biber K, Lang R, Malo D, Merkler D, Mathias Heikenwalder M, Knobloch KPK, Prinz M (2015) Lack of Microglial USP18 causes a destructive Interferonopathy of the mouse brain. ***The Embo journal*** 34: 1612-1629 **(10.7)**

69. Basmanav, F.B.,<sup>§</sup> **Fritz, G.**<sup>§</sup>, Lestringant, G.G., Pachat, D., Hoffjan, S., Fischer, J., Wehner, M., Wolf, S., Thiele, H., Altmüller, J., Pulimood, S.A., Rütten, A., Kruse, R., Hanneken, S., Frank, J., Danda, S., Bygum, A., and Betz, R.C.1 (2014) Pathogenicity of POFUT1 in Dowling-Degos disease: novel mutations and clinical overlap with reticulate acropigmentation of Kitamura ***The J. of Invest. Dermatology*** 135: 615-618 **(6.37)**

68. Steuber, J., Vohl, G., Casutt, M.S., Vorburger, T., Diederichs, K., and **Fritz, G.\*** (2014) Structure of the *V. cholerae* Na<sup>+</sup>-pumping NADH:quinone oxidoreductase. ***Nature*** 516: 62–67 **(42.3)**

67. Steuber, J., Halang, P., Vorburger, T., Steffen, W., Vohl, G., and **Fritz, G.\*** (2014) Central role of the Na<sup>+</sup>-translocating NADH:quinone oxidoreductase (Na<sup>+</sup>-NQR) in sodium bioenergetics of *Vibrio cholerae*. ***Biolog. Chem.*** 395:1389-99. **(2.8)**

66. Vohl, G., Nediolkov, R., Claussen, B.; Casutt, M.S. Vorburger, T.; Diederichs, K., Möller, H.M., Steuber, J.; **Fritz, G.\*** (2014) Crystallization and preliminary analysis of the NqrA and NqrC subunits of the Na<sup>+</sup>-translocating NADH:ubiquinone oxidoreductase from *Vibrio cholerae* ***Acta Cryst*** 70:987-92

65. Basters, A., Geurink, P.P., El Oualid, F., Ketscher, L., Casutt, M.S., Krause, E., Ovaa, H., Knobeloch, K.P., **Fritz, G.\*** (2014) Molecular characterization of ubiquitin-specific protease 18 reveals substrate specificity for interferon-stimulated gene 15. ***FEBS J.*** 281:1918-28 (4.3)
64. Sessa, L., Gatti, E., Antonelli, A., Catucci, A., **Fritz, G.**, Raucci, A., Bianchi, M.E. (2014) The receptor for advanced glycosylation end-products (RAGE) is only present in mammals, and belongs to a family of cell adhesion molecules (CAMs). ***PLoS ONE***, 9:e86903 (IF 3.7)
63. Basmanav FB, Oprisoreanu AM, Pasternack SM, Thiele H, **Fritz G**, Wenzel J, Größer L, Wehner M, Wolf S, Fagerberg C, Bygum A, Altmüller J, Rütten A, Parmentier L, El Shabrawi-Caelen L, Hafner C, Nürnberg P, Kruse R, Schoch S, Hanneken S, Betz RC (2014). Mutations in POGlut1, Encoding Protein O-Glucosyltransferase 1, Cause Autosomal-Dominant Dowling-Degos Disease. ***Am J Hum Genet.*** 94:135-43 (IF 12.5)
62. Carvalho, S.B., Botelho, H.M., Leal, S.S., Cardoso, I., **Fritz, G.**, and Gomes, C.M. (2013) Intrinsically disordered and aggregation prone regions underlie  $\beta$ -aggregation in S100 proteins. ***PLoS ONE*** 8: e76629 (IF 3.7)
61. Kierdorf, K. and **Fritz, G.\*** (2013) RAGE regulation and signaling in inflammation and beyond ***J. Leukocyte Biol.*** 94:55-68. (IF 4.9)
60. Damo, S.M., Kehl-Fie, T.E., Sugitania, N., Holta, M.E., Rathia, S., Betz, C., Hencha, L., **Fritz, G.**, Skaar, E.P., Chazin, W.J. (2013) Molecular basis for manganese sequestration by calprotectin and its role in the innate immune response to invading bacterial pathogens. ***Proc. Natl. Acad. Sci. U.S.A.*** 110, 3841-3846 (IF 10.6)
59. Kierdorf, K., Erny, D, Goldmann, T., Sander, V., Schulz, C., Gomez Perdiguero, E., Wieghofer, P., Heinrich, A., Riemke, P., Hölscher, C., Müller, D.N., Luckow, B., Brocker, T., Debowski, K. **Fritz, G.**, Opdenakker, G., Diefenbach, A., Biber, K., Heikenwälder, M., Geissmann, F., Rosenbauer, F., and Prinz, M. (2013) Microglia emerge from erythromyeloid precursors via PU.1 and IRF-8 dependent pathways. ***Nat. Neurosci.*** 16, 273-280 (IF 15.5)
58. Kulic, Z., **Fritz, G.** and Möller, H. (2013)  $^1\text{H}$ ,  $^{13}\text{C}$ , and  $^{15}\text{N}$  resonance assignments of the second immunoglobulin domain of neurodin from *Carassius auratus*. ***Biomol. NMR Assign.*** 7, 65-67. (IF 0.7)
57. **Fritz, G.\*** (2013) X-ray structural analysis of S100 proteins ***Methods Mol. Biol.*** 963 87-97
56. Parey, K., **Fritz, G.**, Ermler, U. and Kroneck, P.M.H. (2013) Conserving energy with sulfate around 100°C – structure and mechanism of key metal enzymes in hyperthermophilic *Archaeoglobus fulgidus*. ***Metallomics*** 5, 302-317 (IF 3.9)
55. Botelho, H.M., Leal, S.S., Cardoso, I., Yanamandra, K., Morozova-Roche, L.A., **Fritz, G.**, Gomes, C.M. (2012) S100A6 amyloid fibril formation is calcium-modulated and enhances superoxide dismutase-1 (SOD1) aggregation. ***J Biol Chem*** 287, 42233-42 (IF 4.8)

54. Basters, A., Ketscher, L., Deuerling, E., Arkona, C., Rademann, J., Knobloch, K.P.\*, and **Fritz, G.\*** (2012) High yield expression of catalytically active USP18 (UBP43) using a Trigger Factor fusion system. ***BMC Biotechnol.*** 12, 56 (IF 2.35)
53. Meloni, G., Cramer, A., **Fritz, G.**, Davies, P., Brown, D.R., Peter M.H. Kroneck, P.M.H. and Vasák, M. (2012) The Catalytic Redox Activity of Prion Protein-Cu(II) is Controlled by Metal Exchange with the Zn(II)-thiolate Clusters of Zn<sub>7</sub>Metallothionein-3. ***Chem. Biochem.*** 13, 1261-5. (IF 3.9)
52. Touré,F., **Fritz, G.**, Li, Q., Rai, V., Daffu, G., Zou, Y.S., Rosario, R., Ramasamy, R., Alberts, A.S., Shi Fang Yan, S.F., and Schmidt, A.M. (2012) The Formin mDia1 Mediates Vascular Remodeling via Integration of Oxidative & Signal Transduction Pathways. ***Circulation Res.*** 10, 1279-93 (IF 9.5)
51. Lunin, V.Y., Lunina, N.L., Casutt, M.S., Knoops,K., Schaffitzel, C., Steuber, J., **Fritz,G.\***, and Manfred W. Baumstark, M.W.\* (2012) Low Resolution Structure Determination of Na<sup>+</sup>-Pumping NADH: Ubiquinone Oxidoreductase from *Vibrio cholerae* by *Ab Initio* Phasing and Electron Microscopy. ***Acta Cryst D***68, 724-31 (IF 12.6)
50. Botelho, H.M., **Fritz, G.**, Gomes C.M. (2012) Analysis of S100 oligomers and amyloids ***Methods Mol. Biol.*** 849, 373-86 (IF 13.9)
49. Wild, C.A., Bergmann, C., **Fritz, G.**, Kandlen I., Schuler, P., Hoffmann, T.K., Lot, R., Westendorf, A., Brandau, S., and Lang, S. (2012) HMGB1 conveys immunosuppressive characteristics on regulatory and conventional T cells. ***Int. Immunol.*** 24, 485-94. (IF 3.3)
48. Deane, R., Singh, I., Sagare, A.P, Bell, R.D., Ross, N.T., LaRue, B., Love, L., Perry, S., Paquette, N., Deane,R.J., Thiyagarajan, M., Zarcone T., **Fritz G.**, Friedman A.E., Miller B.L., and Zlokovic B.V. (2012) A multimodal RAGE-specific inhibitor reduces amyloid  $\beta$  mediated brain disorder in a mouse model of Alzheimer disease. ***J. Clin. Invest.*** 122, 1377-92. (IF 14.1)
47. Koch, M. and **Fritz, G.\*** (2012) The structure of Ca<sup>2+</sup>-loaded S100A2 at 1.3 Å resolution ***FEBS J.*** 279, 1799-810 . (IF 3.2)
46. Haupt, C., Bereza, M., Kumar, S.T., Kieninger, B., Morgado, I., Hortschansky, P., **Fritz, G.**, Röcken C, Horn U, Fändrich M. (2011) Pattern recognition with a fibril-specific antibody fragment reveals the surface variability of natural amyloid fibrils (2011) ***J. Mol. Biol.*** 408, 529-40. (IF 4.1)
45. Ostendorp, T., Diez, J., Heizmann, C.W., **Fritz, G. \*** (2011) The crystal structures of human S100B in the zinc- and calcium-loaded state at three pH values reveal zinc ligand swapping. ***BBA Mol. Cell. Res.*** 1813, 1083-91. (IF 5.0)
44. **Fritz, G. \*** (2011) RAGE: a single receptor fits multiple ligands. ***Trends in Biochem. Sci*** 36, 625-32 (IF 12.7)

43. **Fritz, G.** Botelho, H.M, Morozova-Roche, L., Gomes, C. (2010) Natural and amyloid self-assembly of S100 proteins: structural basis of functional diversity. ***FEBS Journal*** 277, 4578-90 (IF 3.2)
42. Casutt, M.S., Wendelspiess, S., Steuber, J., **Fritz, G.\***. (2010) Crystallization of the Na<sup>+</sup> -translocating NADH:quinone oxidoreductase from *Vibrio cholerae*. ***Acta Cryst.*** F66, 1677-9. (IF 0.6)
41. Casutt, M.S., Huber, T., Brunisholz, R., Tao, M., **Fritz, G.**, Steuber, J. (2010) Localization and function of the membrane-bound riboflavin in the Na<sup>+</sup>-translocating NADH:quinone oxidoreductase (Na<sup>+</sup>-NQR) from *Vibrio cholerae*. ***J. Biol. Chem.*** 285, 27088-99 (IF 5.5)
40. Koch M., Diez J., Wagner A. and **Fritz, G.\*** (2010) Crystallization and Calcium/Sulfur SAD phasing of the human EF-hand protein S100A2 ***Acta Cryst. F*** 66, 1032-6 (IF 0.6)
39. Koch M., Chitayat S., Dattilo B.M., Schiefner A. Diez J., Chazin W.J.\* and **Fritz G.\*** (2010) Structural basis for ligand recognition and activation of RAGE. ***Structure*** 18, 1342-52 (IF 6.3)
38. Botelho, H.M., Koch, M., **Fritz, G.**, Gomes., C. M. (2009) Metal ions modulate the folding and stability of the tumor suppressor protein S100A2. ***FEBS J.*** 276, 1776-86 (IF 3.2)
37. Austermann, J., Nazmi, J.A., Heil, A., **Fritz, G.**, Kolinski, M., Filipek, S., and Gerke, V. (2009) Generation and characterization of a novel, permanently active S100P mutant ***BBA Mol. Cell Res.*** 1791, 1078-85 (IF 5.0)
36. Leclerc, E., **Fritz, G.**, Vetter, S. and Claus. W. Heizmann, C.W. (2009) Binding of S100 proteins to RAGE: an update. ***BBA Mol. Cell Res.*** 1793, 993-1007 (IF 5.0)
35. Tao, M., Casutt, M. **Fritz, G.**, Steuber, J. (2008) Oxidant-induced formation of a neutral flavosemiquinone in the Na<sup>+</sup>-translocating NADH:quinone oxidoreductase (Na<sup>+</sup>-NQR) from *Vibrio cholerae*. ***BBA Bioenergetics*** 1777, 696-702 (IF 4.7)
34. Koch, M., Diez, J., **Fritz, G.\*** (2008) The Crystal structure of human Ca<sup>2+</sup>-free S100A2 at 1.6 Å resolution. ***J. Mol. Biol.*** 378, 931-940 (IF 4.1)
33. Tao, M., **Fritz, G.**, Steuber, J.M. (2008) The Na<sup>+</sup>-translocating NADH:quinone oxidoreductase (Na<sup>+</sup>-NQR) from *Vibrio cholerae* enhances insertion of FeS in overproduced NqrF subunit. ***J. Inorg. Biochem.*** 102, 1366-72 (IF 3.4)
32. Drees, C., Stuermer, C.A.O., Möller, H.M.\* and **Fritz, G.\*** (2008) Expression and purification of neurolin immunoglobulin domain 2 from *Carrassius auratus* (goldfish) in *Escherichia coli*. ***Protein Expression and Purification*** 59, 47-54 (IF 1.9)
31. Uetz-von Allmen E., Koch M., **Fritz G.\***, and Legler, D.F.\* (2008) V-domain of RAGE interacts with AGEs on prostate carcinoma cells. ***Prostate*** 68, 748-58. (IF 3.4)

30. Thaa B., Zahn R., Matthey U, Kroneck P.M.H., Bürkle A., and **Fritz G.\*** (2008) The deletion of amino acids 114-121 in the TM1 domain of mouse prion protein stabilizes its conformation but does not affect the overall structure. **BBA Mol. Cell Res.** 1783, 1076-84. **(IF 5.0)**
29. Leclerc E., **Fritz, G.**, Weibel, M., Heizmann,C.W., and Galichet, A. (2007) S100B and S100A6 differentially modulate cell survival through their interaction with distinct RAGE (receptor for advanced glycation end products) immunoglobulin domains. **J. Biol. Chem.** 282, 31317-31. **(IF 5.5)**
28. Ostendorp, T., Leclerc E., Galichet, A., Koch. M, Demling,N., Weigle, B., Heizmann,C.W., Kroneck, P.M.H. and **Fritz, G.\*** (2007) Structural and functional insights into RAGE activation by multimeric S100B. **The EMBO Journal** 26, 3868-3878. **(IF 10.1)**
27. Lin, P.C., Türk, K., Häse C.C., **Fritz, G.**, Steuber, J. (2007) Quinone reduction by the Na<sup>+</sup>-translocating NADH dehydrogenase promotes extracellular superoxide production in *Vibrio cholerae*. **J. Bacteriol.** 189, 3902-8. **(IF 3.7)**
26. Dattilo, B.M., **Fritz, G.**, Leclerc, E., Kooi, C.W., Heizmann, C.W., Chazin, W.J. (2007) The Extracellular Region of the Receptor for Advanced Glycation End Products Is Composed of Two Independent Structural Units. **Biochemistry** 46, 6957-970. **(IF 3.2)**
25. Koch, M., Bhattacharya, S., Kehl, T., Gimona, M., Vasák, M., Chazin, W.J., Heizmann, C.W., Kroneck, P.M.H. and **Fritz, G.\*** (2007) Implications of Zinc Binding to S100A2. **BBA Mol. Cell Res.1473**, 457-70. **(IF 5.0 )**
24. Koch, M., Diez, J., and **Fritz, G.\*** (2006) Purification and crystallization of the human EF-hand tumor suppressor protein S100A2. **Acta Cryst F** 62, 1120-3. **(IF 0.6)**
23. Ostendorp, T., Weibel, M., Leclerc, E., Kleinert, P.; Kroneck, P.M.H., Heizmann, C.W. and **Fritz, G.\*** (2006) Expression and purification of the soluble isoform of human receptor of advanced glycation end products using *Pichia pastoris*. **Biochem. Biophys. Res. Comm.** 347, 4-11. **(IF 2.7)**
22. Schiffer, A., **Fritz, G.**, Kroneck, P.M.H., Ermler, U. (2006) Reaction mechanism of the iron-sulfur flavoenzyme adenosine-5'-phosphosulfate reductase based on the structural characterization of different enzymatic states. **Biochemistry** 4, 2960-2967. **(IF 3.2)**
21. Tao, M., Türk, K., Diez, J., Grütter, M.G., **Fritz, G.\***, Steuber, J. (2006) Crystallization of the NADH-oxidizing domain of the Na<sup>+</sup>-translocating NADH:ubiquinone oxidoreductase from *Vibrio cholerae*. **Acta Cryst. F** 62, 110-112. **(IF 0.6)**
20. Fielding, A.J., Fox, S., Millhauser, G.L., Chattopadhyay, M., Kroneck, P.M., **Fritz, G.**, Eaton, G.R., Eaton, S.S. (2005) Electron spin relaxation of copper(II) complexes in glassy solution between 10 and 120K. **J. Magn. Reson.** 179, 92-104. **(IF 2.1)**
19. Ostendorp, T., Heizmann, C. W., Kroneck, . P. M. H., and G. **Fritz\*** (2005) Purification, crystallization and preliminary X-ray diffraction studies on human Ca<sup>2+</sup>-binding protein S100B. **Acta Cryst. F**61, 673-675. **(IF 0.6)**

18. **Fritz, G.**, Einsle, O., Rudolf, M., Schiffer, A., Kroneck, P.M.H. (2005) Key bacterial multi-centered metal enzymes involved in nitrate and sulfate respiration. **J. Mol. Microbiol. Biotechnol.** 10, 223-33 . (IF 2.7)
17. Türk, K., Puhar, A., Neese, F., Bill, E., **Fritz, G.**, and Steuber, J. (2004) NADH oxidation by the Na<sup>+</sup>-translocating NADH: quinone oxidoreductase from *Vibrio cholerae*: Functional role of the NqrF subunit. **J. Biol. Chem.** 279, 21349-21355. (IF 5.5)
16. Marenholz, I., Heizmann, C.W. and **Fritz, G.\*** (2004) S100 proteins in mouse and man: from evolution to function and pathology. **Biophys. Biochem. Res. Com.** 22, 1111-1122. (IF 2.7)
15. Schmechel, A. §, Zentgraf, H. §, Scheuermann, S. §, **Fritz, G. §**, Pipkorn, R., Reed, J., Beyreuther, K., Bayer, T. A., Multhaup, G. (2003) Alzheimer-amyloid homodimers facilitate Aβ fibrillization and the generation of conformational antibodies. (The first 4 authors contributed equally). **J. Biol. Chem.** 278, 35317-35324 (IF 5.5)
14. **Fritz, G.\***, Mittl, P., Sargent, D., Vasak, M., Grütter, M.G., Heizmann, C.W. (2002) The Crystal Structure of Apo Human EF-Hand Protein S100A3 at 1.7 Å. **J. Biol. Chem.** 277, 33092-33098 (IF 5.5)
13. Mittl, P., **Fritz, G.**, Sargent, D., Vasak, M., Grütter, M.G., Heizmann, C.W. (2002) Metal-free MIRAS phasing: Crystal structure of apo-S100A3. **Acta Cryst. D58**, 1255-1261 (IF 7.0)
12. **Fritz, G.\*** Büchert, T., and Kroneck, P.M.H. (2002) The function of the [4Fe-4S] clusters and FAD in bacterial and archaeal adenylylsulfate reductases: evidence for flavin catalyzed reduction of adenosine-5'-phosphosulfate. **J. Biol. Chem.** 277, 26066-26073 (IF 5.5)
11. Kopriva, S., Büchert, T, **Fritz, G.**, Suter, M., Benda, R., Schünemann, V., Koprivova, A., Schurmann, P., Trautwein, A.X., Kroneck, P.M.H., Brunold, C. (2002) The presence of an iron-sulfur cluster in adenosine 5'-phosphosulfate reductase separates organisms utilizing adenosine 5'-phosphosulfate and phosphoadenosine 5'-phosphosulfate for sulfate assimilation. **J. Biol. Chem.** 277, 21786-21791 (IF 5.5)
10. Steuber, J., Rufibach, M., **Fritz, G.**, Neese, F., Dimroth, P. (2002) Inactivation of the Na<sup>+</sup> -translocating NADH:ubiquinone oxidoreductase from *Vibrio alginolyticus* by reactive oxygen species. **Eur. J. Biochem.** 269, 1287-1292 (IF 3.2)
9. **Fritz, G.**, Roth, A., Schiffer, A., Büchert, T., Bourenkov, G., Bartunik, H.D., Huber, H., Stetter, K.O., Kroneck, P.M.H., and Ermler, U. (2002) Structure of adenylylsulfate reductase from the hyperthermophilic *Archaeoglobus fulgidus* at 1.6 Å resolution. **Proc. Natl. Acad. Sci. U S A.** 99, 1836-1841. (IF 10.6)
8. Heizmann, C. W., **Fritz, G.** and Schäfer, B. W. (2002) S100 proteins: structure, functions and pathology. **Front Biosci.** 7, d1356-68 (IF 3.3)
7. Einsle, O., Foerster, S., Mann, K., **Fritz, G.**, Messerschmidt, A., Kroneck, P.M.H. (2001) Spectroscopic investigation and determination of reactivity and structure of the tetraheme

cytochrome  $c_3$  from *Desulfovibrio desulfuricans* Essex 6. ***Eur. J. Biochem.* 268**, 3028-3035. (IF 3.2)

6. Kopriva, S., Büchert, T., **Fritz, G.**, Suter, M., Weber, M., Benda, R., Schaller, J., Feller, U., Schurmann, P., Schünemann, V., Trautwein, A.X., Kroneck, P.M.H., Brunold, C. (2001) Plant adenosine 5'-phosphosulfate reductase is a novel iron-sulfur protein. ***J. Biol. Chem.* 276**, 42881-42886. (IF 5.5)

5. **Fritz, G.\***, Grießhaber, D., Seth, O., and Kroneck, P.M.H. (2001) Nonaheme cytochrome c, a new physiological electron acceptor for [Ni,Fe] hydrogenase in the sulfate-reducing bacterium *Desulfovibrio desulfuricans* Essex. Primary sequence, molecular parameters and redox properties. ***Biochemistry* 40**, 1317-1324 (IF 3.2)

4. Umhau, S., **Fritz, G.\***, Diederichs, K., Breed, J., Kroneck, P.M.H., and Welte, W. (2001) The three-dimensional structure of nonaheme cytochrome c at 1.89 Å resolution. ***Biochemistry* 40**, 1308-1316 (IF 3.2)

3. **Fritz, G.\***, Büchert, T., Huber, H., Stetter, K.O., and Kroneck, P.M.H. (2000) Adenylylsulfate reductase from archaea and bacteria: High similarity in molecular properties emphasizes the central role of the enzyme in sulfur metabolism. ***FEBS Lett.* 473**, 63-66. (IF 3.4)

2. Roth, A., **Fritz, G.**, Schiffer, A., Büchert, T., Huber, H., Stetter, K.O., Kroneck, P.M.H., and Ermler U. (2000) Crystallization and preliminary crystallographic analysis of Adenylylsulfate reductase from *Archaeoglobus fulgidus*. ***Acta Cryst. D12***, 1673-1675. (IF 4.1)

1. **Fritz, G.**, Heizmann, C.W., and Kroneck, P.M.H (1998) Probing the structure of human and  $\text{Ca}^{2+}$ - and  $\text{Zn}^{2+}$ -binding protein S100A3: spectroscopic investigations in its transition metal ion complexes, and three-dimensional structure model. ***BBA Mol Cell Res.* 1448**, 264-276. (IF 5.0)

§ contributed equally

\* corresponding author

## Book articles

Carvalho, S.B., Cardoso, I., Botelho, H.M., Yanamandra, K., **Fritz, G.**, Gomes, C.M., and Morozova-Roche, L.A. (2013) Structural Heterogeneity and Bioimaging of S100 Amyloid Assemblies in *Protein Misfolding & Aggregation* (Yuri Lyubchenko & Vladimir Uversky eds.)

Schiffer, A., **Fritz, G.**, Büchert, T., Herrmanns, K., Steuber, J., Ermler, U. and Peter MH Kroneck, P.M.H. (2011) Dissimilatory adenosine-5'-phosphosulfate reductase In *Handbook of Metalloproteins Vol. 4* (Messerschmidt, A. ed, Wiley and Sons, Chichester) pp. 103-110

Parey, K., Schiffer, A., Steuber, J., **Fritz, G.**, Ermler, U. and Peter MH Kroneck, P.M.H. (2011) Dissimilatory sulfite reductase In *Handbook of Metalloproteins Vol. 4* (Messerschmidt, A. ed, Wiley and Sons, Chichester) pp. 183-194

Heizmann, C. W. and **Fritz, G.** (2009) The Family of S100 Cell Signaling Proteins. In *Handbook of Cellular Signalling 2nd edition* (Bradshaw, R.A. Dennis, E. eds, Academic Press) pp. 87-93

**Fritz, G.** \* and Heizmann, C.W. (2004) 3D Structures of the Calcium- and Zinc-binding S100 Proteins. In *Handbook of Metalloproteins Vol. 3* (Bode, W., Cygler, V. and Messerschmidt, A. eds, Wiley and Sons, Chichester) pp. 529-540

**Fritz, G.**\*, Büchert, T., and Kroneck, P.M.H. (1999) Studies on the Iron-sulfur Flavoenzyme Adenosine 5'-Phosphosulfate Reductase from Four Different Organisms Reveals a Common Structure and Mechanism. In *Flavins and Flavoproteins*. (Ghisla S., Kroneck, P., Macheroux, P., Sund, H. eds, Agency for Scientific Publications, Berlin), pp 767-774.

Büchert, T., **Fritz, G.**, and Kroneck, P.M.H. (1999) Towards the Natural Electron Donor of Adenosine 5'-Phosphosulfate (APS) Reductase from *Desulfovibrio desulfuricans* Essex. In *Flavins and Flavoproteins*. (Ghisla S., Kroneck, P., Macheroux, P., Sund, H. eds, Agency for Scientific Publications, Berlin, pp 803).

Büchert, T., **Fritz, G.**, and Kroneck, P.M.H. (2000) Biochemical and Molecular Properties of Adenosine 5'-Phosphosulfate Reductase from Sulfate-Reducing Bacteria. In *Sulfur Nutrition and Sulfur Metabolism in Higher Plants* (Brunold, C. ed., Paul Herbt, Bern, pp 221-222)

\* corresponding author