

Weekly Average Pain Score (APS)**ITT-population (LOCF)**

	Group	N	Min	Max	P25	Median	P75	Mean	Std
Week 1	Low Back	39	0.57	3.86	1.14	1.86	2.29	1.82	0.72
	Knee	13	0.57	3.00	1.86	2.14	2.71	2.16	0.68
	Total	52	0.57	3.86	1.29	2.00	2.43	1.90	0.72
Week 2	Low Back	39	0.00	3.14	1.00	1.43	2.00	1.53	0.78
	Knee	13	1.14	3.00	1.43	2.00	2.14	1.95	0.53
	Total	52	0.00	3.14	1.07	1.57	2.00	1.64	0.74
Week 3	Low Back	39	0.00	3.29	1.00	1.43	2.00	1.51	0.77
	Knee	13	0.14	3.00	1.43	1.86	2.14	1.69	0.80
	Total	52	0.00	3.29	1.00	1.43	2.00	1.55	0.77
Week 4	Low Back	39	0.00	3.14	1.00	1.43	2.00	1.50	0.75
	Knee	13	0.00	3.00	1.43	1.71	2.14	1.71	0.75
	Total	52	0.00	3.14	1.00	1.50	2.00	1.55	0.75
Week 5	Low Back	39	0.00	3.43	0.86	1.29	2.00	1.38	0.88
	Knee	13	0.00	2.43	0.86	1.86	2.00	1.53	0.75
	Total	52	0.00	3.43	0.86	1.36	2.00	1.41	0.85
Week 6	Low Back	39	0.00	2.86	1.00	1.29	1.71	1.30	0.72
	Knee	13	0.00	2.43	1.29	1.57	2.00	1.57	0.66
	Total	52	0.00	2.86	1.00	1.43	1.93	1.37	0.71
Week 7	Low Back	39	0.00	2.43	0.86	1.14	1.71	1.21	0.68
	Knee	13	0.29	2.14	1.00	1.29	2.00	1.43	0.55
	Total	52	0.00	2.43	1.00	1.29	1.79	1.26	0.65
Week 8	Low Back	39	0.00	3.14	0.43	1.29	1.86	1.23	0.85
	Knee	13	0.14	2.43	1.00	1.43	2.00	1.42	0.71
	Total	52	0.00	3.14	0.71	1.29	1.93	1.27	0.81
Week 9	Low Back	39	0.00	3.00	0.43	1.14	1.86	1.19	0.81
	Knee	13	0.00	2.57	1.00	1.57	2.00	1.36	0.73
	Total	52	0.00	3.00	0.79	1.21	1.86	1.24	0.79
Week 10	Low Back	39	0.00	2.86	0.43	1.14	1.71	1.13	0.76
	Knee	13	0.00	2.00	1.00	1.29	1.57	1.19	0.65
	Total	52	0.00	2.86	0.57	1.21	1.71	1.14	0.73
Week 11	Low Back	39	0.00	2.57	0.29	1.14	1.71	1.05	0.74
	Knee	13	0.29	2.00	0.57	1.00	1.71	1.14	0.66
	Total	52	0.00	2.57	0.29	1.07	1.71	1.07	0.72

Group		N	Min	Max	P25	Median	P75	Mean	Std
Week 12	Low Back	39	0.00	2.29	0.29	1.00	1.71	1.00	0.75
	Knee	13	0.29	2.57	1.00	1.29	2.00	1.31	0.68
	Total	52	0.00	2.57	0.36	1.00	1.79	1.08	0.74

Weekly Average Pain Score (APS)***ITT-population (LOCF)***

Analysis Variable	P-value Wilcoxon Test (Two-sided)
Week 1	0.078
Week 2	0.038
Week 3	0.270
Week 4	0.227
Week 5	0.524
Week 6	0.211
Week 7	0.278
Week 8	0.464
Week 9	0.531
Week 10	0.686
Week 11	0.656
Week 12	0.177

*APS Improvement (%) from Week 1**ITT-population (LOCF)*

	Group	N	Min	Max	P25	Median	P75	Mean	Std
Week 2	Low Back	39	-100.00	100.00	0.00	12.50	35.29	16.00	35.40
	Knee	13	-100.00	52.63	-8.33	0.00	20.00	1.21	37.67
	Total	52	-100.00	100.00	0.00	10.00	33.33	12.31	36.18
Week 3	Low Back	39	-27.27	100.00	0.00	0.00	35.29	16.52	31.61
	Knee	13	-23.08	94.74	0.00	16.67	27.78	20.12	28.65
	Total	52	-27.27	100.00	0.00	9.55	31.67	17.42	30.66
Week 4	Low Back	39	-62.50	100.00	-11.76	12.50	35.00	14.58	37.66
	Knee	13	0.00	100.00	9.09	23.08	33.33	25.53	26.85
	Total	52	-62.50	100.00	0.00	15.48	34.17	17.32	35.35
Week 5	Low Back	39	-77.78	100.00	0.00	18.52	52.63	24.61	44.24
	Knee	13	0.00	100.00	13.33	28.57	45.45	33.34	30.91
	Total	52	-77.78	100.00	0.00	21.76	51.32	26.79	41.20
Week 6	Low Back	39	-50.00	100.00	0.00	25.00	53.33	27.42	39.87
	Knee	13	-13.33	100.00	18.18	25.00	42.11	30.67	27.91
	Total	52	-50.00	100.00	0.00	25.00	45.24	28.23	37.01
Week 7	Low Back	39	-83.33	100.00	5.88	27.27	50.00	30.67	37.94
	Knee	13	0.00	63.16	25.00	33.33	50.00	33.42	20.01
	Total	52	-83.33	100.00	11.25	29.71	50.00	31.36	34.18
Week 8	Low Back	39	-116.67	100.00	0.00	35.71	62.50	29.43	51.42
	Knee	13	-13.33	75.00	15.00	33.33	58.33	36.14	27.26
	Total	52	-116.67	100.00	2.94	34.52	59.97	31.11	46.41
Week 9	Low Back	39	-183.33	100.00	0.00	35.71	63.16	30.15	57.59
	Knee	13	0.00	100.00	27.27	33.33	53.33	41.85	27.12
	Total	52	-183.33	100.00	7.94	35.71	60.18	33.08	51.68
Week 10	Low Back	39	-133.33	100.00	0.00	42.11	58.82	35.07	48.02
	Knee	13	0.00	100.00	33.33	50.00	55.00	48.35	29.25
	Total	52	-133.33	100.00	5.88	43.93	57.19	38.39	44.19
Week 11	Low Back	39	-166.67	100.00	0.00	38.46	75.00	37.78	52.16
	Knee	13	26.32	84.62	40.00	50.00	53.33	50.18	17.92
	Total	52	-166.67	100.00	23.16	47.22	74.34	40.88	46.18
Week 12	Low Back	39	-166.67	100.00	13.33	40.74	89.47	42.38	50.77
	Knee	13	5.26	83.33	33.33	45.45	50.00	42.24	18.01
	Total	52	-166.67	100.00	22.88	40.96	61.25	42.35	44.69

APS Improvement (%) from Week 1***ITT-population (LOCF)***

Analysis Variable	P-value Wilcoxon Test (Two-sided)
Week 2	0.205
Week 3	0.440
Week 4	0.256
Week 5	0.532
Week 6	0.649
Week 7	0.582
Week 8	0.832
Week 9	0.695
Week 10	0.356
Week 11	0.619
Week 12	0.783