

Cardiologists' Sample
Change of quality of life variables over 6 weeks

Per Protocol

Quality of life scores	T0	T1	Mean Difference (SD)
Physical functioning	2,54	2,78	0,24 (0,67)
Psychological functioning	2,52	2,79	0,27 (0,51)
Positive mood	2,22	2,42	0,20 (0,69)
Negative mood	2,69	3,14	0,45 (0,71)
Social function	2,71	2,82	0,11 (0,57)
Social wellbeing	2,92	3,09	0,17 (0,52)
Symptomscore t0	10,1	7,84	2,22 (4,61)

Intention-to-treat

Quality of life scores	T0	T1	Mean Difference (SD)
Physical functioning	2,53	2,77	0,25 (0,67)
Psychological functioning	2,53	2,79	0,26 (0,50)
Positive mood	2,22	2,42	0,20 (0,68)
Negative mood	2,69	3,15	0,46 (0,71)
Social function	2,71	2,81	0,10 (0,57)
Social wellbeing	2,92	3,08	0,15 (0,52)
Symptomscore t0	10,1	8,10	2,04 (4,74)

All patients
Change of quality of life variables over 6 weeks

Per Protocol

Quality of life scores	T0	T1	Mean Difference (standard deviation of mean difference)
Physical functioning	2,60	2,89	0,28 (0,63)
Psychological functioning	2,57	2,84	0,27 (0,52)
Positive mood	2,19	2,44	0,26 (0,73)
Negative mood	2,84	3,24	0,40 (0,68)
Social function	2,72	2,91	0,19 (0,57)
Social wellbeing	2,98	3,09	0,10 (0,55)
Symptomscore t0	9,03	6,84	2,19 (4,98)

Intention-to-treat

Quality of life scores	T0 Mean	T1 Mean	Mean Difference (standard deviation of mean difference)
Physical functioning	2,60	2,68	0,28 (0,63)
Psychological functioning	2,58	2,84	0,26 (0,52)
Positive mood	2,19	2,44	0,25 (0,73)
Negative mood	2,84	3,25	0,40 (0,67)
Social function	2,72	2,90	0,18 (0,57)
Social wellbeing	2,98	3,09	0,10 (0,55)
Symptomscore t0	9,08	6,98	2,10 (5,01)