


Nachgewiesene Erreger KW29/2025 - 09/2026




	KW 29	KW 30	KW 31	KW 32	KW 33	KW 34	KW 35	KW 36	KW 37	KW 38	KW 39	KW 40	KW 41	KW 42	KW 43	KW 44	KW 45	KW 46	KW 47	KW 48	KW 49	KW 50	KW 51	KW 52	KW 01/26	KW 02	KW 03	KW 04	KW 05	KW 06	KW 07	KW 08	KW 09	
Resp. Proben gesamt	101	99	100	94	120	121	122	110	116	115	140	130	192	188	188	169	125	147	127	172	141	177	213	180	234	225	267	269	355	309	259	209	200	
SARS-CoV-2	1	2	3	8	8	6	6	2	3	8	7	12	26	13	21	11	9	10	8	10	5	19	17	12	7	16	13	6	9	10	6	2	2	
RSV A/B	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	2	0	1	6	4	5	6	16	15	32	23	24	22	28	
Influenza A+B	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	6	10	21	45	41	66	48	61	63	86	54	43	13	12
Parainfluenza 1-4	3	3	4	1	4	7	2	1	3	3	2	1	0	1	1	2	1	5	1	1	1	3	0	3	1	3	1	1	0	0	0	3	0	
Andere Coronaviren	0	1	1	0	0	0	2	0	0	1	0	0	0	0	1	1	0	0	1	0	0	1	2	2	0	2	2	0	7	6	6	4	3	
Adenovirus	1	0	1	1	2	0	1	0	1	3	1	1	1	0	2	1	0	0	1	0	1	3	1	0	1	0	0	0	0	1	1	1	1	2
Rhino/Enterovirus	9	6	15	12	10	11	5	10	2	12	13	12	19	20	17	20	12	20	13	12	10	13	10	7	3	3	1	0	0	5	8	5	4	

■ Resp. Proben gesamt
 ■ SARS-CoV-2
 ■ RSV A/B
 ■ Influenza A+B
■ Parainfluenza 1-4
 ■ Andere Coronaviren
 ■ Adenovirus
 ■ Rhino/Enterovirus

Anteil SARS-COV-2- und Influenzavirus-RNA- positiver respiratorischer Proben

Anzahl



Prozent

Norovirus-Nachweise

