

Georg Bauer
 Publication list (updated July, 2022)

- 180) Bauer G, Struck F, Staschik E, Maile J, Wochinz-Richter K, Motz M and Soutschek E. Differential avidity determination of IgG directed towards the receptor-binding domain (RBD) of SARS-CoV-2 wildtype and its variants in one assay: Rational tool for the assessment of protective immunity. *J Med Virol*, in press.
- 179) Bauer G. Iron-catalyzed antagonism between NO and H₂O₂ / HOCl causes mutual exclusivity of HOCl- and NO/peroxynitrite-mediated apoptosis-inducing signaling. *BioRxiv*; doi: <https://doi.org/10.1101/2022.07.03.498603>
- 178) Bauer G. High avidity of vaccine-induced immunoglobulin G (IgG) against SARS-CoV-2: potential relevance for protective humoral immunity. *Explor Immunol*. 2022;2:133–156. DOI: <https://doi.org/10.37349/ei.2022.00040>.
- 177) Bauer G. Inhibition of membrane-associated catalase, extracellular ROS/RNS signaling and aquaporin/H₂O₂-mediated intracellular glutathione depletion cooperate during apoptosis induction in the human gastric carcinoma cell line MKN-45. *Antioxidants* **2021**, 10, 1585. <https://doi.org/10.3390/antiox10101585>
- 176) Struck F, Schreiner P, Staschik E, Wochinz-Richter K, Schulz S, Soutschek E, Motz M and Bauer G. Incomplete IgG avidity maturation after seasonal coronavirus infections. *J Med Virol*, 94: 186-196, 2022; doi: 10.1002/jmv.27291
- 175) Struck F, Schreiner P, Staschik E, Wochinz-Richter K, Schulz S, Soutschek E, Motz M and Bauer G. Vaccination versus infection with SARS-CoV-2: Establishment of a high avidity IgG response versus incomplete avidity maturation. *J Med Virol*, 93: 6765-6777, 2021; doi: 10.1002/jmv.27270.
- 174) Bauer G. The potential significance of high avidity IgG for protective immunity towards SARS CoV-2. *Int J Infect Dis* 106: 61-64, 2021
- 173) Bauer G, Struck F, Schreiner P, Staschik E, Soutschek E, Motz M. The challenge of avidity determination in SARS-CoV-2 serology. *J Med Virol*, 2021 a; 93: 3092-3104. DOI: 10.1002/jmv.26863
- 172) Bauer G, Struck F, Schreiner P, Staschik E, Soutschek E, Motz M. The serological response to SARS corona virus-2 is characterized by frequent incomplete maturation of functional affinity (avidity). *Research Square*; DOI: 10.21203/rs.3.rs-104847/v1
- 171) Yamamoto N, Bauer G. Apparent difference in fatalities between Central Europe and East Asia due to SARS-CoV-2 and COVID-19: Four hypotheses for possible explanation. *Medical Hypotheses*, <https://doi.org/10.1016/j.mehy.2020.110160>.
- 170) Yamamoto N, Ariumi Y, Nishida N, Yamamoto R, Bauer G, Gojobori T, Shimotohno K, Mizokamia M. SARS-CoV-2 infections and COVID-19 mortalities strongly correlate with ACE1 I/D genotype. *Gene* 758 (2020) 144944. <https://doi.org/10.1016/j.gene.2020.144944>
- 169) Bauer G. The variability of the serological response to SARS-corona virus-2: Potential resolution of ambiguity through determination of avidity (functional affinity). *J Med Virol*. 2021; 93:311-322. <https://doi.org/10.1002/jmv.26262>
- 168) Bekeschus S, Bauer G, Miller V. Immunology in Plasma Cancer Treatment. M. Keidar (ed.), *Plasma Cancer Therapy*, Springer Series on Atomic, Optical, and Plasma Physics 115, https://doi.org/10.1007/978-3-030-49966-2_8M
- 167) Bauer G, Bekeschus S. Plasma-derived reactive oxygen/reactive nitrogen species (ROS/RNS) cooperate with redox control elements on the surface of tumor cells during induction of selective tumor cell death. In: M. Keidar (ed.), *Plasma Cancer Therapy*, Springer Series on Atomic, Optical, and Plasma Physics 115. https://doi.org/10.1007/978-3-030-49966-2_5
- 166) Bauer G, Sersenova D, Graves DB and Machala Z. Dynamics of singlet oxygen-triggered, RONS-based apoptosis induction after treatment of tumor cells with cold atmospheric plasma or plasma-activated medium. *Scientific Reports* 9: 1393, 2019. <https://doi.org/10.1038/s41598-019-50329-3>
- 165) Bauer G, Sersenova D, Graves DB and Machala Z. Cold atmospheric plasma and plasma-activated medium trigger RONS- based tumor cell apoptosis. *Scientific Reports* 9, 14210, 2019. <https://doi.org/10.1038/s41598-019-50291-0>
- 164) Bauer G. Intercellular singlet oxygen-mediated bystander signaling triggered by long-lived species of cold atmospheric plasma and plasma-activated medium. *Redox Biol* 26, 101301, 2019. <https://doi.org/10.1016/j.redox.2019.101301>

- 163) Bauer G. The synergistic effect between hydrogen peroxide and nitrite, two long-lived molecular species from cold atmospheric plasma, triggers tumor cells to induce their own cell death. *Redox Biol*, 26, 101291 (2019). <https://doi.org/10.1016/j.redox.2019.101291>
- 162) Bauer G. Cold Atmospheric Plasma and Plasma-Activated Medium: Antitumor Cell Effects with Inherent Synergistic Potential. *Plasma Medicine* 9: 57-88, 2019. DOI: 10.1615/PlasmaMed.2019029462.
- 161) Bauer G. HOCl and the control of oncogenesis. *J Inorganic Biochem* 179: 10-23, 2018, <https://doi.org/10.1016/j.jinorgbio.2017.11.005>
- 160) Bauer G, Graves DB, Schuster M and Metelmann H-R. Side effect management. In: *Comprehensive Clinical Plasma Medicine*, Metelmann H-R, von Woedtke T and Weltmann K-D, editors, Springer, Cham, pp 301-318, 2018. DOI: doi.org/10.1007/978-3-319-67627-2_16.
- 159) Graves DB and Bauer G. Key Roles of Reactive Oxygen and Nitrogen Species. In: *Comprehensive Clinical Plasma Medicine*, Metelmann H-R, von Woedtke T and Weltmann K-D, editors, Springer, Cham, pp 71-82, 2018. DOI: doi.org/10.1007/978-3-319-67627-2_4.
- 158) Metelmann H-R, Seebauer C, Miller V, Fridman A, Bauer G, Graves DB, Pouvesle J-M, Rutkowski R, Schuster M, Bekeschus S, Wende K, Masur K, Hasse S, Gerling T, Hori M, Tanaka H, Choi EH, Weltmann K-D, Metelmann PH, von Hoff DD, von Woedtke T. Clinical Experience with Cold Plasma in the Treatment of Locally Advanced Head and Neck Cancer. *Clinical Plasma Medicine* 9: 6-13, 2018, doi.org/10.1016/j.cpm.2017.09.001
- 157) Schuster M, Rutkowski R, Hauschild A, Shojaei RK, von Woedtke T, Rana A, Bauer G, Metelmann P, Seebauer C. Side effects in cold plasma treatment of advanced oral cancer-Clinical data and biological interpretation. *Clinical Plasma Medicine* 10: 9-15, 2018.
- 156) Bauer G. Nitric oxide contributes to selective apoptosis induction in malignant cells through multiple reaction steps. *Critical Reviews in Oncogenesis* 21 (5-6): 365-398, 2016
- 155) Bauer G. Autoamplificatory singlet oxygen generation sensitizes tumor cells for intercellular apoptosis-inducing signaling. *Mechanisms of Ageing and Development* 172: 59-77, 2018; doi.org/10.1016/j.mad.2017.11.005.
- 154) Bauer G. Signal amplification by tumor cells: clue to the understanding of the antitumor effects of cold atmospheric plasma and plasma-activated medium. *IEEE Transactions on Radiation and Plasma Medical Sciences* 2: 87-98, 2018
- 153) Krüger H and Bauer G: Lactobacilli enhance reactive oxygen species-dependent apoptosis-inducing signalling. *Redox Biol* 11: 715-724, 2017. DOI: [10.1016/j.redox.2017.01.015](https://doi.org/10.1016/j.redox.2017.01.015)
- 152) Bauer G. siRNA-based analysis of the abrogation of the protective function of membrane-associated catalase of tumor cells. *Anticancer Res* 37: 567-582, 2017
- 151) Bauer G. Central signaling elements of intercellular reactive oxygen/nitrogen species-dependent induction of apoptosis in malignant cells. *Anticancer Res* 37: 499-514, 2017
- 150) Bauer G. Targeting the protective catalase of tumor cells with cold atmospheric plasma-treated medium (PAM). *Anticancer Agents in Medicinal Chemistry* 18: 784-804, 2018, DOI: [10.2174/1871520617666170801103708](https://doi.org/10.2174/1871520617666170801103708)
- 149) Bauer G. Helicobacter and Reactive Oxygen Species. In: *Gastrointestinal tissue. Oxidative stress and dietary antioxidants*. Edited by J. Gracia-Sancho and J Salvadó. Academic Press, Elsevier Inc. 2017, pp 81-96.
- 148) Niller HH and Bauer G. Epstein-Barr Virus: Clinical Diagnostics. *Methods Mol. Biol.* 1532: 33-55, 2017.
- 147) Bauer G and Graves DB. Mechanisms of selective antitumor action of cold atmospheric plasma-derived reactive oxygen and nitrogen species. 2016, *Plasma Process Polymer* 13: 1157-1178, 2016. <https://doi.org/10.1002/ppap.201600089>
- 146) Bauer G and Motz M: The antitumor effect of single-domain antibodies directed towards membrane-associated catalase and superoxide dismutase. *Anticancer Res.* 36: 5945-5956, 2016.
- 145) Bauer G: The antitumor effect of singlet oxygen. *Anticancer Res.* 36: 5649-5664, 2016
- 144) Abdelrazzak AB, Pottgiesser SJ, Hill MA, O'Neill P and Bauer G. Enhancement of peroxidase release from non-malignant and malignant cells through low-dose irradiation with different radiation quality. *Radiation Res* 185: 199-213, 2016.

- 143) Heinzelmann S and Bauer G: Site-specific effects of DUOX1-related peroxidase on intercellular apoptosis signaling. *Anticancer Res.* 35: 5955-5971, 2015.
- 142) Pottgiesser S, Heinzelmann S and Bauer G. Intercellular HOCl-mediated apoptosis induction in malignant cells: interplay between NOX1-dependent superoxide anion generation and DUOX-related HOCl-generating peroxidase activity. *Anticancer Res.* 35: 5927-5943, 2015.
- 141) Bauer G. Increasing the endogenous NO level causes catalase inactivation and reactivation of intercellular apoptosis signaling specifically in tumor cells. *Redox Biol* 6: 353-371, 2015.
- 140) Riethmüller M, Burger N and Bauer G: Singlet oxygen treatment of tumor cells triggers extracellular singlet oxygen generation, catalase inactivation and reactivation of intercellular apoptosis-inducing signaling. *Redox Biol*, 6: 157-168, 2015.
- 139) Böhm B, Heinzelmann S, Motz M and Bauer G. Extracellular localization of catalase is associated with the transformed state of malignant cells. *Biol. Chem.* 396: 1339-1356, 2015.
- 138) Scheit K and Bauer G. Direct and indirect inactivation of tumor cell protective catalase by salicylic acid and anthocyanidins reactivates intercellular ROS signaling and allows for synergistic effects. *Carcinogenesis* 36: 400-411, 2015.
- 137) Bauer G and Zarkovic N. Revealing mechanisms of selective, concentration-dependent potentials of 4-hydroxy-2-nonenal to induce apoptosis in cancer cells through inactivation of membrane-associated catalase. *Free Radic. Biol. Med.* 81: 128-144, 2015.
- 136) Scheit K and Bauer G. Synergistic effects between catalase inhibitors and modulators of nitric oxide metabolism on tumor cell apoptosis. *Anticancer Res* 34: 5337-5350, 2014.
- 135) Bauer G, Bereswill S, Aichele P and Glocker E. Helicobacter pylori protects oncogenically transformed cells from reactive oxygen species-mediated intercellular induction of apoptosis. *Carcinogenesis* 35: 1582-1591, 2014. DOI: <https://doi.org/10.1093/carcin/bgu074>
- 134) Bauer G. Targeting extracellular ROS signaling of tumor cells. *Anticancer Res*, 34: 1467-1482, 2014.
- 133) Wölfle U, Seelinger G, Bauer G, Meinke MM, Lademann J and Schempp C. Reactive Molecule Species and Antioxidative Mechanisms in Normal Skin and Skin Aging. *Skin Pharmacol Physiol*, 27:316-332, 2014. (DOI: 10.1159/000360092)
- 132) Bauer G. HOCl-dependent singlet oxygen and hydroxyl radical generation modulate and induce apoptosis of malignant cells. *Anticancer Res* 33: 3589-3602, 2013.
- 131) Temme J and Bauer G. Low-dose gamma irradiation enhances superoxide anion production by nonirradiated cells through TGF- β 1-dependent bystander signaling. *Rad. Res.* 179: 422-432, 2013.
- 130) Bauer G. Tumor cell protective catalase as a novel target for rational therapeutic approaches based on specific intercellular ROS signaling. *Anticancer Res.* 32: 2599-2624, 2012.
- 129) Pottgiesser T, Schumacher Y O, Wolfarth B, Schmidt-Trucksäss A and Bauer G. Longitudinal observation of Epstein-Barr virus antibodies in athletes and controls during a competition season. *J. Med. Virol.* 84: 1415-1422, 2012.
- 128) Kundrát P, Bauer G, Jacob P and Friedland W. Mechanistic modelling suggests that the size of preneoplastic lesions is limited by intercellular induction of apoptosis in oncogenically transformed cells. *Carcinogenesis* 33: 253-259, 2012.
- 127) Abdelrazzak AB, Stevens DL, Bauer G, O'Neill P and Hill MA (2011) The role of radiation quality in the stimulation of intercellular induction of apoptosis in transformed cells at very low doses. *Rad. Res.* 176, 346-355, 2011.
- 126) Bauer G. Low dose irradiation enhances specific signaling components of intercellular reactive oxygen-mediated apoptosis induction. *J. Phys. Conf. ser.* 261 012001, 2011
- 125) Bauer G. Epstein-Barr virus serology: basic patterns and stochastics. *Pipette* 2, 21-23, 2010.
- 124) Ophoven S and Bauer G. Salen manganese complexes: sophisticated tools for the analysis of intercellular ROS signaling pathways. *Anticancer Res.* 30: 3967-3980, 2010.

- 123) Heinzlmann S and Bauer G. Multiple protective functions of catalase against intercellular apoptosis-inducing ROS signaling of human tumor cells. *Biol. Chem.* 391, 675-693, 2010.
- 122) Bechtel W and Bauer G. Modulation of intercellular ROS signaling of human tumor cells. *Anticancer Res.* 29, 4559-4570, 2009 b
- 121) Bechtel W and Bauer G. Catalase protects tumor cells against apoptosis induction by intercellular ROS signaling. *Anticancer Res.* 29, 4541-4557, 2009 a.
- 120) Pottgießer T, Schumacher YO, Bauer G. Aberrant EBV antibody patterns may mimic acute EBV infections. *Clin J Sport Med* 19: 74, 2009.
- 119) Poenisch M, Burger N, Staeheli P, Bauer G and Schneider U. Protein X of Borna Disease Virus Inhibits Apoptosis and Promotes Viral Persistence in the Central Nervous Systems of Newborn-Infected Rats. *J. Virol.* 83, 4297-4307, 2009.
- 118) Bauer G, Chatgililoglu C, Gebicki JL, Gebicka L, Gescheidt G, Golding BT, Goldstein S, Kaizer J, Merenyi G, Speier G and Wardman P. Biologically relevant small radicals. *Chimia* 62: 1-9, 2008.
- 117) Pottgießer T, Schumacher YO, Wolfarth G, Bauer G. Epstein-Barr-Virus-Infektionen – Diagnostik und Serologie. *Deut Z Sportm* 5: 126-127, 2008
- 116) Bauer G. Low dose radiation and intercellular induction of apoptosis: potential implications for the control of oncogenesis. *Int. J. Radiation Biol.* 83: 887-902, 2007.
- 115) Portess DI, Bauer G, Hill MA and O'Neill P. Low dose irradiation of nontransformed cells stimulates the selective removal of precancerous cells via intercellular induction of apoptosis. *Cancer Res.* 67:1246-1253, 2007.
- 114) Pottgiesser T, Wolfarth B, Schumacher YO and Bauer G. Epstein-Barr virus serostatus: no difference despite aberrant patterns in athletes and control groups. *Med & Science in Sports and Exercise* 38: 1782-1791, 2006.
- 113) Meiworm L, Bauer G, Steinbrück K, Dickhuth H-H, Huber G. Medizinische Betreuung der Deutschen Nationalmannschaft des Gehörlosensportverbandes bei den Deaflympics 2001 und Standortbestimmung des Leistungsniveaus im Gehörlosensport. *Deut Z Sportmed* 56: 332-335, 2005.
- 112) Steinmann M, Moosmann N, Schimmel M, Gerhardus C and Bauer G. Differential role of extra- and intracellular superoxide anions for nitric oxide-mediated apoptosis induction. *In vivo* 18: 293-310, 2004.
- 111) Haberstroh K, Heigold S and Bauer G. Transformed cell-derived reactive oxygen species support and inhibit nitric oxide-mediated apoptosis induction. *Int J Oncol.* 21:145-151, 2002.
- 110) Ivanovas B and Bauer G. Selective and nonselective apoptosis induction in transformed and nontransformed fibroblasts by exogenous reactive oxygen and nitrogen species. *Anticancer Research, Anticancer Res.* 22:841-856, 2002.
- 109) Schimmel M and Bauer G. Proapoptotic and redox state-related signalling of reactive oxygen species generated by transformed fibroblasts. *Oncogene.* 21:5886-5896, 2002.
- 108) Heigold S and Bauer G. Raw 264.7 macrophages induce apoptosis selectively in transformed cells: Intercellular signalling based on reactive oxygen species. *J. Leukocyte Biology* 72: 554-563, 2002.
- 107) Heigold S, Sers C, Bechtel W., Ivanovas B, Schäfer R and Bauer G: Nitric oxide mediates apoptosis induction selectively in transformed fibroblasts compared to nontransformed fibroblasts. *Carcinogenesis* 23:929-941, 2002.
- 106) Paul K and Bauer G. Promyelocytic HL 60 cells induce apoptosis specifically in transformed cells: Involvement of myeloperoxidase, nitric oxide and target cell-derived superoxide anions. *Anticancer Res.* 21, 3237-3246, 2002.
- 105) Bauer G. Signaling and proapoptotic functions of transformed cell-derived reactive oxygen species. *Prostaglandines, Leukotrienes and Essential Fatty Acids* 66:41-56, 2002.
- 104) Häufel T and Bauer G. Transformation of rat fibroblasts by TGF-beta and EGF induces sensitivity for intercellular induction of apoptosis. *Anticancer Res.* 21: 2617-2628, 2001.
- 103) Steinebach C. and Bauer G. An alternative signalling pathway based on nitryl chloride during intercellular induction of apoptosis. *In vitro and applied molecular toxicology* 14: 107-120, 2001.

- 102) Schwieger A, Bauer L, Hanusch J, Sers C, Schäfer R, Bauer G. Ras oncogene expression determines sensitivity for intercellular induction of apoptosis. *Carcinogenesis*.22:1385-1392, 2001.
- 101) Bauer G. Lactobacilli-mediated control of vaginal cancer through specific reactive oxygen species interaction. *Medical Hypotheses*, 57: 252-257, 2001.
- 100) Schimmel M, Bauer G. Selective apoptosis induction in transformed fibroblasts by B cell lines: involvement of reactive oxygen and nitrogen species. *Int. J. Oncol.* 19, 299-304, 2001.
- 99) Von Eynatten K, Bauer G. Central and ambivalent role of hydrogen peroxide during intercellular induction of apoptosis. *Int. J. Oncol.* 18, 1169-1174, 2001.
- 98) Bauer G. Simplicity through complexity: immunoblots with recombinant antigens as the new gold standard in Epstein Barr virus serology. *Clin. Lab.* 47: 223-230, 2001.
- 97) Bauer G, Dormann S, Engelmann I, Schulz A, Saran M. Reactive oxygen species and apoptosis. In: *Handbook of Exp. Pharmacology*, R. G. Cameron and G. Feuer, editors. Springer Verlag, Berlin, Heidelberg, New York; vol. 142, pp 275-318, 2000.
- 96) Herdener M, Heigold S, Saran M, Bauer G. Target cell-derived superoxide anions cause efficiency and selectivity of intercellular induction of apoptosis. *Free Radical Biology & Medicine* 29, 1260-1271, 2000.
- 95) Hanusch J, Schwieger A, Sers C, Schäfer R, Bauer G. Oncogenic transformation increases the sensitivity for apoptosis induction by inhibitors of macromolecular synthesis. *Int. J. Oncol.*17: 89-95, 2000.
- 94) Engelmann I, Bauer G. Reversible and oxidative inactivation of endogenous survival factors after removal of exogenous survival factors. *Int. J. Oncol.* 17: 97-102, 2000.
- 93) Engelmann I, Dormann S, Saran M, Bauer G: Transformed target cell-derived superoxide anions drive apoptosis induction by myeloperoxidase. *Redox Report* 5: 207-214, 2000.
- 92) Engelmann I, Bauer G. How can tumor cells escape intercellular induction of apoptosis? *Anticancer Res.* 20: 2297-2306, 2000.
- 91) Engelmann I, Eichholtz-Wirth H, Bauer G. Ex vivo tumor cell lines are resistant against intercellular induction of apoptosis and independent of exogenous survival factors. *Anticancer Res.* 20: 2361-2370, 2000.
- 90) Bauer G. Reactive oxygen and nitrogen species: efficient, selective and interactive signals during intercellular induction of apoptosis. *Anticancer Research* 20, 4115-4140, 2000.
- 89) Schulz A, Bauer G. Selective effect of tumor necrosis factor on transformed versus nontransformed cells: Nonselective signal recognition but differential target cell response. *Anticancer Res.* 20: 3435-3442, 2000.
- 88) Schulz A, Bauer G. Synergistic action between tumor necrosis factor alpha and transforming growth factor beta: consequences for natural antitumor mechanisms. *Anticancer Res.* 20: 3443-3448, 2000.
- 87) Häufel T, Dormann S, Hanusch J, Schwieger A, Bauer G. Three distinct roles for TGF-beta during intercellular induction of apoptosis. *Anticancer Res.* 19: 105-112, 1999.
- 86) Dormann S, Schwieger A, Hanusch J, Häufel T, Engelmann I, Bauer G. Intercellular induction of apoptosis through modulation of endogenous survival factor concentration. *Anticancer Research* 19: 87-104, 1999.
- 85) Saran M, Beck-Speier I, Fellerhoff B, Bauer G. Phagocytic killing of microorganisms by radical processes: consequences of the reaction of hydroxyl radicals with chloride yielding chlorine atoms. *Free Rad. Biol. Med.* 26: 482-490, 1999.
- 84) Schäffner E, Opitz OG, Pietsch K, Bauer G, Ehlers S, Jacobs E. Human pathogenic mycoplasma species-induced cytokine expression in Epstein-Barr virus (EBV)-positive lymphoblastoid cell lines. *Microbial Pathogenesis*, 24: 257-262, 1998.
- 83) Dormann S, Bauer G. TGF-beta and FGF trigger intercellular induction of apoptosis: analogous activity on non-transformed but differential activity on transformed cells. *Int. J. Oncol.* 13: 1247-1252, 1998.
- 82) Eckert S, Bauer G. TGF-beta isoforms and fibroblast growth factor exhibit analogous indirect antioncogenic activity through triggering of intercellular induction of apoptosis. *Anticancer Res.* 18: 45-52, 1998.
- 81) Hipp M-L, Bauer G. Intercellular induction of apoptosis in transformed cells does not depend on p53. *Oncogene* 15: 791-797, 1997.

- 80) Beck E, Schäfer R, Bauer G. Sensitivity of transformed fibroblasts for intercellular induction of apoptosis is determined by their transformed phenotype. *Exp. Cell Res.* 234: 47-56, 1997.
- 79) Descalzo A, Weiland C, Dietze L, Matz B, Bauer G. Transformation of rodent fibroblasts by ICP-4, the major transactivating protein of herpes simplex virus type 1. *Int. J. Oncology* 10: 765-773, 1997.
- 78) Zucker B, Hanusch J, Bauer G. Glutathione depletion in fibroblasts is the basis for induction of apoptosis by endogenous reactive oxygen species. *Cell Death and Differentiation*, 4: 388-395, 1997.
- 77) Bassler D, Brauns HH, Bauer G. Role of proliferation for intercellular induction of apoptosis. *Exp. Cell Res.* 232: 349-352, 1997.
- 76) Jürgensmeier J, Bauer G. Interference of Bcl-2 with intercellular control of carcinogenesis. *Int. J. Cancer* 71: 698-704, 1997.
- 75) Bauer G. Interference of papilloma viruses with p53-dependent and -independent apoptotic pathways: clues to viral oncogenesis (Review-hypothesis). *Oncology Reports* 4: 273-275, 1997.
- 74) Jürgensmeier J, Panse J, Schäfer R, Bauer G. Reactive oxygen species as mediators of the transformed phenotype. *Int. J. Cancer* 70: 587-589, 1997.
- 73) Zucker B, Bauer G. Intercellular induction of apoptosis of transformed cells is modulated by their intracellular glutathione concentration. *Int. J. Oncol.* 10: 141-146, 1997.
- 72) Panse J, Hipp M-L, Bauer G. Fibroblasts transformed by chemical carcinogens are sensitive for intercellular induction of apoptosis: implications for the control of oncogenesis. *Carcinogenesis* 18: 259-264, 1997.
- 71) Wolter T, Gassmann C, Vetter V, Bauer G. Avidity determination: utilization of a basic immunological mechanism allows to improve serological diagnosis of infections. *Clin. Laboratory* 43: 125-135, 1997.
- 70) Gassmann C, Bauer G. Avidity determination of IgG directed against tick-borne encephalitis virus improves detection of current infections. *J. Med. Virol.* 51: 242-251, 1997.
- 69) Bauer G. IgM – ein variabler und mehrdeutiger diagnostischer Marker. *Der Mikrobiologe* 6: 44-51, 1996.
- 68) Melchinger W, Strauss SC, Zucker B, Bauer G. Antiapoptotic activity of bovine papilloma viruses: implications for the control of carcinogenesis. *Int. J. Oncol.* 9: 927-933, 1996.
- 67) Bauer G. Elimination of transformed cells by normal cells: a novel concept for the control of carcinogenesis. *Histol. Histopathol.* 11: 237-255, 1996.
- 66) Hackenjos K, Langer C, Zabel S, Bauer G. Transformed cells trigger induction of their own apoptosis in coculture with normal cells. *Oncology Reports*, 3: 27-31, 1996
- 65) Dichgans C, Höfler P, Bauer G. Transformation of rat fibroblasts by TGF- β : restriction to a minor subpopulation, rather than a rare event. *Int. J. Oncol.*, 7, 1367-1371, 1995.
- 64) Langer C, Jürgensmeier JM, Bauer G. Reactive oxygen species act both at TGF- β -dependent and -independent steps during induction of apoptosis of transformed cells by normal cells. *Exp. Cell Res.* 222: 117-124, 1996.
- 63) Bauer G. The rational basis for efficient EBV serology. *Clin. Lab.* 41, 623-634, 1995.
- 62) Bauer G. Rationale und rationelle EBV-Diagnostik. *Clin. Lab.* 41, 623 – 634, 1995.
- 61) Bauer G. Diagnostik der Herpesviren. Teil II: Herpes simplex-Virus (HSV), Varizella-Zoster-Virus (VZV) und Humanes Herpesvirus-6 (HHV-6). *mta* 10, 587-593, 1995.
- 60) Bauer G. Diagnostik der Herpesviren. Teil I: Epstein-Barr-Virus (EBV) und Zytomegalievirus (CMV). *mta* 10, 502-508, 1995.
- 59) Strauß SC, Weber M, Schächtele C, Bauer G. PKC-dependent and -independent cellular effects induced by recombinant transforming growth factor type beta 1. *Int. J. Oncol.* 7, 565-572, 1995.
- 58) Bauer G. Resistance to TGF- β -induced elimination of transformed cells is required during tumor progression. *Int. J. Oncol.* 6, 1227-1229, 1995.

- 57) Picht G, Hundertmark N, Schmitt CP, Bauer G. Clonal analysis of the effect of TGF- β on the apoptosis-inducing activity of normal cells. *Exp. Cell Research* 218, 71-78, 1995.
- 56) Vossbeck H, Strahm B, Höfler P, Bauer G. Direct transforming activity of TGF- β on rat fibroblasts. *Int. J. Cancer* 61: 92-97, 1995.
- 55) Schaefer D, Jürgensmeier J, Bauer G. Catechol interferes with TGF- β -induced elimination of transformed cells by normal cells: implications for the survival of transformed cells during carcinogenesis. *Int. J. Cancer* 60, 520-526, 1995.
- 54) Wehrle I, Jakob A, Höfler P, Bauer G. Transformation of murine fibroblasts by UV light and TGF- β : establishment of an autocrine TGF- β loop. *Int. J. Oncology* 5: 1341-1346, 1994.
- 53) Jürgensmeier J, Höfler P, Bauer G. TGF- β -induced elimination of transformed fibroblasts by normal cells: independence of cell-to-cell contact and dependence on reactive oxygen species. *Int. J. Oncology* 5: 525-531, 1994..
- 52) Jürgensmeier J, Schmitt CP, Viesel E, Höfler P, Bauer G. TGF- β -treated normal fibroblasts eliminate transformed fibroblasts by induction of apoptosis. *Cancer Research*, 54:393-398, 1994.
- 51) Bauer G. Epstein-Barr-Virus: Bedeutung und Möglichkeiten der Labordiagnostik *Therapeutische Umschau* 51: 558-562, 1994.
- 50) Alpers C, Scheid S, Bauer G. Acute EBV infection results in IgM responses against unrelated viruses. *Med. Microbiol. Letters* 3: 306-314, 1994.
- 49) Rapp C, Berthold H, Bauer G. Loss of Anti-EBNA-1 during active hepatitis B virus infection: A diagnostic problem and indication for HBV-induced transient cellular immunosuppression. *Med. Microbiol. Letters*, 3: 235-243, 1994.
- 48) Karner W, Bauer G. Activation of a varicella zoster virus-specific IgA response during acute Epstein-Barr virus infection. *J. Med. Virol.*, 44: 258-262, 1994.
- 47) Sigel G, Schillinger M, Henninger K, Bauer G. IgA directed against early antigen of Epstein-Barr virus is no specific marker for the diagnosis of nasopharyngeal carcinoma. *J. Med. Virol.*, 43: 222-227, 1994.
- 46) Andersson A, Vetter V, Kreutzer L, Bauer G. The avidities of IgG directed against viral capsid antigen (VCA) or early antigen (EA): useful markers for a more significant Epstein-Barr virus serology. *J. Med. Virol.* 43: 238-244, 1994.
- 45) Vetter V, Kreutzer L, Bauer G. Differentiation of primary from secondary anti-EBNA-1-negative cases by determination of avidity of VCA-IgG. *Clinical and Diagnostic Virology* 2: 29-39, 1994.
- 44) Sohn H-J, Bauer G. Absorption of IgG increases the sensitivity of detection of the Epstein-Barr virus capsid antigen-specific IgM test. *Med. Microbiol. Letters* 2: 371-378, 1993.
- 43) Schillinger M, Kampmann M, Henninger K, Murray G, Hanselmann I, Bauer G. Variability of humoral immune response to acute Epstein-Barr virus (EBV) infection: evaluation of the significance of serological markers. *Med. Microbiol. Letters* 2: 296-303, 1993.
- 42) Kampmann M, Henninger K, Bauer G. Determination of antibodies directed specifically against Epstein-Barr virus nuclear antigen-1 (EBNA-1) by anticomplementary immunofluorescence (ACIF). *Med. Microbiol. Letters* 2: 1-8, 1993.
- 41) Höfler P, Wehrle I, Bauer G. TGF- β induces an inhibitory effect of normal cells directed against transformed cells. *Int. J. Cancer* 54: 125-130, 1993.
- 40) Bauer G. Die Aussagemöglichkeiten der Epstein-Barr-Virus-Diagnostik *Der Internist* 33: 586-592, 1992.
- 39) Bauer G, Kahl S, Singh Sawhney I, Höfler P, Gerspach R, Matz G. Transformation of rodent fibroblasts by herpes simplex virus: presence of morphological transforming region 1 (MTR 1) is not required for the maintenance of the transformed state. *Int. J. Cancer* 51: 754-760, 1992.
- 38) Götschl M, Höfler P, Bauer G. Reactivity to TGF- β is one step towards transformation. *Int. J. Cancer* 51, 139-143, 1992.

- 37) Bauer G, Götschl M, Höfler P. Tumor-promoting activity of Epstein-Barr-Virus-Inducing Factor/Transforming Growth Factor Type beta (EIF/TGF- β) is due to the induction of irreversible transformation. *Int. J. Cancer* 47, 881-88, 1991.
- 36) Fürstenberger G, Rogers M, Schnapke R, Bauer G, Höfler P, Marks F. Stimulatory role of transforming growth factors in multistage skin carcinogenesis: possible explanation for the tumor-inducing effect of wounding in initiated NMRI mouse skin. *Int. J. Cancer* 43, 915-921, 1989.
- 35) Rogers M, Fürstenberger G, Bauer G, Höfler P, Marks F. EIF-Epstein-Barr Virus Inducing Factor - a peptide with TGF- β activity is a convertogenic agent ("stage I tumor promoter") in mouse skin in vivo. In: F. Bresciani, R.J.B. King, M. E. Lipman and J. P. Raynaud (eds) *Progress in Cancer Research and Therapy*, vol. 35, *Hormones and Cancer* 3, pp 254-257, Raven Press, New York, 1988.
- 34) Marks F, Fürstenberger G, Gschwendt M, Rogers M, Schurich B, Kaina B, Bauer G. The wound response as a key element for an understanding of multistage carcinogenesis in skin. in : *Chemical Carcinogenesis*; F. Feo, P. Pani, A. Columbano and R. Garcea, editors, Plenum Press Corporation, p. 217-234, 1988.
- 33) Anisomova E, Roubalova K, Bauer G, Roubal J. Chemically purified serum factor can induce both Epstein-Barr virus antigen synthesis and cell differentiation. *Arch. of Virology* 94, 309-314, 1987
- 32) Dietrich JB, Chasserot S, Beck G and Bauer G. Antigluco-corticoids block the enhancement of the EBV early antigens induced by a steroid agonist or a serum factor in Daudi lymphoma cells. *Cancer letters* 30, 86, 1986
- 31) Dietrich JB, Chasserot-Golaz S, Beck G and Bauer G. Antagonism of glucocorticoid induction of Epstein-Barr virus early antigens by different steroids in Daudi lymphoma cells. *J. Steroid Biochemistry* 24, 417-421, 1986
- 30) Bauknecht T, Siebers J, Kiechle M, Bauer G. Characterization of growth factors in human ovarian carcinomas. *Cancer Research* 46, 2614-2618, 1986
- 29) Bauer G, Birnbaum U, Höfler P, Heldin C-H. EBV-inducing factor exhibits growth-promoting activity for fibroblasts. *EMBO Journal* 4, 1957-1961, 1985
- 28) Daniel L, Bauer G, zur Hausen H. Effect of indomethacin on Epstein-Barr virus antigen induction. *Cancer Research* 44, 981-983, 1984
- 27) Zur Hausen H, Bauer G. Tumor promoters and a naturally occurring serum factor in the induction of Epstein-Barr-virus. "Nasopharyngeal carcinoma: current concepts", U. Prasad et al., Eds. University of Malaga, Kuala Lumpur, 1983, pp 315-320
- 26) Bauer G, zur Hausen H. Induction of latent Epstein-Barr virus information by a serum factor. *Hämatol.-Bluttransfus.* 28, 297-298, 1983
- 25) Neumann-Haefelin D, Rethwilm A, Bauer G, Gudat F, zur Hausen H. Characterization of a foamy virus isolated from cercopithecus aethiops lymphoblastoid cells. *Med. Microbiol. Immunol.* 172, 75-86, 1983
- 24) Bauer G. Induction of EBV early antigens by corticosteroids: Inhibition by TPA and retinoic acid. *Int. J. Cancer* 31, 291-295, 1983
- 23) Bauer G. Quantitative analysis of the cooperative effect between inducers of Epstein-Barr virus antigen synthesis. *J. Gen. Virology* 64, 1337-1346, 1983
- 22) Zur Hausen H, Yamamoto N, Bauer G. Virus induction by tumor promoters. In: *Carcinogenesis*, Vol.7, E. Hecker editor. Raven Press New York 1982, p. 617-623
- 21) Wittmann P, Höfler P, Bauer G. Epstein-Barr virus induction by a serum factor IV. Ubiquitous occurrence of the factor and its interaction with defined lymphoblastoid cell lines. *Int. J. Cancer* 30, 503-510, 1982
- 20) Bauer G, Höfler P, Simon M. Epstein-Barr virus induction by a serum factor III. Characterization of the purified molecule and the mechanism of its activation. *J. Biol. Chem.* 257, 11411-11415, 1982.
- 19) Bauer G, Höfler P, Simon M. Epstein-Barr virus induction by a serum factor II. Purification of a highmolecular weight protein that is responsible for induction. *J. Biol. Chem.* 257, 11405-11410, 1982.
- 18) Bauer G, Höfler P, zur Hausen H. Epstein-Barr virus induction by a serum factor I. Induction and cooperation with additional inducers. *Virology* 121, 184-194, 1982.
- 17) Bauer G. RNA-dependent DNA polymerases from normal avian cells. In: *The role of RNA development and reproduction*. M.C.Niu and H.H. Chuang editors. Science press Peking.

p.60-78, 1981

- 16) Yamamoto N, Bauer G. The relationship between tumor promotor binding and Epstein-Barr virus induction in human lymphoblastoid cell lines. *Journal of Cellular Physiology* 109, 397-402, 1981.
- 15) Bauer G, Temin HM. Specific antigenic relationships between the RNA-dependent DNA polymerases of avian reticuloendotheliosis viruses and mammalian type C retroviruses. *J. Virol.* 34, 168-177, 1980
- 14) Bauer G, Temin HM. Radioimmunological comparison of the DNA polymerase of avian retroviruses. *J. Virol.* 33, 1046-1057, 1980
- 13) Bauer G, Temin HM. Pheasant virus DNA polymerase is related to avian leukosis virus DNA polymerase at the active site. *J. Virol.* 32, 78-90, 1979
- 12) Bauer G, Temin HM. RNA-directed DNA polymerase from particles released by normal goose cells. *J. Virol.* 29, 1006-1013, 1979.
- 11) Bauer G, Mattersberger H, Soo R, Jendis R, Hofschneider PH. Release of article associated RNA dependent DNA polymerases by primary chicken and quail embryo cells. In: *Modern Trends in Human Leukemia III.* R.Neth, R.C. Gallo, P.H. Hofschneider and K. Mannweiler editors. Springer Verlag Berlin, Heidelberg, New York 1979, p. 575-579
- 10) Bauer G. RNA-Tumorviren. *Naturwissenschaftliche Rundschau* 31, 445-455, 1978
- 9) Bauer G, Hofschneider PH. RNA-dependent DNA polymerase in a "virus-free" system. In: *Integration and Excision of DNA molecules.* P.H. Hofschneider and P. Starlinger editors. Springer Verlag Berlin, Heidelberg, New York 1978, p. 101-105
- 8) Bauer G, Friis RR, Mattersberger H, Hofschneider PH. Controlled release of particle-associated RNA-dependent DNA polymerase by primary chick embryo cell cultures. *Exp. Cell Research* 117, 383-392, 1978.
- 7) Bauer G, Soo R, Friss, RR. Comparison of the RNA-dependent DNA polymerase of an endogenous avian leukosis virus to the polymerase of an exogenous avian leukosis virus. *Eur. J. Biochem.* 90, 21-27, 1978.
- 6) Bauer G, Friis RR, Jilek G, Hofschneider PH. Purification and characterization of particles containing RNA-dependent DNA polymerase, in the allantoic fluid of uninfected leukosis-virus-free chicken eggs. *Biochem. Biophys. Acta* 518, 125-137, 1978.
- 5) Bauer G. RNA-dependent DNA polymerase (reverse transcriptase). *Blut* 35, 3-9, 1977
- 4) Bauer G, Jilek G, Hofschneider PH. Characterization of a new reverse transcriptase of possibly cellular origin in the chicken system. *Arzneimittelforschung (Drug research)* 27, 215-220, 1977.
- 3) Bauer G, Jilek G, Hofschneider PH. Purification and further characterization of an RNA-dependent DNA polymerase from the allantoic fluid of leukosis-virus-free chicken eggs. *Eur. J. Biochem.* 79, 345-354, 1977.
- 2) Bauer G, Jilek G, Hofschneider PH. A new, not virus related reverse transcriptase in the chicken system. In: *Modern Trends in Human Leukemia II,* R. Neth, R.C. Gallo, K.Mannweiler, W.C. Moloney, editors., J.F. Lehmanns Verlag München, p.515-529, 1976
- 1) Bauer G, Hofschneider PH. An RNA-dependent DNA polymerase, different from the known viral reverse transcriptases, in the chicken system. *Proc. Natl. Acad. Sci. U.S.A.* 73, 3025-3029, 1976.