

Georg Bauer

Complete list of Publications

- 156) Bauer G, Graves DB, Schuster M and Metelmann H-R. Investigating Physical Plasma –New Horizons. 3.1: Side effect management. In: "Comprehensive Clinical Plasma Medicine - Treating with Cold Physical Plasma"; Metelmann H-R, von Woedtke T and Weltmann K-D, editors, Springer, in press, 2017
- 155) Graves DB and Bauer G. Understanding Physical Plasma –Background and Principles. 1.4: Key Roles of Reactive Oxygen and Nitrogen Species. In: "Comprehensive Clinical Plasma Medicine - Treating with Cold Physical Plasma"; Metelmann H-R, von Woedtke T and Weltmann K-D, editors, Springer, in press, 2017
- 154) Metelmann H-R, Seebauer C, Miller V, Friedman A, Bauer G, Graves DB, Rutkowski R, Schuster M, Bakeschus S, Wende K, Hori M, Tanaka H, Weltmann K-D, von Woedtke T, VonHoff DD. Clinical anticancer effect of physical cold atmospheric pressure plasma – approaches for understanding. Clinical Plasma Medicine, in press, 2017
- 153) Schuster M, Rutkowski R, Hauschild A, Shojaei RK, von Woedtke T, Rana A, Bauer G, Metelmann P, Seebauer C. Why are there no side effects in plasma treatment of oral cancer? Clinical Plasma Medicine, in press, 2017
- 152) Bauer G. Nitric oxide contributes to selective apoptosis induction in malignant cells through multiple reaction steps. Critical Reviews in Oncogenesis, in press, 2017
- 151) Bauer G. Autoamplificatory singlet oxygen generation sensitizes tumor cells for intercellular apoptosis-inducing signaling. Mechanisms of Ageing and Development, in press, 2017
- 150) Bauer G. Signal amplification by tumor cells: clue to the understanding of the antitumor effects of cold atmospheric plasma and plasma-activated medium. IEEE Transactions on Radiation and Plasma Medical Sciences, in press, 2017
- 149) Krüger H and Bauer G: Lactobacilli enhance reactive oxygen species-dependent apoptosis-inducing signalling. Redox Biol 11: 715-724, 2017
- 148) Bauer G. SiRNA-based analysis of the abrogation of the protective function of membrane-associated catalase of tumor cells. Anticancer Res 37: 567-582, 2017
- 147) Bauer G. Central signaling elements of intercellular reactive oxygen/nitrogen species-dependent induction of apoptosis in malignant cells. Anticancer Res 37: 499-514, 2017
- 146) Bauer G. Targeting the protective catalase of tumor cells with cold atmospheric plasma-treated medium (PAM). Anticancer Agents in Medicinal Chemistry, 2017, doi: [10.2174/1871520617666170801103708](https://doi.org/10.2174/1871520617666170801103708)
- 145) Bauer G. Helicobacter and Reactive Oxygen Species. In: Gastrointestinal tissue. Oxidative stress and dietary antioxidants. Edited by J. Gracia-Sancho and J Salvadó. Academic Press, Elsevier Inc. 2017, pp 81-96.
- 144) Niller HH and Bauer G. Epstein-Barr Virus: Clinical Diagnostics. Methods Mol. Biol. 1532: 33-55, 2017.
- 143) Bauer G and Graves DB. Mechanisms of selective antitumor action of cold atmospheric plasma-derived reactive oxygen and nitrogen species. 2016, Plasma Process Polymer 13: 1157-1178, 2016
- 142) Bauer G and Motz M: The antitumor effect of single-domain antibodies directed towards membrane-associated catalase and superoxide dismutase. Anticancer Res. 36: 5945-5956, 2016.
- 141) Bauer G: The antitumor effect of singlet oxygen. Anticancer Res. 36: 5649-5664, 2016
- 140) Abdelrazzak AB, Pottgiesser SJ, Hill MA, O'Neill P and Bauer G. Enhancement of peroxidase release from non-malignant and malignant cells through low-dose irradiation with different radiation quality. Radiation Res 185: 199-213, 2016.
- 139) Heinzelmann S and Bauer G: Site-specific effects of DUOX1-related peroxidase on intercellular apoptosis signaling. Anticancer Res. 35: 5955-5971, 2015.
- 138) Pottgiesser S, Heinzelmann S and Bauer G. Intercellular HOCl-mediated apoptosis induction in malignant cells: interplay between NOX1-dependent superoxide anion generation and DUOX-related HOCl-generating peroxidase activity. Anticancer Res. 35: 5927-5943, 2015.

- 137) Bauer G. Increasing the endogenous NO level causes catalase inactivation and reactivation of intercellular apoptosis signaling specifically in tumor cells. *Redox Biol* 6: 353-371, 2015.
- 136) Riethmüller M, Burger N and Bauer G: Singlet oxygen treatment of tumor cells triggers extracellular singlet oxygen generation, catalase inactivation and reactivation of intercellular apoptosis-inducing signaling. *Redox Biol*, 6: 157-168, 2015.
- 135) Böhm B, Heinzelmann S, Motz M and Bauer G. Extracellular localization of catalase is associated with the transformed state of malignant cells. *Biol. Chem.* 396: 1339-1356, 2015.
- 134) Scheit K and Bauer G. Direct and indirect inactivation of tumor cell protective catalase by salicylic acid and anthocyanidins reactivates intercellular ROS signaling and allows for synergistic effects. *Carcinogenesis* 36: 400-411, 2015.
- 133) Bauer G and Zarkovic N. Revealing mechanisms of selective, concentration-dependent potentials of 4-hydroxy-2-nonenal to induce apoptosis in cancer cells through inactivation of membrane-associated catalase. *Free Radic. Biol. Med.* 81: 128-144, 2015.
- 132) Scheit K and Bauer G. Synergistic effects between catalase inhibitors and modulators of nitric oxide metabolism on tumor cell apoptosis. *Anticancer Res* 34: 5337-5350, 2014.
- 131) Bauer G, Bereswill S, Aichele P and Glocker E. Helicobacter pylori protects oncogenically transformed cells from reactive oxygen species-mediated intercellular induction of apoptosis. *Carcinogenesis* 35: 1582-1591, 2014.
- 130) Bauer G. Targeting extracellular ROS signaling of tumor cells. *Anticancer Res*, 34: 1467-1482, 2014.
- 129) Wölflé U, Seelinger G, Bauer G, Meinke MM, Lademann J and Schempp C. Reactive Molecule Species and Antioxidative Mechanisms in Normal Skin and Skin Aging. *Skin Pharmacol Physiol*, 27:316-332, 2014. (DOI: 10.1159/000360092)
- 128) Bauer G. HOCl-dependent singlet oxygen and hydroxyl radical generation modulate and induce apoptosis of malignant cells. *Anticancer Res* 33: 3589-3602, 2013.
- 127) Temme J and Bauer G. Low-dose gamma irradiation enhances superoxide anion production by nonirradiated cells through TGF-β1-dependent bystander signaling. *Rad. Res.* 179: 422-432, 2013.
- 126) Bauer G. Tumor cell protective catalase as a novel target for rational therapeutic approaches based on specific intercellular ROS signaling. *Anticancer Res.* 32: 2599-2624, 2012.
- 125) Pottgiesser T, Schumacher Y O, Wolfarth B, Schmidt-Trucksäss A and Bauer G. Longitudinal observation of Epstein-Barr virus antibodies in athletes and controls during a competition season. *J. Med. Virol.* 84: 1415-1422, 2012.
- 124) Kundrát P, Bauer G, Jacob P and Friedland W. Mechanistic modelling suggests that the size of preneoplastic lesions is limited by intercellular induction of apoptosis in oncogenically transformed cells. *Carcinogenesis* 33: 253-259, 2012.
- 123) Abdelrazzak AB, Stevens DL, Bauer G, O'Neill P and Hill MA (2011) The role of radiation quality in the stimulation of intercellular induction of apoptosis in transformed cells at very low doses. *Rad. Res.* 176, 346-355, 2011.
- 122) Bauer G. Low dose irradiation enhances specific signaling components of intercellular reactive oxygen-mediated apoptosis induction. *J. Phys. Conf. ser.* 261 012001, 2011
- 121) Bauer G. Epstein-Barr virus serology: basic patterns and stochastics. *Pipette* 2, 21-23, 2010.
- 120) Ophoven S and Bauer G. Salen manganese complexes: sophisticated tools for the analysis of intercellular ROS signaling pathways. *Anticancer Res.* 30: 3967-3980, 2010.
- 119) Heinzelmann S and Bauer G. Multiple protective functions of catalase against intercellular apoptosis-inducing ROS signaling of human tumor cells. *Biol. Chem.* 391, 675-693, 2010.
- 118) Bechtel W and Bauer G. Modulation of intercellular ROS signaling of human tumor cells. *Anticancer Res.* 29, 4559-4570, 2009 b
- 117) Bechtel W and Bauer G. Catalase protects tumor cells against apoptosis induction by intercellular ROS signaling. *Anticancer Res.* 29, 4541-4557, 2009 a.

- 116) Poenisch M, Burger N, Staeheli P, Bauer G and Schneider U. Protein X of Borna Disease Virus Inhibits Apoptosis and Promotes Viral Persistence in the Central Nervous Systems of Newborn-Infected Rats. *J. Virol.* 83, 4297-4307, 2009.
- 115) Bauer G, Chatgilialoglu C, Gebicki JL, Gebicka L, Gescheidt G, Golding BT, Goldstein S, Kaizer J, Merenyi G, Speier G and Wardman P. Biologically relevant small radicals. *Chimia* 62: 1-9, 2008.
- 114) Bauer G. Low dose radiation and intercellular induction of apoptosis: potential implications for the control of oncogenesis. *Int. J. Radiation Biol.* 83: 887-902, 2007.
- 113) Portess DI, Bauer G, Hill MA and O'Neill P. Low dose irradiation of nontransformed cells stimulates the selective removal of precancerous cells via intercellular induction of apoptosis. *Cancer Res.* 67:1246-1253, 2007.
- 112) Pottgiesser T, Wolfarth B, Schumacher YO and Bauer G. Epstein-Barr virus serostatus: no difference despite aberrant patterns in athletes and control groups. *Med & Science in Sports and Exercise* 38: 1782-1791, 2006.
- 111) Steinmann M, Moosmann N, Schimmel M, Gerhardus C and Bauer G. Differential role of extra- and intracellular superoxide anions for nitric oxide-mediated apoptosis induction. *In vivo* 18: 293-310, 2004.
- 110) Haberstroh K, Heigold S and Bauer G. Transformed cell-derived reactive oxygen species support and inhibit nitric oxide-mediated apoptosis induction. *Int J Oncol.* 21:145-151, 2002.
- 109) Ivanovas B and Bauer G. Selective and nonselective apoptosis induction in transformed and nontransformed fibroblasts by exogenous reactive oxygen and nitrogen species. *Anticancer Research, Anticancer Res.* 22:841-856, 2002.
- 108) Schimmel M and Bauer G. Proapoptotic and redox state-related signalling of reactive oxygen species generated by transformed fibroblasts. *Oncogene.* 21:5886-5896, 2002.
- 107) Heigold S and Bauer G. Raw 264.7 macrophages induce apoptosis selectively in transformed cells: Intercellular signalling based on reactive oxygen species. *J. Leukocyte Biology* 72: 554-563, 2002.
- 106) Heigold S, Sers C, Bechtel W., Ivanovas B, Schäfer R and Bauer G: Nitric oxide mediates apoptosis induction selectively in transformed fibroblasts compared to nontransformed fibroblasts. *Carcinogenesis* 23:929-941, 2002.
- 105) Paul K and Bauer G. Promyelocytic HL 60 cells induce apoptosis specifically in transformed cells: Involvement of myeloperoxidase, nitric oxide and target cell-derived superoxide anions. *Anticancer Res.* 21, 3237-3246, 2002.
- 104) Bauer G. Signaling and proapoptotic functions of transformed cell-derived reactive oxygen species. *Prostaglandines, Leukotrienes and Essential Fatty Acids* 66:41-56, 2002.
- 103) Häufel T and Bauer G. Transformation of rat fibroblasts by TGF-beta and EGF induces sensitivity for intercellular induction of apoptosis. *Anticancer Res.* 21: 2617-2628, 2001.
- 102) Steinebach C. and Bauer G. An alternative signalling pathway based on nitryl chloride during intercellular induction of apoptosis. *In vitro and applied molecular toxicology* 14: 107-120, 2001.
- 101) Schwieger A, Bauer L, Hanusch J, Sers C, Schäfer R, Bauer G. Ras oncogene expression determines sensitivity for intercellular induction of apoptosis. *Carcinogenesis*.22:1385-1392, 2001.
- 100) Bauer G. Lactobacilli-mediated control of vaginal cancer through specific reactive oxygen species interaction. *Medical Hypotheses*, 57: 252-257, 2001.
- 99) Schimmel M, Bauer G. Selective apoptosis induction in transformed fibroblasts by B cell lines: involvement of reactive oxygen and nitrogen species. *Int. J. Oncol.* 19, 299-304, 2001.
- 98) Von Eynatten K, Bauer G. Central and ambivalent role of hydrogen peroxide during intercellular induction of apoptosis. *Int. J. Oncol.* 18, 1169-1174, 2001.
- 97) Bauer G. Simplicity through complexity: immunoblots with recombinant antigens as the new gold standard in Epstein Barr virus serology. *Clin. Lab.* 47: 223-230, 2001.
- 96) Bauer G, Dormann S, Engelmann I, Schulz A, Saran M. Reactive oxygen species and apoptosis. In:Handbook of Exp. Pharmacology, R. G. Cameron and G. Feuer, editors. Springer Verlag, Berlin, Heidelberg, New York; vol. 142, pp 275-318, 2000.

- 95) Herdener M, Heigold S, Saran M, Bauer G. Target cell-derived superoxide anions cause efficiency and selectivity of intercellular induction of apoptosis. *Free Radical Biology & Medicine* 29, 1260-1271, 2000.
- 94) Hanusch J, Schwieger A, Sers C, Schäfer R, Bauer G. Oncogenic transformation increases the sensitivity for apoptosis induction by inhibitors of macromolecular synthesis. *Int. J. Oncol.* 17: 89-95, 2000.
- 93) Engelmann I, Bauer G. Reversible and oxidative inactivation of endogenous survival factors after removal of exogenous survival factors. *Int. J. Oncol.* 17: 97-102, 2000.
- 92) Engelmann I, Dormann S, Saran M, Bauer G: Transformed target cell-derived superoxide anions drive apoptosis induction by myeloperoxidase. *Redox Report* 5: 207-214, 2000.
- 91) Engelmann I, Bauer G. How can tumor cells escape intercellular induction of apoptosis? *Anticancer Res.* 20: 2297-2306, 2000.
- 90) Engelmann I, Eichholz-Wirth H, Bauer G. Ex vivo tumor cell lines are resistant against intercellular induction of apoptosis and independent of exogenous survival factors. *Anticancer Res.* 20: 2361-2370, 2000.
- 89) Bauer G. Reactive oxygen and nitrogen species: efficient, selective and interactive signals during intercellular induction of apoptosis. *Anticancer Research* 20, 4115-4140, 2000.
- 88) Schulz A, Bauer G. Selective effect of tumor necrosis factor on transformed versus nontransformed cells: Nonselective signal recognition but differential target cell response. *Anticancer Res.* 20: 3435-3442, 2000.
- 87) Schulz A, Bauer G. Synergistic action between tumor necrosis factor alpha and transforming growth factor beta: consequences for natural antitumor mechanisms. *Anticancer Res.* 20: 3443-3448, 2000.
- 86) Häufel T, Dormann S, Hanusch J, Schwieger A, Bauer G. Three distinct roles for TGF-beta during intercellular induction of apoptosis. *Anticancer Res.* 19: 105-112, 1999.
- 85) Dormann S, Schwieger A, Hanusch J, Häufel T, Engelmann I, Bauer G. Intercellular induction of apoptosis through modulation of endogenous survival factor concentration. *Anticancer Research* 19: 87-104, 1999.
- 84) Saran M, Beck-Speier I, Fellerhoff B, Bauer G. Phagocytic killing of microorganisms by radical processes: consequences of the reaction of hydroxyl radicals with chloride yielding chlorine atoms. *Free Rad. Biol. Med.* 26: 482-490, 1999.
- 83) Dormann S, Bauer G. TGF-beta and FGF trigger intercellular induction of apoptosis: analogous activity on non-transformed but differential activity on transformed cells. *Int. J. Oncol.* 13: 1247-1252, 1998.
- 82) Eckert S, Bauer G. TGF-beta isoforms and fibroblast growth factor exhibit analogous indirect antioncogenic activity through triggering of intercellular induction of apoptosis. *Anticancer Res.* 18: 45-52, 1998.
- 81) Hipp M-L, Bauer G. Intercellular induction of apoptosis in transformed cells does not depend on p53. *Oncogene* 15: 791-797, 1997.
- 80) Beck E, Schäfer R, Bauer G. Sensitivity of transformed fibroblasts for intercellular induction of apoptosis is determined by their transformed phenotype. *Exp. Cell Res.* 234: 47-56, 1997.
- 79) Descalzo A, Weiand C, Dietze L, Matz B, Bauer G. Transformation of rodent fibroblasts by ICP-4, the major transactivating protein of herpes simplex virus type 1. *Int. J. Oncology* 10: 765-773, 1997.
- 78) Zucker B, Hanusch J, Bauer G. Glutathione depletion in fibroblasts is the basis for induction of apoptosis by endogenous reactive oxygen species. *Cell Death and Differentiation*, 4: 388-395, 1997.
- 77) Bassler D, Brauns HH, Bauer G. Role of proliferation for intercellular induction of apoptosis. *Exp. Cell Res.* 232: 349-352, 1997.
- 76) Jürgensmeier J, Bauer G. Interference of Bcl-2 with intercellular control of carcinogenesis. *Int. J. Cancer* 71: 698-704, 1997.
- 75) Bauer G. Interference of papilloma viruses with p53-dependent and -independent apoptotic pathways: clues to viral oncogenesis (Review-hypothesis). *Oncology Reports* 4: 273-275, 1997.
- 74) Jürgensmeier J, Panse J, Schäfer R, Bauer G. Reactive oxygen species as mediators of the transformed phenotype. *Int. J. Cancer* 70: 587-589, 1997.
- 73) Zucker B, Bauer G. Intercellular induction of apoptosis of transformed cells is modulated by their intracellular glutathione concentration. *Int. J. Oncol.* 10: 141-146, 1997.

- 72) Panse J, Hipp M-L, Bauer G. Fibroblasts transformed by chemical carcinogens are sensitive for intercellular induction of apoptosis: implications for the control of oncogenesis. *Carcinogenesis* 18: 259-264, 1997.
- 71) Wolter T, Gassmann C, Vetter V, Bauer G. Avidity determination: utilization of a basic immunological mechanism allows to improve serological diagnosis of infections. *Clin. Laboratory* 43: 125-135, 1997.
- 70) Gassmann C, Bauer G. Avidity determination of IgG directed against tick-borne encephalitis virus improves detection of current infections. *J. Med. Virol.* 51: 242-251, 1997.
- 69) Bauer G. IgM – ein variabler und mehrdeutiger diagnostischer Marker. *Der Mikrobiologe* 6: 44-51, 1996.
- 68) Melchinger W, Strauss SC, Zucker B, Bauer G. Antia apoptotic activity of bovine papilloma viruses: implications for the control of carcinogenesis. *Int. J. Oncol.* 9: 927-933, 1996.
- 67) Bauer G. Elimination of transformed cells by normal cells: a novel concept for the control of carcinogenesis. *Histol. Histopathol.* 11: 237-255, 1996.
- 66) Hackenjos K, Langer C, Zabel S, Bauer G. Transformed cells trigger induction of their own apoptosis in coculture with normal cells. *Oncology Reports*, 3: 27-31, 1996
- 65) Dichgans C, Höfler P, Bauer G. Transformation of rat fibroblasts by TGF- β : restriction to a minor subpopulation, rather than a rare event. *Int. J. Oncol.*, 7, 1367-1371, 1995.
- 64) Langer C, Jürgensmeier JM, Bauer G. Reactive oxygen species act both at TGF- β -dependent and -independent steps during induction of apoptosis of transformed cells by normal cells. *Exp. Cell Res.* 222: 117-124, 1996.
- 63) Bauer G. The rational basis for efficient EBV serology. *Clin. Lab.* 41, 623-634, 1995.
- 62) Bauer G. Rationale und rationelle EBV-Diagnostik. *Clin. Lab.* 41, 623 – 634, 1995.
- 61) Bauer G. Diagnostik der Herpesviren. Teil II: Herpes simplex-Virus (HSV), Varizella-Zoster-Virus (VZV) und Humanes Herpesvirus-6 (HHV-6). *mta* 10, 587-593, 1995.
- 60) Bauer G. Diagnostik der Herpesviren. Teil I: Epstein-Barr-Virus (EBV) und Zytomegalievirus (CMV). *mta* 10, 502-508, 1995.
- 59) Strauß SC, Weber M, Schächtele C, Bauer G. PKC-dependent and -independent cellular effects induced by recombinant transforming growth factor type beta 1. *Int. J. Oncol.* 7, 565-572, 1995.
- 58) Bauer G. Resistance to TGF- β -induced elimination of transformed cells is required during tumor progression. *Int. J. Oncol.* 6, 1227-1229, 1995.
- 57) Picht G, Hundertmark N, Schmitt CP, Bauer G. Clonal analysis of the effect of TGF- β on the apoptosis-inducing activity of normal cells. *Exp. Cell Research* 218, 71-78, 1995.
- 56) Vossbeck H, Strahm B, Höfler P, Bauer G. Direct transforming activity of TGF- β on rat fibroblasts. *Int. J. Cancer* 61: 92-97, 1995.
- 55) Schaefer D, Jürgensmeier J, Bauer G. Catechol interferes with TGF- β -induced elimination of transformed cells by normal cells: implications for the survival of transformed cells during carcinogenesis. *Int. J. Cancer* 60, 520-526, 1995.
- 54) Wehrle I, Jakob A, Höfler P, Bauer G. Transformation of murine fibroblasts by UV light and TGF- β : establishment of an autocrine TGF- β loop. *Int. J. Oncology* 5: 1341-1346, 1994.
- 53) Jürgensmeier J, Höfler P, Bauer G. TGF- β -induced elimination of transformed fibroblasts by normal cells: independence of cell-to-cell contact and dependence on reactive oxygen species. *Int. J. Oncology* 5: 525-531, 1994..
- 52) Jürgensmeier J, Schmitt CP, Viesel E, Höfler P, Bauer G. TGF- β -treated normal fibroblasts eliminate transformed fibroblasts by induction of apoptosis. *Cancer Research*, 54:393-398, 1994.
- 51) Bauer G. Epstein-Barr-Virus: Bedeutung und Möglichkeiten der Labordiagnostik Therapeutische Umschau 51: 558-562, 1994.
- 50) Alpers C, Scheid S, Bauer G. Acute EBV infection results in IgM responses against unrelated viruses. *Med. Microbiol. Letters* 3: 306-314, 1994.

- 49) Rapp C, Berthold H, Bauer G. Loss of Anti-EBNA-1 during active hepatitis B virus infection: A diagnostic problem and indication for HBV-induced transient cellular immunosuppression. Med. Microbiol. Letters, 3: 235-243, 1994.
- 48) Karner W, Bauer G. Activation of a varicella zoster virus-specific IgA response during acute Epstein-Barr virus infection. J. Med. Virol., 44: 258-262, 1994.
- 47) Sigel G, Schillinger M, Henninger K, Bauer G. IgA directed against early antigen of Epstein-Barr virus is no specific marker for the diagnosis of nasopharyngeal carcinoma. J. Med. Virol., 43: 222-227, 1994.
- 46) Andersson A, Vetter V, Kreutzer L, Bauer G. The avidities of IgG directed against viral capsid antigen (VCA) or early antigen (EA): useful markers for a more significant Epstein-Barr virus serology. J. Med. Virol. 43: 238-244, 1994.
- 45) Vetter V, Kreutzer L, Bauer G. Differentiation of primary from secondary anti-EBNA-1-negative cases by determination of avidity of VCA-IgG. Clinical and Diagnostic Virology 2: 29-39, 1994.
- 44) Sohn H-J, Bauer G. Absorption of IgG increases the sensitivity of detection of the Epstein-Barr virus capsid antigen-specific IgM test. Med. Microbiol. Letters 2: 371-378, 1993.
- 43) Schillinger M, Kampmann M, Henninger K, Murray G, Hanselmann I, Bauer G. Variability of humoral immune response to acute Epstein-Barr virus (EBV) infection: evaluation of the significance of serological markers. Med. Microbiol. Letters 2: 296-303, 1993.
- 42) Kampmann M, Henninger K, Bauer G. Determination of antibodies directed specifically against Epstein-Barr virus nuclear antigen-1 (EBNA-1) by anticomplementary immunofluorescence (ACIF). Med. Microbiol. Letters 2: 1-8, 1993.
- 41) Höfler P, Wehrle I, Bauer G. TGF- β induces an inhibitory effect of normal cells directed against transformed cells. Int. J. Cancer 54: 125-130, 1993.
- 40) Bauer G. Die Aussagemöglichkeiten der Epstein-Barr-Virus-Diagnostik
Der Internist 33: 586-592, 1992.
- 39) Bauer G, Kahl S, Singh Sawhney I, Höfler P, Gerspach R, Matz G. Transformation of rodent fibroblasts by herpes simplex virus: presence of morphological transforming region 1 (MTR 1) is not required for the maintenance of the transformed state. Int. J. Cancer 51: 754-760, 1992.
- 38) Götschl M, Höfler P, Bauer G. Reactivity to TGF- β is one step towards transformation. Int. J. Cancer 51, 139-143, 1992.
- 37) Bauer G, Götschl M, Höfler P. Tumor-promoting activity of Epstein-Barr-Virus-Inducing Factor/Transforming Growth Factor Type beta (EIF/TGF- β) is due to the induction of irreversible transformation. Int. J. Cancer 47, 881-88, 199.
- 36) Fürstenberger G, Rogers M, Schnapke R, Bauer G, Höfler P, Marks F. Stimulatory role of transforming growth factors in multistage skin carcinogenesis: possible explanation for the tumor-inducing effect of wounding in initiated NMRI mouse skin. Int. J. Cancer 43, 915-921, 1989.
- 35) Rogers M, Fürstenberger G, Bauer G, Höfler P, Marks F. EIF-Epstein-Barr Virus Inducing Factor - a peptide with TGF- β activity is a convertogenic agent ("stage I tumor promoter") in mouse skin in vitro. In: F. Bresciani, R.J.B. King, M. E. Lipman and J. P. Raynaud (eds) Progress in Cancer Research and Therapy, vol. 35, Hormones and Cancer 3, pp 254-257, Raven Press, New York, 1988.
- 34) Marks F, Fürstenberger G, Gschwendt M, Rogers M, Schurich B, Kaina B, Bauer G. The wound response as a key element for an understanding of multistage carcinogenesis in skin. In : Chemical Carcinogenesis; F. Feo, P. Pani, A. Columbano and R. Garcea, editors, Plenum Press Corporation, p. 217-234, 1988.
- 33) Anisomova E, Roubalova K, Bauer G, Roubal J. Chemically purified serum factor can induce both Epstein-Barr virus antigen synthesis and cell differentiation. Arch. of Virology 94, 309-314, 1987
- 32) Dietrich JB, Chasserot S, Beck G and Bauer G. Antiglucocorticoids block the enhancement of the EBV early antigens induced by a steroid agonist or a serum factor in Daudi lymphoma cells. Cancer letters 30, 86, 1986
- 31) Dietrich JB, Chasserot-Golaz S, Beck G and Bauer G. Antagonism of glucocorticoid induction of Epstein-Barr virus early antigens by different steroids in Daudi lymphoma cells. J. Steroid Biochemistry 24, 417-421, 1986

- 30) Bauknecht T, Siebers J, Kiechle M, Bauer G. Characterization of growth factors in human ovarian carcinomas. *Cancer Research* 46, 2614-2618, 1986
- 29) Bauer G, Birnbaum U, Höfler P, Hedin C-H. EBV-inducing factor exhibits growth-promoting activity for fibroblasts. *EMBO Journal* 4, 1957-1961, 1985
- 28) Daniel L, Bauer G, zur Hausen H. Effect of indomethacin on Epstein-Barr virus antigen induction. *Cancer Research* 44, 981-983, 1984
- 27) Zur Hausen H, Bauer G. Tumor promotors and a naturally occurring serum factor in the induction of Epstein-Barr-virus. "Nasopharyngeal carcinoma: current concepts", U. Prasad et al., Eds. University of Malaga, Kuala Lumpur, 1983, pp 315-320
- 26) Bauer G, zur Hausen H. Induction of latent Epstein-Barr virus information by a serum factor. *Hämatol.-Bluttransfus.* 28, 297-298, 1983
- 25) Neumann-Haefelin D, Rethwilm A, Bauer G, Gudat F, zur Hausen H. Characterization of a foamy virus isolated from cercopithecus aethiops lymphoblastoid cells. *Med. Microbiol. Immunol.* 172, 75-86, 1983
- 24) Bauer G. Induction of EBV early antigens by corticosteroids: Inhibition by TPA and retinoic acid. *Int. J. Cancer* 31, 291-295, 1983
- 23) Bauer G. Quantitative analysis of the cooperative effect between inducers of Epstein-Barr virus antigen synthesis. *J. Gen. Virology* 64, 1337-1346, 1983
- 22) Zur Hausen H, Yamamoto N, Bauer G. Virus induction by tumor promotors. In: *Carcinogenesis*, Vol.7, E. Hecker editor. Raven Press New York 1982, p. 617-623
- 21) Wittmann P, Höfler P, Bauer G. Epstein-Barr virus induction by a serum factor IV. Ubiquitous occurrence of the factor and its interaction with defined lymphoblastoid cell lines. *Int. J. Cancer* 30, 503-510, 1982
- 20) Bauer G, Höfler P, Simon M. Epstein-Barr virus induction by a serum factor III. Characterization of the purified molecule and the mechanism of its activation. *J. Biol. Chem.* 257, 11411-11415, 1982.
- 19) Bauer G, Höfler P, Simon M. Epstein-Barr virus induction by a serum factor II. Purification of a highmolecular weight protein that is responsible for induction. *J. Biol. Chem.* 257, 11405-11410, 1982.
- 18) Bauer G, Höfler P, zur Hausen H. Epstein-Barr virus induction by a serum factor I. Induction and cooperation with additional inducers. *Virology* 121, 184-194, 1982.
- 17) Bauer G. RNA-dependent DNA polymerases from normal avian cells. In: *The role of RNA development and reproduction*. M.C.Niu and H.H. Chuang editors. Science press Peking. p.60-78, 1981
- 16) Yamamoto N, Bauer G. The relationship between tumor promotor binding and Epstein-Barr virus induction in human lymphoblastoid cell lines. *Journal of Cellular Physiology* 109, 397-402, 1981.
- 15) Bauer G, Temin HM. Specific antigenic relationships between the RNA-dependent DNA polymerases of avian reticuloendotheliosis viruses and mammalian type C retroviruses. *J. Virol.* 34, 168-177, 1980
- 14) Bauer G, Temin HM. Radioimmunological comparison of the DNA polymerase of avian retroviruses. *J. Virol.* 33, 1046-1057, 1980
- 13) Bauer G, Temin HM. Pheasant virus DNA polymerase is related to avian leukosis virus DNA polymerase at the active site. *J. Virol.* 32, 78-90, 1979
- 12) Bauer G, Temin HM. RNA-directed DNA polymerase from particles released by normal goose cells. *J. Virol.* 29, 1006-1013, 1979.
- 11) Bauer G, Mattersberger H, Soo R, Jendis R, Hofschneider PH. Release of article associated RNA dependent DNA polymerases by primary chicken and quail embryo cells. In: *Modern Trends in Human Leukemia III*. R.Neth, R.C. Gallo, P.H. Hofschneider and K. Mannweiler editors. Springer Verlag Berlin, Heidelberg, New York 1979, p. 575-579
- 10) Bauer G. RNA-Tumoviren. *Naturwissenschaftliche Rundschau* 31, 445-455, 1978
- 9) Bauer G, Hofschneider PH. RNA-dependent DNA polymerase in a "virus-free" system. In: *Integration and Excision of DNA molecules*. P.H. Hofschneider and P. Starlinger editors. Springer Verlag Berlin, Heidelberg, New

York 1978, p. 101-105

- 8) Bauer G, Friis RR, Mattersberger H, Hofschneider PH. Controlled release of particle-associated RNA-dependent DNA polymerase by primary chick embryo cell cultures. *Exp. Cell Research* 117, 383-392, 1978.
- 7) Bauer G, Soo R, Friss, RR. Comparison of the RNA-dependent DNA polymerase of an endogenous avian leukosis virus to the polymerase of an exogenous avian leukosis virus. *Eur. J. Biochem.* 90, 21-27, 1978.
- 6) Bauer G, Friis RR, Jilek G, Hofschneider PH. Purification and characterization of particles containing RNA-dependent DNA polymerase, in the allantoic fluid of uninfected leukosis-virus-free chicken eggs. *Biochem. Biophys. Acta* 518, 125-137, 1978.
- 5) Bauer G. RNA-dependent DNA polymerase (reverse transcriptase). *Blut* 35, 3-9, 1977
- 4) Bauer G, Jilek G, Hofschneider PH. Characterization of a new reverse transcriptase of possibly cellular origin in the chicken system. *Arzneimittelforschung (Drug research)* 27, 215-220, 1977.
- 3) Bauer G, Jilek G, Hofschneider PH. Purification and further characterization of an RNA-dependent DNA polymerase from the allantoic fluid of leukosis-virus-free chicken eggs. *Eur. J. Biochem.* 79, 345-354, 1977.
- 2) Bauer G, Jilek G, Hofschneider PH. A new, not virus related reverse transcriptase in the chicken system. In: *Modern Trends in Human Leukemia II*, R. Neth, R.C. Gallo, K.Mannweiler, W.C. Moloney, editors., J.F. Lehmanns Verlag München, p.515-529, 1976
- 1) Bauer G, Hofschneider PH. An RNA-dependent DNA polymerase, different from the known viral reverse transcriptases, in the chicken system. *Proc. Natl. Acad. Sci. U.S.A.* 73, 3025-3029, 1976.